Instance Types

Amazon EC2



Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon EC2: Instance Types

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Instance types **1**
Current generation instances 2
Previous generation instances 2
Instance performance 3
Naming conventions **5**
Specifications **7**
General purpose 8
Instance families and instance types 9
Instance family summary 14
Performance specifications 19
Network specifications 53
Amazon EBS specifications 94
Instance store specifications 150
Security specifications 162
Compute optimized 204
Instance families and instance types 205
Instance family summary 209
Performance specifications 212
Network specifications 238
Amazon EBS specifications 270
Instance store specifications 314
Security specifications 322
Memory optimized 356
Instance families and instance types 357
Instance family summary 362
Performance specifications 368
Network specifications 405
Amazon EBS specifications 452
Instance store specifications 514
Security specifications 530
Storage optimized 576
Instance families and instance types 576
Instance family summary 578
Performance specifications 579

Network specifications ... 589
Amazon EBS specifications ... 600
Instance store specifications ... 616
Security specifications ... 626
Accelerated computing ... 633
Instance families and instance types ... 633
Instance family summary ... 635
Performance specifications ... 638
Network specifications ... 654
Amazon EBS specifications ... 665
Instance store specifications ... 680
Security specifications ... 688
High-performance computing ... 696
Instance families and instance types ... 696
Instance family summary ... 697
Performance specifications ... 697
Network specifications ... 699
Amazon EBS specifications ... 700
Instance store specifications ... 703
Security specifications ... 704
Previous generation ... 705
Instance families and instance types ... 706
Instance family summary ... 707
Performance specifications ... 708
Network specifications ... 715
Amazon EBS specifications ... 722
Instance store specifications ... 730
Security specifications ... 733
Instance types by Region ... 739
US East (N. Virginia) ... 739
US East (Ohio) ... 740
US West (N. California) ... 740
US West (Oregon) ... 741
Africa (Cape Town) ... 741
Asia Pacific (Hong Kong) ... 742
Asia Pacific (Hyderabad) ... 742

Asia Pacific (Jakarta) ... 742
Asia Pacific (Malaysia) ... 743
Asia Pacific (Melbourne) ... 743
Asia Pacific (Mumbai) ... 743
Asia Pacific (New Zealand) ... 744
Asia Pacific (Osaka) ... 744
Asia Pacific (Seoul) ... 745
Asia Pacific (Singapore) ... 745
Asia Pacific (Sydney) ... 746
Asia Pacific (Taipei) ... 746
Asia Pacific (Thailand) ... 746
Asia Pacific (Tokyo) ... 747
Canada (Central) ... 747
Canada West (Calgary) ... 748
China (Beijing) ... 748
China (Ningxia) ... 748
Europe (Frankfurt) ... 749
Europe (Ireland) ... 749
Europe (London) ... 750
Europe (Milan) ... 750
Europe (Paris) ... 751
Europe (Spain) ... 751
Europe (Stockholm) ... 751
Europe (Zurich) ... 752
Israel (Tel Aviv) ... 752
Mexico (Central) ... 753
Middle East (Bahrain) ... 753
Middle East (UAE) ... 753
South America (Sao Paulo) ... 753
AWS GovCloud (US-East) ... 754
AWS GovCloud (US-West) ... 754
AWS European Sovereign Cloud ... 755
AWS Nitro System ... 756
Nitro components ... 756
Network feature support ... 757
Virtualized instances ... 758

Bare metal instances 760
Nitro instance requirements 761
Linux instances with AWS Graviton processors 764
Quotas 765
On-Demand Instance quotas 765
Spot Instance quotas 766
Dedicated Host quotas 766
Capacity Blocks quotas 775
Document history 777

Amazon EC2 instance types

End of sale notice

The **U-9tb1**, **U-12tb1**, **U-18tb1**, and **U-24tb1** instance types are no longer available for new instance launches. If your workload requires a high-memory instance, we recommend that you use a U7i instance type instead.

When you launch an EC2 instance, the *instance type* that you specify determines the hardware of the host computer used for your instance. Each instance type offers different compute, memory, and storage capabilities, and is grouped in an instance family based on these capabilities. Select an instance type based on the requirements of the application or software that you plan to run on your instance.

Amazon EC2 dedicates some resources of the host computer, such as CPU, memory, and instance storage, to a particular instance. Amazon EC2 shares other resources of the host computer, such as the network and the disk subsystem, among instances. If each instance on a host computer tries to use as much of one of these shared resources as possible, each receives an equal share of that resource. However, when a resource is underused, an instance can consume a higher share of that resource while it's available.

Each instance type provides higher or lower minimum performance from a shared resource. For example, instance types with high I/O performance have a larger allocation of shared resources. Allocating a larger share of shared resources also reduces the variance of I/O performance. For most applications, moderate I/O performance is more than enough. However, for applications that require greater or more consistent I/O performance, consider an instance type with higher I/O performance.

For pricing information, see Amazon EC2 Pricing.

Topics

- Current generation instances
- Previous generation instances
- Instance performance

Current generation instances

For the best performance, we recommend that you use the following instance types when you launch new instances. For more information, see Amazon EC2 Instance Types.

- **General purpose:** M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8azn | M8g | M8gb | M8gd | M8gn | M8i | M8id | M8i-flex | M8in | M8idn | M8ine | M8ib | M8idb | M9g | M9gd | Mac1 | Mac2 | Mac2-m1ultra | Mac2-m2 | Mac2-m2pro | Mac-m3ultra | Mac-m4 | Mac-m4pro | Mac-m4max | T2 | T3 | T3a | T4g | T8i
- **Compute optimized:** C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7gn | C7i | C7i-flex | C8a | C8g | C8gb | C8gd | C8gn | C8i | C8id | C8i-flex | C8in | C8ine | C8ib | C9g | C9gd
- **Memory optimized:** R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | R8a | R8g | R8gb | R8gd | R8gn | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | R9g | R9gd | U-3tb1 | U-6tb1 | U-9tb1 | U-12tb1 | U-18tb1 | U-24tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | U7in-32tb | U7inh-32tb | X1 | X1e | X2gd | X2idn | X2iedn | X2iezn | X8g | X8aedz | X8i | z1d
- **Storage optimized:** D2 | D3 | D3en | H1 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated computing:** DL1 | DL2q | F2 | G4ad | G4dn | G5 | G5g | G6 | G6e | G6f | Gr6 | Gr6f | G7 | G7e | Inf1 | Inf2 | P4d | P4de | P5 | P5e | P5en | P6-B200 | P6-B300 | P6e-GB200 | Trn1 | Trn1n | Trn2 | Trn2u | VT1
- **High-performance computing:** Hpc6a | Hpc6id | Hpc7a | Hpc7g | Hpc8a

Previous generation instances

Amazon Web Services offers previous generation instance types for users who have optimized their applications around them and have yet to upgrade. We encourage you to use current generation instance types to get the best performance, but we continue to support the following previous generation instance types. For more information about which current generation instance type would be a suitable upgrade, see Previous Generation Instances.

- **General purpose**: A1 | M1 | M2 | M3 | M4 | T1
- **Compute optimized**: C1 | C3 | C4
- **Memory optimized**: R3 | R4

- **Storage optimized**: I2
- **Accelerated computing**: G3 | P3 | P3dn

Instance performance

Fixed performance instances

Fixed performance instances provide fixed CPU resources. These instances can deliver and sustain full CPU performance at any time, and for as long as a workload needs it. If you need consistently high CPU performance for applications such as video encoding, high volume websites, or HPC applications, we recommend that you use fixed performance instances.

Burstable performance instances

Burstable performance (T) instances provide a baseline level of CPU performance with the ability to burst above the baseline. The baseline CPU is designed to meet the needs of the majority of general purpose workloads, such as large-scale micro-services, web servers, small and medium databases, data logging, code repositories, virtual desktops, and development and test environments.

The baseline utilization and ability to burst are governed by CPU credits. Each burstable performance instance continuously earns credits when it stays below the CPU baseline, and continuously spends credits when it bursts above the baseline. For more information, see Burstable performance instances in the *Amazon EC2 User Guide*.

Flex instances


C7i-flex, C8i-flex, M7i-flex, M8i-flex, R8i-flex instances offer a balance of compute, memory, and network resources, and they provide the most cost-effective way to run a broad spectrum of general purpose applications. These instances provide reliable CPU resources to deliver a baseline CPU performance of 40 percent, which is designed to meet the compute requirements for a majority of general purpose workloads. When more performance is needed, these instances provide the ability to exceed the baseline CPU performance and deliver up to 100 percent CPU performance for 95 percent of the time over a 24-hour window.

Flex instances running at a high CPU utilization that is consistently above the baseline for long periods of time might see a gradual reduction in the maximum burst CPU throughput. For more information, see the following:

- C7i-flex instances
- C8i-flex instances
- M7i-flex instances
- M8i-flex instances
- R8i-flex instances

Amazon EC2 instance type naming conventions

Amazon EC2 provides a variety of instance types so you can choose the type that best meets your requirements. Instance types are named based on their *instance family* and *instance size*. The first position of the instance family indicates the *series*, for example `c`. The second position indicates the *generation*, for example `7`. The third position indicates the *options*, for example `gn`. After the period (`.`) is the instance size, such as `small` or `4xlarge`, or `metal` for bare metal instances.



Series	Options
• **A** – Powered by Arm-based AWS Graviton processors • **C** – Compute optimized • **D** – Dense storage • **F** – FPGA • **G** – Graphics intensive • **Hpc** – High performance computing • **I** – Storage optimized • **Im** – Storage optimized (1 to 4 ratio of vCPU to memory)	• **a** – AMD processors • **b*00 | gb*00** – Accelerated by NVIDIA Blackwell GPUs • **g** – AWS Graviton processors • **i** – Intel processors • **m* | m*pro**– Apple chip • **b** – Block storage optimization • **d** – Instance store volumes • **e** – Extra instance storage (for storage optimized instance types), extra memory

Series	Options
• **Is** – Storage optimized (1 to 6 ratio of vCPU to memory) • **Inf** – AWS Inferentia • **M** – General purpose • **Mac** – macOS • **P** – GPU accelerated • **R** – Memory optimized • **T** – Burstable performance • **Trn** – AWS Trainium • **U** – High memory • **VT** – Video transcoding • **X** – Memory intensive • **Z** – High memory	(for memory optimized instance types), or extra GPU memory (for accelerated computing instance types). • **flex** – Flex instance • **n** – Network and EBS optimized • **q** – Qualcomm inference accelerators • ***tb** – Amount of memory for high-memory instances (3 TiB to 32 TiB) • **z** – High CPU frequency

Amazon EC2 instance type specifications

Amazon EC2 provides a wide selection of instance types optimized to fit different use cases. Instance types comprise varying combinations of CPU, memory, storage, and networking capacity and give you the flexibility to choose the appropriate mix of resources for your applications. Each instance type includes one or more instance sizes, allowing you to scale your resources to the requirements of your target workload.

We group EC2 instance into the following categories:

- **General purpose** – Provide a balance of compute, memory, and networking resources. These instances are ideal for applications that use these resources in equal proportions, such as web servers and code repositories.

  Burstable performance – The T instance family is also referred to as burstable performance instances. These instances provide a baseline CPU performance with the ability to burst above the baseline at any time. For more information, see Burstable performance instances in the *Amazon EC2 User Guide*.
- **Compute optimized** – Designed for compute intensive applications that benefit from high performance processors. These instances are ideal for batch processing workloads, media transcoding, high performance web servers, high performance computing (HPC), scientific modeling, dedicated gaming servers, ad server engines, and machine learning inference.
- **Memory optimized** – Designed to deliver fast performance for workloads that process large data sets in memory.
- **Storage optimized** – Designed for workloads that require high, sequential read and write access to very large data sets on local storage. They are optimized to deliver tens of thousands of low-latency, random I/O operations per second (IOPS) to applications.
- **Accelerated computing** – Use hardware accelerators, or co-processors, to perform functions, such as floating point number calculations, graphics processing, or data pattern matching, more efficiently than is possible in software running on CPUs.
- **High-performance computing** – Purpose built to offer the best price performance for running HPC workloads at scale on AWS. These instances are ideal for applications that benefit from high-performance processors, such as large, complex simulations and deep learning workloads.
- **Previous generation** – AWS offers previous generation instance types for users who have optimized their applications around them and have yet to upgrade. We encourage you to use

current generation instance types to get the best performance, but we continue to support previous generation instance types.

To determine which instance types meet your requirements, such as supported Regions, compute resources, or storage resources, see Find an Amazon EC2 instance type in the *Amazon EC2 User Guide*.

Categories

- Specifications for Amazon EC2 general purpose instances
- Specifications for Amazon EC2 compute optimized instances
- Specifications for Amazon EC2 memory optimized instances
- Specifications for Amazon EC2 storage optimized instances
- Specifications for Amazon EC2 accelerated computing instances
- Specifications for Amazon EC2 high-performance computing instances
- Specifications for Amazon EC2 previous generation instances

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Specifications for Amazon EC2 general purpose instances

General purpose instances provide a balance of compute, memory, and networking resources. These instances are ideal for applications that use these resources in equal proportions, such as web servers and code repositories.

For information on previous generation instance types of this category, such as M4 instances, see Specifications for Amazon EC2 previous generation instances.

Contents

- Instance families and instance types
- Instance family summary
- Performance specifications
- Network specifications

- Amazon EBS specifications
- Instance store specifications
- Security specifications

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Instance families and instance types

Instance family	Available instance types
M5	m5.large|m5.xlarge |m5.2xlarge |m5.4xlarge |m5.8xlarge | m5.12xlarge |m5.16xlarge |m5.24xlarge |m5.metal
M5a	m5a.large |m5a.xlarge |m5a.2xlarge |m5a.4xlarge |m5a.8xlarge |m5a.12xlarge |m5a.16xlarge |m5a.24xlarge
M5ad	m5ad.large |m5ad.xlarge |m5ad.2xlarge |m5ad.4xlarge | m5ad.8xlarge |m5ad.12xlarge |m5ad.16xlarge |m5ad.24xlarge
M5d	m5d.large |m5d.xlarge |m5d.2xlarge |m5d.4xlarge |m5d.8xlarge |m5d.12xlarge |m5d.16xlarge |m5d.24xlarge |m5d.metal
M5dn	m5dn.large |m5dn.xlarge |m5dn.2xlarge |m5dn.4xlarge | m5dn.8xlarge |m5dn.12xlarge |m5dn.16xlarge |m5dn.24xlarge | m5dn.metal
M5n	m5n.large |m5n.xlarge |m5n.2xlarge |m5n.4xlarge |m5n.8xlarge |m5n.12xlarge |m5n.16xlarge |m5n.24xlarge |m5n.metal
M5zn	m5zn.large |m5zn.xlarge |m5zn.2xlarge |m5zn.3xlarge | m5zn.6xlarge |m5zn.12xlarge |m5zn.metal
M6a	m6a.large |m6a.xlarge |m6a.2xlarge |m6a.4xlarge |m6a.8xlarge |m6a.12xlarge |m6a.16xlarge |m6a.24xlarge |m6a.32xlarge | m6a.48xlarge |m6a.metal

Instance family	Available instance types
M6g	m6g.medium |m6g.large |m6g.xlarge |m6g.2xlarge |m6g.4xlarge |m6g.8xlarge |m6g.12xlarge |m6g.16xlarge |m6g.metal
M6gd	m6gd.medium |m6gd.large |m6gd.xlarge |m6gd.2xlarge | m6gd.4xlarge |m6gd.8xlarge |m6gd.12xlarge |m6gd.16xlarge | m6gd.metal
M6i	m6i.large |m6i.xlarge |m6i.2xlarge |m6i.4xlarge |m6i.8xlarge |m6i.12xlarge |m6i.16xlarge |m6i.24xlarge |m6i.32xlarge | m6i.metal
M6id	m6id.large |m6id.xlarge |m6id.2xlarge |m6id.4xlarge | m6id.8xlarge |m6id.12xlarge |m6id.16xlarge |m6id.24xlarge | m6id.32xlarge |m6id.metal
M6idn	m6idn.large |m6idn.xlarge |m6idn.2xlarge |m6idn.4xlarge |m6idn.8xlarge |m6idn.12xlarge |m6idn.16xlarge |m6idn.24xlarge |m6idn.32xlarge |m6idn.metal
M6in	m6in.large |m6in.xlarge |m6in.2xlarge |m6in.4xlarge | m6in.8xlarge |m6in.12xlarge |m6in.16xlarge |m6in.24xlarge | m6in.32xlarge |m6in.metal
M7a	m7a.medium |m7a.large |m7a.xlarge |m7a.2xlarge |m7a.4xlarge |m7a.8xlarge |m7a.12xlarge |m7a.16xlarge |m7a.24xlarge | m7a.32xlarge |m7a.48xlarge |m7a.metal-48xl
M7g	m7g.medium |m7g.large |m7g.xlarge |m7g.2xlarge |m7g.4xlarge |m7g.8xlarge |m7g.12xlarge |m7g.16xlarge |m7g.metal
M7gd	m7gd.medium |m7gd.large |m7gd.xlarge |m7gd.2xlarge | m7gd.4xlarge |m7gd.8xlarge |m7gd.12xlarge |m7gd.16xlarge | m7gd.metal

Instance family	Available instance types
M7i	m7i.large |m7i.xlarge |m7i.2xlarge |m7i.4xlarge |m7i.8xlarge |m7i.12xlarge |m7i.16xlarge |m7i.24xlarge |m7i.48xlarge |m7i.metal-24xl |m7i.metal-48xl
M7i-flex	m7i-flex.large |m7i-flex.xlarge |m7i-flex.2xlarge |m7i-flex.4xlarge |m7i-flex.8xlarge |m7i-flex.12xlarge |m7i-flex.16xlarge
M8a	m8a.medium |m8a.large |m8a.xlarge |m8a.2xlarge |m8a.4xlarge |m8a.8xlarge |m8a.12xlarge |m8a.16xlarge |m8a.24xlarge |m8a.48xlarge |m8a.metal-24xl |m8a.metal-48xl
M8azn	m8azn.medium |m8azn.large |m8azn.xlarge |m8azn.3xlarge |m8azn.6xlarge |m8azn.12xlarge |m8azn.24xlarge |m8azn.metal-12xl |m8azn.metal-24xl
M8g	m8g.medium |m8g.large |m8g.xlarge |m8g.2xlarge |m8g.4xlarge |m8g.8xlarge |m8g.12xlarge |m8g.16xlarge |m8g.24xlarge |m8g.48xlarge |m8g.metal-24xl |m8g.metal-48xl
M8gb	m8gb.medium |m8gb.large |m8gb.xlarge |m8gb.2xlarge |m8gb.4xlarge |m8gb.8xlarge |m8gb.12xlarge |m8gb.16xlarge |m8gb.24xlarge |m8gb.48xlarge |m8gb.metal-24xl |m8gb.metal-48xl
M8gd	m8gd.medium |m8gd.large |m8gd.xlarge |m8gd.2xlarge |m8gd.4xlarge |m8gd.8xlarge |m8gd.12xlarge |m8gd.16xlarge |m8gd.24xlarge |m8gd.48xlarge |m8gd.metal-24xl |m8gd.metal-48xl
M8gn	m8gn.medium |m8gn.large |m8gn.xlarge |m8gn.2xlarge |m8gn.4xlarge |m8gn.8xlarge |m8gn.12xlarge |m8gn.16xlarge |m8gn.24xlarge |m8gn.48xlarge |m8gn.metal-24xl |m8gn.metal-48xl

Instance family	Available instance types
M8i	m8i.large |m8i.xlarge |m8i.2xlarge |m8i.4xlarge |m8i.8xlarge |m8i.12xlarge |m8i.16xlarge |m8i.24xlarge |m8i.32xlarge |m8i.48xlarge |m8i.96xlarge |m8i.metal-48xl |m8i.metal-96xl
M8id	m8id.large |m8id.xlarge |m8id.2xlarge |m8id.4xlarge |m8id.8xlarge |m8id.12xlarge |m8id.16xlarge |m8id.24xlarge |m8id.32xlarge |m8id.48xlarge |m8id.96xlarge |m8id.metal-48xl |m8id.metal-96xl
M8i-flex	m8i-flex.large |m8i-flex.xlarge |m8i-flex.2xlarge |m8i-flex.4xlarge |m8i-flex.8xlarge |m8i-flex.12xlarge |m8i-flex.16xlarge
M8in	m8in.large |m8in.xlarge |m8in.2xlarge |m8in.4xlarge |m8in.8xlarge |m8in.12xlarge |m8in.16xlarge |m8in.24xlarge |m8in.32xlarge |m8in.48xlarge |m8in.96xlarge |m8in.metal-48xl |m8in.metal-96xl
M8idn	m8idn.large |m8idn.xlarge |m8idn.2xlarge |m8idn.4xlarge |m8idn.8xlarge |m8idn.12xlarge |m8idn.16xlarge |m8idn.24xlarge |m8idn.32xlarge |m8idn.48xlarge |m8idn.96xlarge |m8idn.metal-48xl |m8idn.metal-96xl
M8ine	m8ine.large |m8ine.xlarge |m8ine.2xlarge |m8ine.4xlarge |m8ine.8xlarge |m8ine.12xlarge
M8ib	m8ib.large |m8ib.xlarge |m8ib.2xlarge |m8ib.4xlarge |m8ib.8xlarge |m8ib.12xlarge |m8ib.16xlarge |m8ib.24xlarge |m8ib.32xlarge |m8ib.48xlarge |m8ib.96xlarge |m8ib.metal-48xl |m8ib.metal-96xl
M8idb	m8idb.large |m8idb.xlarge |m8idb.2xlarge |m8idb.4xlarge |m8idb.8xlarge |m8idb.12xlarge |m8idb.16xlarge |m8idb.24xlarge |m8idb.32xlarge |m8idb.48xlarge |m8idb.96xlarge |m8idb.metal-48xl |m8idb.metal-96xl

Instance family	Available instance types
M9g	m9g.medium |m9g.large |m9g.xlarge |m9g.2xlarge |m9g.4xlarge |m9g.8xlarge |m9g.12xlarge |m9g.16xlarge |m9g.24xlarge |m9g.48xlarge |m9g.metal-48xl
M9gd	m9gd.medium |m9gd.large |m9gd.xlarge |m9gd.2xlarge |m9gd.4xlarge |m9gd.8xlarge |m9gd.12xlarge |m9gd.16xlarge |m9gd.24xlarge |m9gd.48xlarge |m9gd.metal-48xl
Mac1	mac1.metal
Mac2	mac2.metal
Mac2-m1ultra	mac2-m1ultra.metal
Mac2-m2	mac2-m2.metal
Mac2-m2pro	mac2-m2pro.metal
Mac-m3ultra	mac-m3ultra.metal
Mac-m4	mac-m4.metal
Mac-m4pro	mac-m4pro.metal
Mac-m4max	mac-m4max.metal
T2	t2.nano|t2.micro|t2.small|t2.medium |t2.large|t2.xlarge |t2.2xlarge
T3	t3.nano|t3.micro|t3.small|t3.medium |t3.large|t3.xlarge |t3.2xlarge

Instance family	Available instance types
T3a	`t3a.nano | t3a.micro | t3a.small | t3a.medium | t3a.large | t3a.xlarge | t3a.2xlarge`
T4g	`t4g.nano | t4g.micro | t4g.small | t4g.medium | t4g.large | t4g.xlarge | t4g.2xlarge`
T8i	`t8i.nano | t8i.micro | t8i.small | t8i.medium`

Instance family summary

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
M5	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M5a	Nitro v2	AMD (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
M5ad	Nitro v2	AMD (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
M5d	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M5dn	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
M5n	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
M5zn	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
M6a	Nitro v4	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M6g	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M6gd	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M6i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M6id	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M6idn	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M6in	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M7a	Nitro v4	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M7g	Nitro v4	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M7gd	Nitro v4	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
M7i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M7i-flex	Nitro v4	Intel (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
M8a	Nitro v6	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M8azn	Nitro v6	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M8g	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M8gb	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M8gd	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M8gn	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M8i	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M8id	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
M8i-flex	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
M8in	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M8idn	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M8ine	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
M8ib	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M8idb	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M9g	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
M9gd	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
Mac1	Nitro v2	Intel (x86_64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
Mac2	Nitro v2	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
Mac2-m1ultra	Nitro v2	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
Mac2-m2	Nitro v2	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
Mac2-m2pro	Nitro v2	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
Mac-m3ultra	Nitro v2	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
Mac-m4	Nitro v5	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
Mac-m4pro	Nitro v5	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
Mac-m4max	Nitro v2	Apple (arm64_mac)	✓ Yes	✓ Yes	✗ No	✗ No	Linux
T2	Xen	Intel (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
T3	Nitro v2	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
T3a	Nitro v2	AMD (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
T4g	Nitro v2	AWS Graviton (arm64)	✗ No	✗ No	✓ Yes	✓ Yes	Linux
T8i	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux

Performance specifications

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
M5							
m5.large	8.00	Intel Xeon Platinum 8175	2	1	2	✗ No	✗ No
m5.xlarge	16.00	Intel Xeon Platinum 8175	4	2	2	✗ No	✗ No
m5.2xlarge	32.00	Intel Xeon Platinum 8175	8	4	2	✗ No	✗ No
m5.4xlarge	64.00	Intel Xeon Platinum 8175	16	8	2	✗ No	✗ No
m5.8xlarge	128.00	Intel Xeon Platinum 8175	32	16	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m5.12xlarge	192.00	Intel Xeon Platinum 8175	48	24	2	✗ No	✗ No
m5.16xlarge	256.00	Intel Xeon Platinum 8175	64	32	2	✗ No	✗ No
m5.24xlarge	384.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
m5.metal	384.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
M5a							
m5a.large	8.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
m5a.xlarge	16.00	AMD EPYC 7571	4	2	2	✗ No	✗ No
m5a.2xlarge	32.00	AMD EPYC 7571	8	4	2	✗ No	✗ No
m5a.4xlarge	64.00	AMD EPYC 7571	16	8	2	✗ No	✗ No
m5a.8xlarge	128.00	AMD EPYC 7571	32	16	2	✗ No	✗ No
m5a.12xlarge	192.00	AMD EPYC 7571	48	24	2	✗ No	✗ No
m5a.16xlarge	256.00	AMD EPYC 7571	64	32	2	✗ No	✗ No
m5a.24xlarge	384.00	AMD EPYC 7571	96	48	2	✗ No	✗ No
M5ad							
m5ad.large	8.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
m5ad.xlarge	16.00	AMD EPYC 7571	4	2	2	✗ No	✗ No
m5ad.2xlarge	32.00	AMD EPYC 7571	8	4	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m5ad.4xlarge	64.00	AMD EPYC 7571	16	8	2	✗ No	✗ No
m5ad.8xlarge	128.00	AMD EPYC 7571	32	16	2	✗ No	✗ No
m5ad.12xlarge	192.00	AMD EPYC 7571	48	24	2	✗ No	✗ No
m5ad.16xlarge	256.00	AMD EPYC 7571	64	32	2	✗ No	✗ No
m5ad.24xlarge	384.00	AMD EPYC 7571	96	48	2	✗ No	✗ No
M5d							
m5d.large	8.00	Intel Xeon Platinum 8175	2	1	2	✗ No	✗ No
m5d.xlarge	16.00	Intel Xeon Platinum 8175	4	2	2	✗ No	✗ No
m5d.2xlarge	32.00	Intel Xeon Platinum 8175	8	4	2	✗ No	✗ No
m5d.4xlarge	64.00	Intel Xeon Platinum 8175	16	8	2	✗ No	✗ No
m5d.8xlarge	128.00	Intel Xeon Platinum 8175	32	16	2	✗ No	✗ No
m5d.12xlarge	192.00	Intel Xeon Platinum 8175	48	24	2	✗ No	✗ No
m5d.16xlarge	256.00	Intel Xeon Platinum 8175	64	32	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m5d.24xlarge	384.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
m5d.metal	384.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
M5dn							
m5dn.large	8.00	Intel Xeon Platinum 8259	2	1	2	✗ No	✗ No
m5dn.xlarge	16.00	Intel Xeon Platinum 8259	4	2	2	✗ No	✗ No
m5dn.2xlarge	32.00	Intel Xeon Platinum 8259	8	4	2	✗ No	✗ No
m5dn.4xlarge	64.00	Intel Xeon Platinum 8259	16	8	2	✗ No	✗ No
m5dn.8xlarge	128.00	Intel Xeon Platinum 8259	32	16	2	✗ No	✗ No
m5dn.12xlarge	192.00	Intel Xeon Platinum 8259	48	24	2	✗ No	✗ No
m5dn.16xlarge	256.00	Intel Xeon Platinum 8259	64	32	2	✗ No	✗ No
m5dn.24xlarge	384.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
m5dn.metal	384.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
M5n							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m5n.large	8.00	Intel Xeon Platinum 8259	2	1	2	✗ No	✗ No
m5n.xlarge	16.00	Intel Xeon Platinum 8259	4	2	2	✗ No	✗ No
m5n.2xlarge	32.00	Intel Xeon Platinum 8259	8	4	2	✗ No	✗ No
m5n.4xlarge	64.00	Intel Xeon Platinum 8259	16	8	2	✗ No	✗ No
m5n.8xlarge	128.00	Intel Xeon Platinum 8259	32	16	2	✗ No	✗ No
m5n.12xlarge	192.00	Intel Xeon Platinum 8259	48	24	2	✗ No	✗ No
m5n.16xlarge	256.00	Intel Xeon Platinum 8259	64	32	2	✗ No	✗ No
m5n.24xlarge	384.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
m5n.metal	384.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
M5zn							
m5zn.large	8.00	Intel Xeon Platinum 8252	2	1	2	✗ No	✗ No
m5zn.xlarge	16.00	Intel Xeon Platinum 8252	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m5zn.2xlarge	32.00	Intel Xeon Platinum 8252	8	4	2	✗ No	✗ No
m5zn.3xlarge	48.00	Intel Xeon Platinum 8252	12	6	2	✗ No	✗ No
m5zn.6xlarge	96.00	Intel Xeon Platinum 8252	24	12	2	✗ No	✗ No
m5zn.12xlarge	192.00	Intel Xeon Platinum 8252	48	24	2	✗ No	✗ No
m5zn.metal	192.00	Intel Xeon Platinum 8252	48	24	2	✗ No	✗ No
M6a							
m6a.large	8.00	AMD EPYC 7R13	2	1	2	✗ No	✗ No
m6a.xlarge	16.00	AMD EPYC 7R13	4	2	2	✗ No	✗ No
m6a.2xlarge	32.00	AMD EPYC 7R13	8	4	2	✗ No	✗ No
m6a.4xlarge	64.00	AMD EPYC 7R13	16	8	2	✗ No	✗ No
m6a.8xlarge	128.00	AMD EPYC 7R13	32	16	2	✗ No	✗ No
m6a.12xlarge	192.00	AMD EPYC 7R13	48	24	2	✗ No	✗ No
m6a.16xlarge	256.00	AMD EPYC 7R13	64	32	2	✗ No	✗ No
m6a.24xlarge	384.00	AMD EPYC 7R13	96	48	2	✗ No	✗ No
m6a.32xlarge	512.00	AMD EPYC 7R13	128	64	2	✗ No	✗ No
m6a.48xlarge	768.00	AMD EPYC 7R13	192	96	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m6a.metal	768.00	AMD EPYC 7R13	192	96	2	✗ No	✗ No
M6g							
m6g.medium	4.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
m6g.large	8.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
m6g.xlarge	16.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
m6g.2xlarge	32.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
m6g.4xlarge	64.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
m6g.8xlarge	128.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
m6g.12xlarge	192.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No
m6g.16xlarge	256.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
m6g.metal	256.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
M6gd							
m6gd.medium	4.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m6gd.large	8.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
m6gd.xlarge	16.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
m6gd.2xlarge	32.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
m6gd.4xlarge	64.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
m6gd.8xlarge	128.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
m6gd.12xlarge	192.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No
m6gd.16xlarge	256.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
m6gd.metal	256.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
M6i							
m6i.large	8.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
m6i.xlarge	16.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
m6i.2xlarge	32.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
m6i.4xlarge	64.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
m6i.8xlarge	128.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m6i.12xlarge	192.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
m6i.16xlarge	256.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
m6i.24xlarge	384.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
m6i.32xlarge	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
m6i.metal	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
M6id							
m6id.large	8.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
m6id.xlarge	16.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
m6id.2xlarge	32.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
m6id.4xlarge	64.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
m6id.8xlarge	128.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
m6id.12xlarge	192.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
m6id.16xlarge	256.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
m6id.24xlarge	384.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
m6id.32xlarge	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
m6id.metal	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
M6idn							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m6idn.large	8.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
m6idn.xlarge	16.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
m6idn.2xlarge	32.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
m6idn.4xlarge	64.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
m6idn.8xlarge	128.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
m6idn.12xlarge	192.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
m6idn.16xlarge	256.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
m6idn.24xlarge	384.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
m6idn.32xlarge	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
m6idn.metal	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
M6in							
m6in.large	8.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
m6in.xlarge	16.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
m6in.2xlarge	32.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
m6in.4xlarge	64.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m6in.8xlarge	128.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
m6in.12xlarge	192.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
m6in.16xlarge	256.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
m6in.24xlarge	384.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
m6in.32xlarge	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
m6in.metal	512.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
M7a							
m7a.medium	4.00	AMD EPYC 9R14	1	1	1	✗ No	✗ No
m7a.large	8.00	AMD EPYC 9R14	2	2	1	✗ No	✗ No
m7a.xlarge	16.00	AMD EPYC 9R14	4	4	1	✗ No	✗ No
m7a.2xlarge	32.00	AMD EPYC 9R14	8	8	1	✗ No	✗ No
m7a.4xlarge	64.00	AMD EPYC 9R14	16	16	1	✗ No	✗ No
m7a.8xlarge	128.00	AMD EPYC 9R14	32	32	1	✗ No	✗ No
m7a.12xlarge	192.00	AMD EPYC 9R14	48	48	1	✗ No	✗ No
m7a.16xlarge	256.00	AMD EPYC 9R14	64	64	1	✗ No	✗ No
m7a.24xlarge	384.00	AMD EPYC 9R14	96	96	1	✗ No	✗ No
m7a.32xlarge	512.00	AMD EPYC 9R14	128	128	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m7a.48xlarge	768.00	AMD EPYC 9R14	192	192	1	✗ No	✗ No
m7a.metal-48xl	768.00	AMD EPYC 9R14	192	192	1	✗ No	✗ No
M7g							
m7g.medium	4.00	AWS Graviton3 Processor	1	1	1	✗ No	✗ No
m7g.large	8.00	AWS Graviton3 Processor	2	2	1	✗ No	✗ No
m7g.xlarge	16.00	AWS Graviton3 Processor	4	4	1	✗ No	✗ No
m7g.2xlarge	32.00	AWS Graviton3 Processor	8	8	1	✗ No	✗ No
m7g.4xlarge	64.00	AWS Graviton3 Processor	16	16	1	✗ No	✗ No
m7g.8xlarge	128.00	AWS Graviton3 Processor	32	32	1	✗ No	✗ No
m7g.12xlarge	192.00	AWS Graviton3 Processor	48	48	1	✗ No	✗ No
m7g.16xlarge	256.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
m7g.metal	256.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
M7gd							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m7gd.medium	4.00	AWS Graviton3 Processor	1	1	1	✗ No	✗ No
m7gd.large	8.00	AWS Graviton3 Processor	2	2	1	✗ No	✗ No
m7gd.xlarge	16.00	AWS Graviton3 Processor	4	4	1	✗ No	✗ No
m7gd.2xlarge	32.00	AWS Graviton3 Processor	8	8	1	✗ No	✗ No
m7gd.4xlarge	64.00	AWS Graviton3 Processor	16	16	1	✗ No	✗ No
m7gd.8xlarge	128.00	AWS Graviton3 Processor	32	32	1	✗ No	✗ No
m7gd.12xlarge	192.00	AWS Graviton3 Processor	48	48	1	✗ No	✗ No
m7gd.16xlarge	256.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
m7gd.metal	256.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
M7i							
m7i.large	8.00	Intel Xeon Sapphire Rapids	2	1	2	✗ No	✗ No
m7i.xlarge	16.00	Intel Xeon Sapphire Rapids	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m7i.2xlarge	32.00	Intel Xeon Sapphire Rapids	8	4	2	✗ No	✗ No
m7i.4xlarge	64.00	Intel Xeon Sapphire Rapids	16	8	2	✗ No	✗ No
m7i.8xlarge	128.00	Intel Xeon Sapphire Rapids	32	16	2	✗ No	✗ No
m7i.12xlarge	192.00	Intel Xeon Sapphire Rapids	48	24	2	✗ No	✗ No
m7i.16xlarge	256.00	Intel Xeon Sapphire Rapids	64	32	2	✗ No	✗ No
m7i.24xlarge	384.00	Intel Xeon Sapphire Rapids	96	48	2	✗ No	✗ No
m7i.48xlarge	768.00	Intel Xeon Sapphire Rapids	192	96	2	✗ No	✗ No
m7i.metal-24xl	384.00	Intel Xeon Sapphire Rapids	96	48	2	✗ No	✗ No
m7i.metal-48xl	768.00	Intel Xeon Sapphire Rapids	192	96	2	✗ No	✗ No
M7i-flex							
m7i-flex.large	8.00	Intel Xeon Sapphire Rapids	2	1	2	✗ No	✗ No
m7i-flex.xlarge	16.00	Intel Xeon Sapphire Rapids	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m7i-flex.2xlarge	32.00	Intel Xeon Sapphire Rapids	8	4	2	✗ No	✗ No
m7i-flex.4xlarge	64.00	Intel Xeon Sapphire Rapids	16	8	2	✗ No	✗ No
m7i-flex.8xlarge	128.00	Intel Xeon Sapphire Rapids	32	16	2	✗ No	✗ No
m7i-flex.12xlarge	192.00	Intel Xeon Sapphire Rapids	48	24	2	✗ No	✗ No
m7i-flex.16xlarge	256.00	Intel Xeon Sapphire Rapids	64	32	2	✗ No	✗ No
M8a							
m8a.medium	4.00	AMD EPYC 9R45	1	1	1	✗ No	✗ No
m8a.large	8.00	AMD EPYC 9R45	2	2	1	✗ No	✗ No
m8a.xlarge	16.00	AMD EPYC 9R45	4	4	1	✗ No	✗ No
m8a.2xlarge	32.00	AMD EPYC 9R45	8	8	1	✗ No	✗ No
m8a.4xlarge	64.00	AMD EPYC 9R45	16	16	1	✗ No	✗ No
m8a.8xlarge	128.00	AMD EPYC 9R45	32	32	1	✗ No	✗ No
m8a.12xlarge	192.00	AMD EPYC 9R45	48	48	1	✗ No	✗ No
m8a.16xlarge	256.00	AMD EPYC 9R45	64	64	1	✗ No	✗ No
m8a.24xlarge	384.00	AMD EPYC 9R45	96	96	1	✗ No	✗ No
m8a.48xlarge	768.00	AMD EPYC 9R45	192	192	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8a.metal-24xl	384.00	AMD EPYC 9R45	96	96	1	✗ No	✗ No
m8a.metal-48xl	768.00	AMD EPYC 9R45	192	192	1	✗ No	✗ No
M8azn							
m8azn.medium	4.00	AMD EPYC 9R05	1	1	1	✗ No	✗ No
m8azn.large	8.00	AMD EPYC 9R05	2	2	1	✗ No	✗ No
m8azn.xlarge	16.00	AMD EPYC 9R05	4	4	1	✗ No	✗ No
m8azn.3xlarge	48.00	AMD EPYC 9R05	12	12	1	✗ No	✗ No
m8azn.6xlarge	96.00	AMD EPYC 9R05	24	24	1	✗ No	✗ No
m8azn.12xlarge	192.00	AMD EPYC 9R05	48	48	1	✗ No	✗ No
m8azn.24xlarge	384.00	AMD EPYC 9R05	96	96	1	✗ No	✗ No
m8azn.metal-12xl	192.00	AMD EPYC 9R05	48	48	1	✗ No	✗ No
m8azn.metal-24xl	384.00	AMD EPYC 9R05	96	96	1	✗ No	✗ No
M8g							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8g.medium	4.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
m8g.large	8.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
m8g.xlarge	16.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
m8g.2xlarge	32.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
m8g.4xlarge	64.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
m8g.8xlarge	128.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
m8g.12xlarge	192.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
m8g.16xlarge	256.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
m8g.24xlarge	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
m8g.48xlarge	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
m8g.metal-24xl	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
m8g.metal-48xl	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
M8gb							
m8gb.medium	4.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
m8gb.large	8.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
m8gb.xlarge	16.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
m8gb.2xlarge	32.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
m8gb.4xlarge	64.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
m8gb.8xlarge	128.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
m8gb.12xlarge	192.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
m8gb.16xlarge	256.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
m8gb.24xlarge	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
m8gb.48xlarge	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
m8gb.metal-24xl	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8gb.metal-48xl	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
M8gd							
m8gd.medium	4.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
m8gd.large	8.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
m8gd.xlarge	16.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
m8gd.2xlarge	32.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
m8gd.4xlarge	64.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
m8gd.8xlarge	128.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
m8gd.12xlarge	192.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
m8gd.16xlarge	256.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
m8gd.24xlarge	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
m8gd.48xlarge	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8gd.metal-24xl	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
m8gd.metal-48xl	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
M8gn							
m8gn.medium	4.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
m8gn.large	8.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
m8gn.xlarge	16.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
m8gn.2xlarge	32.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
m8gn.4xlarge	64.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
m8gn.8xlarge	128.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
m8gn.12xlarge	192.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
m8gn.16xlarge	256.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
m8gn.24xlarge	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8gn.48xlarge	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
m8gn.metal-24xl	384.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
m8gn.metal-48xl	768.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
M8i							
m8i.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8i.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8i.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8i.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
m8i.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8i.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
m8i.16xlarge	256.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
m8i.24xlarge	384.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8i.32xlarge	512.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
m8i.48xlarge	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8i.96xlarge	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
m8i.metal-48xl	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8i.metal-96xl	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
M8id							
m8id.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8id.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8id.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8id.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
m8id.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8id.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8id.16xlarge	256.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
m8id.24xlarge	384.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
m8id.32xlarge	512.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
m8id.48xlarge	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8id.96xlarge	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
m8id.metal-48xl	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8id.metal-96xl	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
M8i-flex							
m8i-flex.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8i-flex.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8i-flex.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8i-flex.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8i-flex.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8i-flex.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
m8i-flex.16xlarge	256.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
M8in							
m8in.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8in.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8in.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8in.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
m8in.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8in.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
m8in.16xlarge	256.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
m8in.24xlarge	384.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8in.32xlarge	512.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
m8in.48xlarge	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8in.96xlarge	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
m8in.metal-48xl	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8in.metal-96xl	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
M8idn							
m8idn.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8idn.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8idn.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8idn.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
m8idn.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8idn.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8idn.16xlarge	256.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
m8idn.24xlarge	384.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
m8idn.32xlarge	512.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
m8idn.48xlarge	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8idn.96xlarge	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
m8idn.metal-48xl	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8idn.metal-96xl	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
M8ine							
m8ine.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8ine.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8ine.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8ine.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8ine.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8ine.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
M8ib							
m8ib.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8ib.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8ib.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8ib.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
m8ib.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8ib.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
m8ib.16xlarge	256.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
m8ib.24xlarge	384.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
m8ib.32xlarge	512.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8ib.48xlarge	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8ib.96xlarge	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
m8ib.metal-48xl	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8ib.metal-96xl	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
M8idb							
m8idb.large	8.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
m8idb.xlarge	16.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
m8idb.2xlarge	32.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
m8idb.4xlarge	64.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
m8idb.8xlarge	128.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
m8idb.12xlarge	192.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
m8idb.16xlarge	256.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m8idb.24xlarge	384.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
m8idb.32xlarge	512.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
m8idb.48xlarge	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8idb.96xlarge	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
m8idb.metal-48xl	768.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
m8idb.metal-96xl	1536.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
M9g							
m9g.medium	4.00	AWS Graviton5	1	1	1	✗ No	✗ No
m9g.large	8.00	AWS Graviton5	2	2	1	✗ No	✗ No
m9g.xlarge	16.00	AWS Graviton5	4	4	1	✗ No	✗ No
m9g.2xlarge	32.00	AWS Graviton5	8	8	1	✗ No	✗ No
m9g.4xlarge	64.00	AWS Graviton5	16	16	1	✗ No	✗ No
m9g.8xlarge	128.00	AWS Graviton5	32	32	1	✗ No	✗ No
m9g.12xlarge	192.00	AWS Graviton5	48	48	1	✗ No	✗ No
m9g.16xlarge	256.00	AWS Graviton5	64	64	1	✗ No	✗ No
m9g.24xlarge	384.00	AWS Graviton5	96	96	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
m9g.48xlarge	768.00	AWS Graviton5	192	192	1	✗ No	✗ No
m9g.metal-48xl	768.00	AWS Graviton5	192	192	1	✗ No	✗ No
M9gd							
m9gd.medium	4.00	AWS Graviton5	1	1	1	✗ No	✗ No
m9gd.large	8.00	AWS Graviton5	2	2	1	✗ No	✗ No
m9gd.xlarge	16.00	AWS Graviton5	4	4	1	✗ No	✗ No
m9gd.2xlarge	32.00	AWS Graviton5	8	8	1	✗ No	✗ No
m9gd.4xlarge	64.00	AWS Graviton5	16	16	1	✗ No	✗ No
m9gd.8xlarge	128.00	AWS Graviton5	32	32	1	✗ No	✗ No
m9gd.12xlarge	192.00	AWS Graviton5	48	48	1	✗ No	✗ No
m9gd.16xlarge	256.00	AWS Graviton5	64	64	1	✗ No	✗ No
m9gd.24xlarge	384.00	AWS Graviton5	96	96	1	✗ No	✗ No
m9gd.48xlarge	768.00	AWS Graviton5	192	192	1	✗ No	✗ No
m9gd.metal-48xl	768.00	AWS Graviton5	192	192	1	✗ No	✗ No
Mac1							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
mac1.metal	32.00	Intel Core i7-8700B	12	6	2	✗ No	✗ No
Mac2							
mac2.metal	16.00	Apple M1 chip with 8-core CPU	8	4	2	✗ No	✗ No
Mac2-m1ultra							
mac2-m1ultra.metal	128.00	Apple M1 Ultra with 20-core CPU	20	20	1	✗ No	✗ No
Mac2-m2							
mac2-m2.metal	24.00	Apple M2 with 8-core CPU	8	8	1	✗ No	✗ No
Mac2-m2pro							
mac2-m2pro.metal	32.00	Apple M2 Pro with 12-core CPU	12	12	1	✗ No	✗ No
Mac-m3ultra							
mac-m3ultra.metal	256.00	Apple M3 Ultra with 28-core CPU	28	28	1	✗ No	✗ No
Mac-m4							
mac-m4.metal	24.00	Apple M4 with 10-core CPU	10	10	1	✗ No	✗ No
Mac-m4pro							
mac-m4pro.metal	48.00	Apple M4 with 12-core CPU	14	14	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
Mac-m4max							
mac-m4max.metal	128.00	Apple M4 Max with 16-core CPU	16	16	1	✗ No	✗ No
T2							
t2.nano [1]	0.50	Intel Xeon Family	1	1	1	✗ No	✗ No
t2.micro [1]	1.00	Intel Xeon Family	1	1	1	✗ No	✗ No
t2.small [1]	2.00	Intel Xeon Family	1	1	1	✗ No	✗ No
t2.medium [1]	4.00	Intel Broadwell E5-2686v4	2	2	1	✗ No	✗ No
t2.large [1]	8.00	Intel Broadwell E5-2686v4	2	2	1	✗ No	✗ No
t2.xlarge [1]	16.00	Intel Broadwell E5-2686v4	4	4	1	✗ No	✗ No
t2.2xlarge [1]	32.00	Intel Broadwell E5-2686v4	8	8	1	✗ No	✗ No
T3							
t3.nano [1]	0.50	Intel Skylake P-8175	2	1	2	✗ No	✗ No
t3.micro [1]	1.00	Intel Skylake P-8175	2	1	2	✗ No	✗ No
t3.small [1]	2.00	Intel Skylake P-8175	2	1	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
t3.medium [1]	4.00	Intel Skylake P-8175	2	1	2	✗ No	✗ No
t3.large [1]	8.00	Intel Skylake P-8175	2	1	2	✗ No	✗ No
t3.xlarge [1]	16.00	Intel Skylake P-8175	4	2	2	✗ No	✗ No
t3.2xlarge [1]	32.00	Intel Skylake P-8175	8	4	2	✗ No	✗ No
T3a							
t3a.nano [1]	0.50	AMD EPYC 7571	2	1	2	✗ No	✗ No
t3a.micro [1]	1.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
t3a.small [1]	2.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
t3a.medium [1]	4.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
t3a.large [1]	8.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
t3a.xlarge [1]	16.00	AMD EPYC 7571	4	2	2	✗ No	✗ No
t3a.2xlarge [1]	32.00	AMD EPYC 7571	8	4	2	✗ No	✗ No
T4g							
t4g.nano [1]	0.50	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
t4g.micro [1]	1.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
t4g.small [1]	2.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
t4g.medium [1]	4.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
t4g.large [1]	8.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
t4g.xlarge [1]	16.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
t4g.2xlarge [1]	32.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
T8i							
t8i.nano	0.50	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
t8i.micro	1.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
t8i.small	2.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
t8i.medium	4.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No

Note

[1] These are burstable instance types that provide a baseline CPU performance with the ability to burst beyond their baseline at any time using CPU credits. For more information, see Burstable performance instances.

Network specifications

Note

M8a, M8g, M8gd, M8i, M8id, M8i-flex, M9g, M9gd instance types support configurable bandwidth weightings. With these instance types, you can optimize an instance's bandwidth for either networking performance or Amazon EBS performance. The following table shows the default networking bandwidth performance for these instance types. For the supported configurable weightings, see Configurable bandwidth weighting preferences.

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				M5					
m5.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m5.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5.2xlarg e [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5.4xlarg e [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5.8xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5.12xlar ge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m5.16xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
m5.24xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
m5.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				M5a					
m5a.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m5a.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5a.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5a.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5a.8xlarge [1] [2]	7.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5a.12xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5a.16xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m5a.24xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
M5ad									
m5ad.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m5ad.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5ad.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5ad.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5ad.8xlarge [1] [2]	7.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5ad.12xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5ad.16xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
m5ad.24xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
M5d									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m5d.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m5d.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5d.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5d.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5d.8xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5d.12xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m5d.16xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
m5d.24xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
m5d.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
M5dn									
m5dn.large [1] [2]	2.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m5dn.xlarge [1] [2]	4.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5dn.2xlarge [1] [2]	8.125 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5dn.4xlarge [1] [2]	16.25 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5dn.8xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5dn.12xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5dn.16xlarge [2]	75 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
m5dn.24xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
m5dn.metal [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
				M5n					
m5n.large [1] [2]	2.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m5n.xlarge [1] [2]	4.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m5n.2xlarge [1] [2]	8.125 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5n.4xlarge [1] [2]	16.25 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5n.8xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5n.12xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5n.16xlarge [2]	75 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
m5n.24xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
m5n.metal [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
M5zn									
m5zn.large [1] [2]	3.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m5zn.xlarge [1] [2]	5.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m5zn.2xlarge [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m5zn.3xla rge [1] [2]	15.0 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5zn.6xla rge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
m5zn.12xl arge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
m5zn.meta l [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
				M6a					
m6a.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
m6a.xlarg e [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m6a.2xlar ge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m6a.4xlar ge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m6a.8xlar ge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m6a.12xla rge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m6a.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m6a.24xlarge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m6a.32xlarge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m6a.48xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m6a.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
M6g									
m6g.medium [1] [2]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
m6g.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m6g.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m6g.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m6g.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m6g.8xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m6g.12xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m6g.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
m6g.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
M6gd									
m6gd.medium [1] [2]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
m6gd.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
m6gd.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m6gd.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m6gd.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m6gd.8xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m6gd.12xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m6gd.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
m6gd.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				M6i					
m6i.large [1]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
m6i.xlarge [1]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
m6i.2xlarge [1]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
m6i.4xlarge [1]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
m6i.8xlarge	12.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
m6i.12xlarge	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
m6i.16xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m6i.24xla rge	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
m6i.32xla rge	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
m6i.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
M6id									
m6id.large [1]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
m6id.xlar ge [1]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
m6id.2xla rge [1]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
m6id.4xla rge [1]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
m6id.8xla rge	12.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
m6id.12xl arge	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
m6id.16xl arge	25 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m6id.24xlarge	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
m6id.32xlarge	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
m6id.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
M6idn									
m6idn.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
m6idn.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
m6idn.2xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
m6idn.4xlarge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
m6idn.8xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
m6idn.12xlarge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
m6idn.16xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m6idn.24x large	150 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 32	1	15	50	✓ Yes
m6idn.32x large	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 32	2	16	50	✓ Yes
m6idn.met al [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	16	50	✓ Yes
M6in									
m6in.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
m6in.xlar ge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
m6in.2xla rge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
m6in.4xla rge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
m6in.8xla rge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
m6in.12xl arge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
m6in.16xl arge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m6in.24xlarge	150 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 32	1	15	50	✓ Yes
m6in.32xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 32	2	16	50	✓ Yes
m6in.metal [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	16	50	✓ Yes
				M7a					
m7a.medium [1] [2]	0.39 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
m7a.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
m7a.xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m7a.2xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m7a.4xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m7a.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m7a.12xlarge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m7a.16xla rge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m7a.24xla rge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m7a.32xla rge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
m7a.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
m7a.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
M7g									
m7g.mediu m [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
m7g.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
m7g.xlarg e [1] [2]	1.876 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m7g.2xlar ge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m7g.4xlar ge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m7g.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m7g.12xlarge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
m7g.16xlarge [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m7g.metal [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
M7gd									
m7gd.medium [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
m7gd.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
m7gd.xlarge [1] [2]	1.876 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m7gd.2xlarge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m7gd.4xlarge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m7gd.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m7gd.12xlarge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
m7gd.16xlarge [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m7gd.metal [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				M7i					
m7i.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
m7i.xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m7i.2xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m7i.4xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m7i.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m7i.12xlarge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
m7i.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m7i.24xla rge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m7i.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
m7i.metal -24xl [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m7i.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
				M7i-flex					
m7i-flex. large [1] [2]	0.39 / 12.5	✗ No	✓ Yes	✗ No	1	1	3	10	✓ Yes
m7i-flex. xlarge [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	4	15	✓ Yes
m7i-flex. 2xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m7i-flex. 4xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	4	1	8	30	✓ Yes
m7i-flex. 8xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	4	1	8	30	✓ Yes
m7i-flex. 12xlarge [1] [2]	9.375 / 18.75	✗ No	✓ Yes	✗ No	4	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m7i-flex. 16xlarge [1] [2]	12.5 / 25.0	✗ No	✓ Yes	✗ No	4	1	15	50	✓ Yes
				M8a					
m8a.mediu m [1]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
m8a.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
m8a.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	20	✓ Yes
m8a.2xlar ge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	40	✓ Yes
m8a.4xlar ge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	40	✓ Yes
m8a.8xlarge	15 Gigabit	✗ No	✓ Yes	✗ No	8 / 32	1	10	40	✓ Yes
m8a.12xla rge	22.5 Gigabit	✗ No	✓ Yes	✗ No	16 / 64	1	12	64	✓ Yes
m8a.16xla rge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m8a.24xla rge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8a.48xla rge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8a.metal -24xl	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
m8a.metal -48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				M8azn					
m8azn.med ium [1]	2.08 / 25.0	✗ No	✓ Yes	✗ No	1 / 1	1	3	4	✓ Yes
m8azn.lar ge [1]	4.17 / 30.0	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
m8azn.xla rge [1]	8.33 / 40.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	20	✓ Yes
m8azn.3xl arge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	4 / 16	1	8	40	✓ Yes
m8azn.6xl arge	50 Gigabit	✗ No	✓ Yes	✗ No	8 / 32	1	8	40	✓ Yes
m8azn.12x large	100 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 64	1	16	64	✓ Yes
m8azn.24x large	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8azn.met al-12xl	100 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 64	1	16	64	✓ Yes
m8azn.met al-24xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
				M8g					
m8g.mediu m [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
m8g.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
m8g.xlarg e [1] [2]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m8g.2xlar ge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
m8g.4xlar ge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m8g.8xlar ge [2]	15 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
m8g.12xla rge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
m8g.16xla rge [2]	30 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8g.24xla rge [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m8g.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
m8g.metal -24xl [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
m8g.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
M8gb									
m8gb.medi um [1]	2.083 / 16.666	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
m8gb.large [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
m8gb.xlar ge [1]	8.333 / 26.666	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
m8gb.2xla rge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
m8gb.4xla rge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 16	1	8	30	✓ Yes
m8gb.8xla rge	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8gb.12xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	30	✓ Yes
m8gb.16xlarge	133.33 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 64	1	16	50	✓ Yes
m8gb.24xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	24	50	✓ Yes
m8gb.48xlarge	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
m8gb.metal-24xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	50	✓ Yes
m8gb.metal-48xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
M8gd									
m8gd.medium [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
m8gd.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
m8gd.xlarge [1] [2]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
m8gd.2xlarge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8gd.4xlarge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
m8gd.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
m8gd.12xlarge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
m8gd.16xlarge [2]	30 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m8gd.24xlarge [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
m8gd.48xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
m8gd.metal-24xl [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
m8gd.metal-48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
M8gn									
m8gn.medium [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
m8gn.large [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8gn.xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
m8gn.2xlarge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
m8gn.4xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 16	1	8	30	✓ Yes
m8gn.8xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	30	✓ Yes
m8gn.12xlarge	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	30	✓ Yes
m8gn.16xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 64	1	16	50	✓ Yes
m8gn.24xlarge	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	24	50	✓ Yes
m8gn.48xlarge	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
m8gn.metal-24xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	50	✓ Yes
m8gn.metal-48xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
M8i									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8i.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
m8i.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m8i.2xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m8i.4xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m8i.8xlarge	15 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
m8i.12xlarge	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
m8i.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m8i.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
m8i.32xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
m8i.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8i.96xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8i.metal -48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8i.metal -96xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
M8id									
m8id.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
m8id.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m8id.2xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m8id.4xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m8id.8xlarge	15 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
m8id.12xlarge	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
m8id.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m8id.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8id.32xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
m8id.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8id.96xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8id.metal-48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8id.metal-96xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				M8i-flex					
m8i-flex.large [1]	0.468 / 12.5	✗ No	✓ Yes	✗ No	1 / 1	1	3	20	✓ Yes
m8i-flex.xlarge [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	4	30	✓ Yes
m8i-flex.2xlarge [1]	1.875 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m8i-flex.4xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	4 / 8	1	8	50	✓ Yes
m8i-flex.8xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	4 / 16	1	10	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8i-flex. 12xlarge [1]	11.25 / 22.5	✗ No	✓ Yes	✗ No	8 / 32	1	12	50	✓ Yes
m8i-flex. 16xlarge [1]	15.0 / 30.0	✗ No	✓ Yes	✗ No	8 / 32	1	16	64	✓ Yes
M8in									
m8in.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
m8in.xlar ge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m8in.2xla rge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m8in.4xla rge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m8in.8xla rge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
m8in.12xl arge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
m8in.16xl arge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m8in.24xl arge	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8in.32xlarge	200 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
m8in.48xlarge	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8in.96xlarge	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
m8in.metal-48xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8in.metal-96xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
M8idn									
m8idn.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
m8idn.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m8idn.2xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m8idn.4xlarge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m8idn.8xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8idn.12x large	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
m8idn.16x large	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m8idn.24x large	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
m8idn.32x large	200 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
m8idn.48x large	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8idn.96x large	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
m8idn.metal-48xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8idn.metal-96xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
M8ine									
m8ine.large	3.125 Gigabit	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
m8ine.xlarge	6.25 Gigabit	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8ine.2xlarge	12.5 Gigabit	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m8ine.4xlarge	25 Gigabit	✗ No	✓ Yes	✗ No	16 / 16	1	8	50	✓ Yes
m8ine.8xlarge	50 Gigabit	✗ No	✓ Yes	✗ No	32 / 32	1	8	50	✓ Yes
m8ine.12xlarge	75 Gigabit	✗ No	✓ Yes	✗ No	32 / 64	1	12	50	✓ Yes
M8ib									
m8ib.large [1]	2.083 / 16.667	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
m8ib.xlarge [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m8ib.2xlarge [1]	8.333 / 26.667	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m8ib.4xlarge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m8ib.8xlarge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
m8ib.12xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8ib.16xlarge	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m8ib.24xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
m8ib.32xlarge	133.33 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
m8ib.48xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8ib.96xlarge	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
m8ib.metal-48xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8ib.metal-96xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
M8idb									
m8idb.large [1]	2.083 / 16.667	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
m8idb.xlarge [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m8idb.2xlarge [1]	8.333 / 26.667	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m8idb.4xlarge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m8idb.8xlarge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
m8idb.12xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
m8idb.16xlarge	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m8idb.24xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
m8idb.32xlarge	133.33 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
m8idb.48xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8idb.96xlarge	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
m8idb.metal-48xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m8idb.metal-96xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
M9g									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m9g.mediu m [1]	0.55 / 15.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	20	✓ Yes
m9g.large [1]	1.0 / 15.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
m9g.xlarge [1]	2.1 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m9g.2xlar ge [1]	4.25 / 17.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m9g.4xlar ge [1]	8.5 / 17.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m9g.8xlarge	17 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
m9g.12xla rge	25 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
m9g.16xla rge	34 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m9g.24xla rge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
m9g.48xla rge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
m9g.metal -48xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				M9gd					
m9gd.medium [1]	0.55 / 15.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	20	✓ Yes
m9gd.large [1]	1.0 / 15.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
m9gd.xlarge [1]	2.1 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
m9gd.2xlarge [1]	4.25 / 17.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
m9gd.4xlarge [1]	8.5 / 17.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
m9gd.8xlarge	17 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
m9gd.12xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
m9gd.16xlarge	34 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
m9gd.24xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
m9gd.48xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m9gd.meta l-48xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
Mac1									
mac1.meta l [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
Mac2									
mac2.meta l [2]	10 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
Mac2-m1ultra									
mac2-m1ul tra.metal [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
Mac2-m2									
mac2-m2.m etal [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
Mac2-m2pro									
mac2-m2pr o.metal [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
Mac-m3ultra									
mac-m3ult ra.metal [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
Mac-m4									
mac-m4.me tal [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
Mac-m4pro									
mac-m4pro .metal [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
Mac-m4max									
mac-m4max .metal [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
T2									
t2.nano [2]	Low to Moderate	✗ No	✗ No	✗ No	1	1	2	2	✓ Yes
t2.micro [2]	Low to Moderate	✗ No	✗ No	✗ No	1	1	2	2	✓ Yes
t2.small [2]	Low to Moderate	✗ No	✗ No	✗ No	1	1	3	4	✓ Yes
t2.medium [2]	Low to Moderate	✗ No	✗ No	✗ No	1	1	3	6	✓ Yes
t2.large [2]	Low to Moderate	✗ No	✗ No	✗ No	1	1	3	12	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
t2.xlarge [2]	Moderate	✗ No	✗ No	✗ No	1	1	3	15	✓ Yes
t2.2xlarge [2]	Moderate	✗ No	✗ No	✗ No	1	1	3	15	✓ Yes
T3									
t3.nano [1] [2]	0.032 / 5.0	✗ No	✓ Yes	✗ No	2	1	2	2	✓ Yes
t3.micro [1] [2]	0.064 / 5.0	✗ No	✓ Yes	✗ No	2	1	2	2	✓ Yes
t3.small [1] [2]	0.128 / 5.0	✗ No	✓ Yes	✗ No	2	1	3	4	✓ Yes
t3.medium [1] [2]	0.256 / 5.0	✗ No	✓ Yes	✗ No	2	1	3	6	✓ Yes
t3.large [1] [2]	0.512 / 5.0	✗ No	✓ Yes	✗ No	2	1	3	12	✓ Yes
t3.xlarge [1] [2]	1.024 / 5.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
t3.2xlarg e [1] [2]	2.048 / 5.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
T3a									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
t3a.nano [1] [2]	0.032 / 5.0	✗ No	✓ Yes	✗ No	8	1	2	2	✓ Yes
t3a.micro [1] [2]	0.064 / 5.0	✗ No	✓ Yes	✗ No	8	1	2	2	✓ Yes
t3a.small [1] [2]	0.128 / 5.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
t3a.medium [1] [2]	0.256 / 5.0	✗ No	✓ Yes	✗ No	8	1	3	6	✓ Yes
t3a.large [1] [2]	0.512 / 5.0	✗ No	✓ Yes	✗ No	8	1	3	12	✓ Yes
t3a.xlarge [1] [2]	1.024 / 5.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
t3a.2xlarge [1] [2]	2.048 / 5.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
T4g									
t4g.nano [1] [2]	0.032 / 5.0	✗ No	✓ Yes	✗ No	2	1	2	2	✓ Yes
t4g.micro [1] [2]	0.064 / 5.0	✗ No	✓ Yes	✗ No	2	1	2	2	✓ Yes
t4g.small [1] [2]	0.128 / 5.0	✗ No	✓ Yes	✗ No	2	1	3	4	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
t4g.mediu m [1] [2]	0.256 / 5.0	✗ No	✓ Yes	✗ No	2	1	3	6	✓ Yes
t4g.large [1] [2]	0.512 / 5.0	✗ No	✓ Yes	✗ No	2	1	3	12	✓ Yes
t4g.xlarg e [1] [2]	1.024 / 5.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
t4g.2xlar ge [1] [2]	2.048 / 5.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
				T8i					
t8i.nano [1] [2]	0.032 / 6.25	✗ No	✓ Yes	✗ No	1	1	2	2	✓ Yes
t8i.micro [1] [2]	0.064 / 6.25	✗ No	✓ Yes	✗ No	1	1	2	2	✓ Yes
t8i.small [1] [2]	0.128 / 6.25	✗ No	✓ Yes	✗ No	1	1	3	4	✓ Yes
t8i.mediu m [1] [2]	0.256 / 6.25	✗ No	✓ Yes	✗ No	1	1	3	6	✓ Yes

Note

[1] These instances have a baseline bandwidth and can use a network I/O credit mechanism to burst beyond their baseline bandwidth on a best effort basis. Other instances types

can sustain their maximum performance indefinitely. For more information, see instance network bandwidth.

[2] These instance types do not support configurable ENA queue allocation.

For `m6in.32xlarge`, `m6in.metal`, `m6idn.32xlarge`, `m6idn.metal`, you must attach at least 2 ENIs, to separate network cards, to achieve 200 Gbps throughput. Each ENI attached to a network card can achieve up to 170 Gbps.

For `m8in.96xlarge`, `m8in.metal-96xl`, `m8idn.96xlarge`, `m8idn.metal-96xl`, `m8gn.48xlarge`, `m8gn.metal-48xl`, you must attach at least 2 ENIs, to separate network cards, to achieve 600 Gbps throughput. Each ENI attached to a network card can achieve up to 300 Gbps.

For `m8ib.96xlarge`, `m8ib.metal-96xl`, `m8idb.96xlarge`, `m8idb.metal-96xl`, `m8gb.48xlarge`, `m8gb.metal-48xl`, you must attach at least 2 ENIs, to separate network cards, to achieve 400 Gbps throughput. Each ENI attached to a network card can achieve up to 200 Gbps.

Amazon EBS specifications

The following table indicates which instance types are Amazon EBS optimized by default and which optionally support it. It also describes their EBS-optimized performance, including dedicated bandwidth to Amazon EBS, the typical maximum aggregate throughput that can be achieved on that dedicated connection with a streaming read workload and 128 KiB I/O size, and the maximum IOPS the instance type can support when using a 16 KiB I/O size. Instance types not listed do not support Amazon EBS optimization.

Important

An instance's EBS performance is bounded by the instance's performance limits, or the aggregated performance of its attached volumes, whichever is smaller. To achieve maximum EBS performance, an instance must have attached volumes that provide a combined performance equal to or greater than the maximum instance performance. For example, to achieve `80,000` IOPS for `r6i.16xlarge`, the instance must have at least 5 gp3 volumes provisioned with `16,000` IOPS each (5 volumes x `16,000` IOPS = `80,000` IOPS).

We recommend that you choose an EBS–optimized instance type that provides more dedicated Amazon EBS throughput than your application needs; otherwise, the connection between Amazon EBS and Amazon EC2 can become a performance bottleneck.

Note

M8a, M8g, M8gd, M8i, M8id, M8i-flex, M9g, M9gd instance types support configurable bandwidth weightings. With these instance types, you can optimize an instance's bandwidth for either networking performance or Amazon EBS performance. The following table shows the default networking bandwidth performance for these instance types. For the supported configurable weightings, see Configurable bandwidth weighting preferences.

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			M5			
m5.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m5.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M5a			
m5a.large [1]	650.00 / 2880.00	81.25 / 360.00	3600.00 / 16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m5a.xlarge [1]	1085.00 / 2880.00	135.62 / 360.00	6000.00 / 16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5a.2xlarge [1]	1580.00 / 2880.00	197.50 / 360.00	8333.00 / 16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5a.4xlarge	2880.00	360.00	16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5a.8xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5a.12xlarge	6780.00	847.50	30000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5a.16xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5a.24xlarge	13750.00	1718.75	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
M5ad						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m5ad.large [1]	650.00 / 2880.00	81.25 / 360.00	3600.00 / 16000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5ad.xlarge [1]	1085.00 / 2880.00	135.62 / 360.00	6000.00 / 16000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5ad.2xlarge [1]	1580.00 / 2880.00	197.50 / 360.00	8333.00 / 16000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5ad.4xlarge	2880.00	360.00	16000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5ad.8xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5ad.12xlarge	6780.00	847.50	30000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5ad.16xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m5ad.24xlarge	13750.00	1718.75	60000.00	✓ Yes	✗ No	Up to 23 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			M5d			
m5d.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5d.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5d.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5d.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5d.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5d.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5d.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 23 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m5d.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m5d.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M5dn			
m5dn.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5dn.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5dn.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m5dn.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5dn.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m5dn.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m5dn.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m5dn.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m5dn.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M5n			
m5n.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5n.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5n.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m5n.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5n.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5n.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5n.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5n.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5n.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M5zn			
m5zn.large [1]	800.00 / 3170.00	100.00 / 396.25	3333.00 / 13333.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m5zn.xlarge [1]	1564.00 / 3170.00	195.50 / 396.25	6667.00 / 13333.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5zn.2xlarge	3170.00	396.25	13333.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5zn.3xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5zn.6xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5zn.12xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m5zn.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
M6a						
m6a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6a.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6a.metal	40000.00	5000.00	240000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M6g			
m6g.medium [1]	315.00 / 4750.00	39.38 / 593.75	2500.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6g.large [1]	630.00 / 4750.00	78.75 / 593.75	3600.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6g.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6g.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6g.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6g.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6g.12xlarge	14250.00	1781.25	50000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6g.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6g.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M6gd			
m6gd.medium [1]	315.00 / 4750.00	39.38 / 593.75	2500.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6gd.large [1]	630.00 / 4750.00	78.75 / 593.75	3600.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6gd.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6gd.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6gd.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6gd.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6gd.12xlarge	14250.00	1781.25	50000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m6gd.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m6gd.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
M6i						
m6i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6i.metal	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
M6id						
m6id.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6id.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6id.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6id.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6id.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6id.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6id.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m6id.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m6id.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m6id.metal	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
M6idn						
m6idn.large [1]	1562.00 / 25000.00	195.31 / 3125.00	6250.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6idn.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	12500.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6idn.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	25000.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6idn.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	50000.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6idn.8xlarge	25000.00	3125.00	100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m6idn.12xlarge	37500.00	4687.50	150000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m6idn.16xlarge	50000.00	6250.00	200000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m6idn.24xlarge	75000.00	9375.00	300000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m6idn.32xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
m6idn.metal	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
M6in						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6in.large [1]	1562.00 / 25000.00	195.31 / 3125.00	6250.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	12500.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	25000.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	50000.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.8xlarge	25000.00	3125.00	100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.12xlarge	37500.00	4687.50	150000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.16xlarge	50000.00	6250.00	200000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.24xlarge	75000.00	9375.00	300000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m6in.32xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m6in.metal	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M7a			
m7a.medium [1]	325.00 / 10000.00	40.62 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m7a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
m7a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m7a.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
m7a.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m7a.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
M7g						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m7g.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m7g.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m7g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m7g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m7g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m7g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m7g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
m7g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m7g.metal	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M7gd			
m7gd.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m7gd.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m7gd.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m7gd.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m7gd.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
m7gd.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m7gd.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m7gd.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
m7gd.metal	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			M7i			
m7i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m7i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
m7i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m7i.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m7i.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
m7i.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
M7i-flex						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m7i-flex.large [1]	312.00 / 10000.00	39.06 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i-flex.xlarge [1]	625.00 / 10000.00	78.12 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i-flex.2xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i-flex.4xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i-flex.8xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i-flex.12xlarge [1]	7500.00 / 15000.00	937.50 / 1875.00	30000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m7i-flex.16xlarge [1]	10000.00 / 20000.00	1250.00 / 2500.00	40000.00 / 80000.00	✓ Yes	✗ No	48 (Dedicated limit)
M8a						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8a.medium [1]	325.00 / 10000.00	40.62 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8a.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8a.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8a.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
M8azn						
m8azn.medium [1]	625.00 / 15000.00	78.12 / 1875.00	2500.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8azn.large [1]	1250.00 / 15000.00	156.25 / 1875.00	5000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8azn.xlarge [1]	2500.00 / 15000.00	312.50 / 1875.00	10000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8azn.3xlarge [1]	7500.00 / 15000.00	937.50 / 1875.00	30000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8azn.6xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8azn.12xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8azn.24xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8azn.metal-12xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8azn.metal-24xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
M8g						
m8g.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8g.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8g.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8g.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8g.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
m8g.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
M8gb						
m8gb.medium [1]	1562.00 / 25000.00	195.31 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gb.large [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gb.xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gb.2xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8gb.4xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gb.8xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gb.12xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gb.16xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8gb.24xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8gb.48xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
m8gb.metal-24xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	39 (Dedicated limit)
m8gb.metal-48xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			M8gd			
m8gd.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gd.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gd.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gd.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gd.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gd.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gd.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8gd.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8gd.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8gd.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8gd.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
m8gd.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
M8gn						
m8gn.medium [1]	760.00 / 10000.00	95.00 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gn.large [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8gn.xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gn.2xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gn.4xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gn.8xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gn.12xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8gn.16xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8gn.24xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8gn.48xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8gn.metal-24xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	39 (Dedicated limit)
m8gn.metal-48xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
M8i						
m8i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
m8i.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8i.96xlarge	80000.00	10000.00	480000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8i.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8i.metal-96xl	80000.00	10000.00	480000.00	✓ Yes	✗ No	79 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			M8id			
m8id.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8id.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8id.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8id.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8id.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8id.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8id.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8id.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8id.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
m8id.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8id.96xlarge	80000.00	10000.00	480000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8id.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8id.metal-96xl	80000.00	10000.00	480000.00	✓ Yes	✗ No	79 (Dedicated limit)
M8i-flex						
m8i-flex.large [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8i-flex.xlarge [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i-flex.2xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i-flex.4xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i-flex.8xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i-flex.12xlarge [1]	7500.00 / 15000.00	937.50 / 1875.00	30000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8i-flex.16xlarge [1]	10000.00 / 20000.00	1250.00 / 2500.00	40000.00 / 80000.00	✓ Yes	✗ No	48 (Dedicated limit)
M8in						
m8in.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8in.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8in.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8in.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8in.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8in.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8in.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8in.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8in.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8in.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8in.96xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
m8in.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8in.metal-96xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
M8idn						
m8idn.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idn.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idn.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8idn.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idn.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idn.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idn.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8idn.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8idn.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
m8idn.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8idn.96xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8idn.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8idn.metal-96xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
M8ine						
m8ine.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ine.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ine.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ine.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ine.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8ine.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
M8ib						
m8ib.large [1]	1563.00 / 25000.00	195.38 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ib.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ib.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ib.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ib.8xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8ib.12xlarge	37500.00	4687.50	180000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8ib.16xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8ib.24xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8ib.32xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	88 (Dedicated limit)
m8ib.48xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8ib.96xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
m8ib.metal-48xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8ib.metal-96xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
M8idb						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8idb.large [1]	1563.00 / 25000.00	195.38 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idb.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idb.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idb.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idb.8xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idb.12xlarge	37500.00	4687.50	180000.00	✓ Yes	✗ No	32 (Dedicated limit)
m8idb.16xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	48 (Dedicated limit)
m8idb.24xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	64 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m8idb.32xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	88 (Dedicated limit)
m8idb.48xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	128 (Dedicated limit)
m8idb.96xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
m8idb.metal-48xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
m8idb.metal-96xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
M9g						
m9g.medium [1]	380.00 / 12000.00	47.50 / 1500.00	2500.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9g.large [1]	760.00 / 12000.00	95.00 / 1500.00	3600.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m9g.xlarge [1]	1500.00 / 12000.00	187.50 / 1500.00	6000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9g.2xlarge [1]	3000.00 / 12000.00	375.00 / 1500.00	12000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9g.4xlarge [1]	6000.00 / 12000.00	750.00 / 1500.00	24000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9g.8xlarge	12000.00	1500.00	48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9g.12xlarge	18000.00	2250.00	72000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9g.16xlarge	24000.00	3000.00	96000.00	✓ Yes	✗ No	48 (Dedicated limit)
m9g.24xlarge	36000.00	4500.00	144000.00	✓ Yes	✗ No	64 (Dedicated limit)
m9g.48xlarge	72000.00	9000.00	288000.00	✓ Yes	✗ No	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m9g.metal-48xl	72000.00	9000.00	288000.00	✓ Yes	✗ No	79 (Dedicated limit)
			M9gd			
m9gd.medium [1]	380.00 / 12000.00	47.50 / 1500.00	2500.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9gd.large [1]	760.00 / 12000.00	95.00 / 1500.00	3600.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9gd.xlarge [1]	1500.00 / 12000.00	187.50 / 1500.00	6000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9gd.2xlarge [1]	3000.00 / 12000.00	375.00 / 1500.00	12000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9gd.4xlarge [1]	6000.00 / 12000.00	750.00 / 1500.00	24000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9gd.8xlarge	12000.00	1500.00	48000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m9gd.12xlarge	18000.00	2250.00	72000.00	✓ Yes	✗ No	32 (Dedicated limit)
m9gd.16xlarge	24000.00	3000.00	96000.00	✓ Yes	✗ No	48 (Dedicated limit)
m9gd.24xlarge	36000.00	4500.00	144000.00	✓ Yes	✗ No	64 (Dedicated limit)
m9gd.48xlarge	72000.00	9000.00	288000.00	✓ Yes	✗ No	128 (Dedicated limit)
m9gd.metal-48xl	72000.00	9000.00	288000.00	✓ Yes	✗ No	79 (Dedicated limit)
Mac1						
mac1.metal	14000.00	1750.00	80000.00	✓ Yes	✗ No	Up to 16 (Shared limit)
Mac2						
mac2.metal	10000.00	1250.00	55000.00	✓ Yes	✗ No	Up to 10 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
Mac2-m1ultra						
mac2-m1ultra.metal	10000.00	1250.00	55000.00	✓ Yes	✗ No	Up to 10 (Shared limit)
Mac2-m2						
mac2-m2.metal	8000.00	1000.00	55000.00	✓ Yes	✗ No	Up to 10 (Shared limit)
Mac2-m2pro						
mac2-m2pro.metal	8000.00	1000.00	55000.00	✓ Yes	✗ No	Up to 10 (Shared limit)
Mac-m3ultra						
mac-m3ultra.metal	10000.00	1250.00	55000.00	✓ Yes	✗ No	Up to 10 (Shared limit)
Mac-m4						
mac-m4.metal	8000.00	1000.00	55000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
Mac-m4pro						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
mac-m4pro.metal	8000.00	1000.00	55000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
Mac-m4max						
mac-m4max.metal	10000.00	1250.00	55000.00	✓ Yes	✗ No	Up to 10 (Shared limit)
T2						
T3						
t3.nano [1]	43.00 / 2085.00	5.38 / 260.62	250.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3.micro [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3.small [1]	174.00 / 2085.00	21.75 / 260.62	1000.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3.medium [1]	347.00 / 2085.00	43.38 / 260.62	2000.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
t3.large [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3.xlarge [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3.2xlarge [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
T3a						
t3a.nano [1]	45.00 / 2085.00	5.62 / 260.62	250.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3a.micro [1]	90.00 / 2085.00	11.25 / 260.62	500.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3a.small [1]	175.00 / 2085.00	21.88 / 260.62	1000.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3a.medium [1]	350.00 / 2085.00	43.75 / 260.62	2000.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
t3a.large [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3a.xlarge [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t3a.2xlarge [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
T4g						
t4g.nano [1]	43.00 / 2085.00	5.38 / 260.62	250.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t4g.micro [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t4g.small [1]	174.00 / 2085.00	21.75 / 260.62	1000.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t4g.medium [1]	347.00 / 2085.00	43.38 / 260.62	2000.00 / 11800.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
t4g.large [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t4g.xlarge [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
t4g.2xlarge [1]	695.00 / 2780.00	86.88 / 347.50	4000.00 / 15700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
T8i						
t8i.nano [1]	43.00 / 5000.00	5.38 / 625.00	250.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
t8i.micro [1]	87.00 / 5000.00	10.88 / 625.00	500.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
t8i.small [1]	174.00 / 5000.00	21.75 / 625.00	1500.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
t8i.medium [1]	347.00 / 5000.00	43.38 / 625.00	2000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)

Note

[1] These instances can support maximum performance for 30 minutes at least once every 24 hours, after which they revert to their baseline performance. Other instances can sustain the maximum performance indefinitely. If your workload requires sustained maximum performance for longer than 30 minutes, use one of these instances.

Instance store specifications

The following table shows the instance store volume configuration for supported instance types, along with the aggregated IOPS performance with 4,096 byte block size at queue depth saturation.

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
M5ad					
m5ad.large	1 x 75 GB	NVMe SSD	30,000 / 15,000		✓ Yes
m5ad.xlarge	1 x 150 GB	NVMe SSD	59,000 / 29,000		✓ Yes
m5ad.2xlarge	1 x 300 GB	NVMe SSD	117,000 / 57,000		✓ Yes
m5ad.4xlarge	2 x 300 GB	NVMe SSD	234,000 / 114,000		✓ Yes
m5ad.8xlarge	2 x 600 GB	NVMe SSD	466,666 / 233,334		✓ Yes
m5ad.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
m5ad.16xlarge	4 x 600 GB	NVMe SSD	933,332 / 466,668		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m5ad.24xlarge	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
M5d					
m5d.large	1 x 75 GB	NVMe SSD	30,000 / 15,000		✓ Yes
m5d.xlarge	1 x 150 GB	NVMe SSD	59,000 / 29,000		✓ Yes
m5d.2xlarge	1 x 300 GB	NVMe SSD	117,000 / 57,000		✓ Yes
m5d.4xlarge	2 x 300 GB	NVMe SSD	234,000 / 114,000		✓ Yes
m5d.8xlarge	2 x 600 GB	NVMe SSD	466,666 / 233,334		✓ Yes
m5d.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
m5d.16xlarge	4 x 600 GB	NVMe SSD	933,332 / 466,668		✓ Yes
m5d.24xlarge	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
m5d.metal	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
M5dn					
m5dn.large	1 x 75 GB	NVMe SSD	29,000 / 14,500		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m5dn.xlarge	1 x 150 GB	NVMe SSD	58,000 / 29,000		✓ Yes
m5dn.2xlarge	1 x 300 GB	NVMe SSD	116,000 / 58,000		✓ Yes
m5dn.4xlarge	2 x 300 GB	NVMe SSD	232,000 / 116,000		✓ Yes
m5dn.8xlarge	2 x 600 GB	NVMe SSD	464,000 / 232,000		✓ Yes
m5dn.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 350,000		✓ Yes
m5dn.16xlarge	4 x 600 GB	NVMe SSD	930,000 / 465,000		✓ Yes
m5dn.24xlarge	4 x 900 GB	NVMe SSD	1,400,000 / 700,000		✓ Yes
m5dn.metal	4 x 900 GB	NVMe SSD	1,400,000 / 700,000		✓ Yes
M6gd					
m6gd.medium	1 x 59 GB	NVMe SSD	13,438 / 5,625		✓ Yes
m6gd.large	1 x 118 GB	NVMe SSD	26,875 / 11,250		✓ Yes
m6gd.xlarge	1 x 237 GB	NVMe SSD	53,750 / 22,500		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m6gd.2xlarge	1 x 474 GB	NVMe SSD	107,500 / 45,000		✓ Yes
m6gd.4xlarge	1 x 950 GB	NVMe SSD	215,000 / 90,000		✓ Yes
m6gd.8xlarge	1 x 1900 GB	NVMe SSD	430,000 / 180,000		✓ Yes
m6gd.12xlarge	2 x 1425 GB	NVMe SSD	645,000 / 270,000		✓ Yes
m6gd.16xlarge	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
m6gd.metal	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
M6id					
m6id.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
m6id.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
m6id.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
m6id.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
m6id.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m6id.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes
m6id.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
m6id.24xlarge	4 x 1425 GB	NVMe SSD	1,609,996 / 805,000		✓ Yes
m6id.32xlarge	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
m6id.metal	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
M6idn					
m6idn.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
m6idn.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
m6idn.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
m6idn.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
m6idn.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
m6idn.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m6idn.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
m6idn.24xlarge	4 x 1425 GB	NVMe SSD	1,609,996 / 805,000		✓ Yes
m6idn.32xlarge	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
m6idn.metal	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
M7gd					
m7gd.medium	1 x 59 GB	NVMe SSD	16,771 / 8,385		✓ Yes
m7gd.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
m7gd.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
m7gd.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
m7gd.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
m7gd.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
m7gd.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m7gd.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
m7gd.metal	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
M8gd					
m8gd.medium	1 x 59 GB	NVMe SSD	16,771 / 8,385		✓ Yes
m8gd.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
m8gd.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
m8gd.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
m8gd.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
m8gd.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
m8gd.12xlarge	3 x 950 GB	NVMe SSD	804,999 / 402,501		✓ Yes
m8gd.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
m8gd.24xlarge	3 x 1900 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m8gd.48xlarge	6 x 1900 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
m8gd.metal-24xl	3 x 1900 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
m8gd.metal-48xl	6 x 1900 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
M8id					
m8id.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
m8id.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
m8id.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
m8id.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
m8id.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
m8id.12xlarge	1 x 2850 GB	NVMe SSD	804,999 / 402,501		✓ Yes
m8id.16xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
m8id.24xlarge	2 x 2850 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m8id.32xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
m8id.48xlarge	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
m8id.96xlarge	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
m8id.metal-48xl	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
m8id.metal-96xl	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
M8idn					
m8idn.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
m8idn.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
m8idn.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
m8idn.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
m8idn.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
m8idn.12xlarge	1 x 2850 GB	NVMe SSD	804,999 / 402,501		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m8idn.16xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
m8idn.24xlarge	2 x 2850 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
m8idn.32xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
m8idn.48xlarge	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
m8idn.96xlarge	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
m8idn.metal-48xl	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
m8idn.metal-96xl	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
M8idb					
m8idb.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
m8idb.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
m8idb.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
m8idb.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m8idb.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
m8idb.12xlarge	1 x 2850 GB	NVMe SSD	804,999 / 402,501		✓ Yes
m8idb.16xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
m8idb.24xlarge	2 x 2850 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
m8idb.32xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
m8idb.48xlarge	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
m8idb.96xlarge	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
m8idb.metal-48xl	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
m8idb.metal-96xl	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
M9gd					
m9gd.medium	1 x 59 GB	NVMe SSD	21,802 / 10,901		✓ Yes
m9gd.large	1 x 118 GB	NVMe SSD	43,604 / 21,802		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
m9gd.xlarge	1 x 237 GB	NVMe SSD	87,207 / 43,604		✓ Yes
m9gd.2xlarge	1 x 474 GB	NVMe SSD	174,417 / 87,209		✓ Yes
m9gd.4xlarge	1 x 950 GB	NVMe SSD	348,832 / 174,417		✓ Yes
m9gd.8xlarge	1 x 1900 GB	NVMe SSD	697,665 / 348,834		✓ Yes
m9gd.12xlarge	3 x 950 GB	NVMe SSD	1,046,496 / 523,251		✓ Yes
m9gd.16xlarge	1 x 3800 GB	NVMe SSD	1,395,331 / 697,668		✓ Yes
m9gd.24xlarge	3 x 1900 GB	NVMe SSD	2,092,995 / 1,046,502		✓ Yes
m9gd.48xlarge	3 x 3800 GB	NVMe SSD	4,185,993 / 2,093,004		✓ Yes
m9gd.metal-48xl	3 x 3800 GB	NVMe SSD	4,185,993 / 2,093,004		✓ Yes
Mac-m4					
mac-m4.metal	1 x 1900 GB	NVMe SSD	550,000 / 275,000		✓ Yes
Mac-m4pro					
mac-m4pro.metal	1 x 1900 GB	NVMe SSD	550,000 / 275,000		✓ Yes

[1] Volumes attached to certain instances suffer a first-write penalty unless initialized. For more information, see Optimize disk performance for instance store volumes.

[2] For more information, see Instance store volume TRIM support.

Security specifications

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
			M5			
m5.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
m5.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m5.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5.24xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
M5a						
m5a.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
m5a.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5a.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5a.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5a.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m5a.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5a.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m5a.24xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
M5ad						
m5ad.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
m5ad.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5ad.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5ad.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5ad.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5ad.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5ad.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5ad.24xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
M5d						
m5d.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
m5d.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m5d.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5d.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5d.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5d.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5d.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5d.24xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m5d.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
M5dn						
m5dn.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m5dn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m5dn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m5dn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m5dn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m5dn.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m5dn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m5dn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m5dn.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
M5n						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m5n.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m5n.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5n.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5n.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5n.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5n.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5n.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5n.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m5n.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M5zn						
m5zn.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m5zn.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5zn.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5zn.3xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5zn.6xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5zn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m5zn.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
M6a						
m6a.large	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✗ No
m6a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
m6a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
m6a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
m6a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
m6a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m6a.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6a.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M6g						
m6g.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
m6g.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m6g.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m6g.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m6g.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m6g.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m6g.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m6g.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
m6g.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
M6gd						
m6gd.medium	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
m6gd.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m6gd.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m6gd.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m6gd.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m6gd.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m6gd.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m6gd.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
m6gd.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
M6i						
m6i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m6i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m6i.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6i.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M6id						
m6id.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m6id.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6id.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
M6idn						
m6idn.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m6idn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m6idn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6idn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6idn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6idn.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6idn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6idn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6idn.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m6idn.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
M6in						
m6in.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m6in.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6in.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6in.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m6in.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6in.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6in.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6in.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6in.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m6in.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M7a						
m7a.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7a.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m7a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m7a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7a.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M7g						
m7g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m7g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7g.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M7gd						
m7gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m7gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m7gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m7gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m7gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m7gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m7gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m7gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m7gd.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
M7i						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m7i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m7i.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m7i.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
m7i.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M7i-flex						
m7i-flex.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7i-flex.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7i-flex.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7i-flex.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7i-flex.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m7i-flex.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m7i-flex.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
M8a						
m8a.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8a.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8a.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
m8a.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M8azn						
m8azn.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8azn.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8azn.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8azn.3xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8azn.6xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8azn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8azn.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8azn.metal-12xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
m8azn.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M8g						
m8g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8g.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8g.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8g.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
M8gb						
m8gb.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8gb.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8gb.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gb.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8gb.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
M8gd						
m8gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m8gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gd.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m8gd.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
M8gn						
m8gn.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8gn.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8gn.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8gn.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8gn.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
M8i						
m8i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8i.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
m8i.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M8id						
m8id.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m8id.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8id.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.96xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8id.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
m8id.metal-96xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
M8i-flex						
m8i-flex.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8i-flex.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8i-flex.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8i-flex.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8i-flex.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8i-flex.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8i-flex.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
M8in						
m8in.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8in.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8in.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8in.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
m8in.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M8idn						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8idn.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m8idn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.96xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idn.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
m8idn.metal-96xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
M8ine						
m8ine.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8ine.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8ine.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ine.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ine.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ine.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
M8ib						
m8ib.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m8ib.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8ib.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m8ib.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m8ib.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
M8idb						
m8idb.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m8idb.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.96xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m8idb.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
m8idb.metal-96xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
M9g						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m9g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
m9g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m9g.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
m9g.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
M9gd						
m9gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
m9gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
m9gd.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
Mac1						
mac1.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
Mac2						
mac2.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
Mac2-m1ultra						
mac2-m1ultra.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
Mac2-m2						
mac2-m2.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
Mac2-m2pro						
mac2-m2pro.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
Mac-m3ultra						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
mac-m3ultra.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
Mac-m4						
mac-m4.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
Mac-m4pro						
mac-m4pro.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
Mac-m4max						
mac-m4max.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
T2						
t2.nano	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
t2.micro	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
t2.small	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
t2.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
t2.large	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
t2.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
t2.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
T3						
t3.nano	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3.micro	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3.small	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
t3.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
T3a						
t3a.nano	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3a.micro	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3a.small	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3a.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3a.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
t3a.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t3a.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
T4g						
t4g.nano	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t4g.micro	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t4g.small	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t4g.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t4g.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
t4g.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
t4g.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
T8i						
t8i.nano	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
t8i.micro	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
t8i.small	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
t8i.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Specifications for Amazon EC2 compute optimized instances

Compute optimized instances are designed for compute intensive applications that benefit from high performance processors. These instances are ideal for batch processing workloads, media transcoding, high performance web servers, high performance computing (HPC), scientific modeling, dedicated gaming servers, ad server engines, and machine learning inference.

For information on previous generation instance types of this category, such as C4 instances, see Specifications for Amazon EC2 previous generation instances.

Contents

- Instance families and instance types
- Instance family summary
- Performance specifications
- Network specifications
- Amazon EBS specifications
- Instance store specifications
- Security specifications

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Instance families and instance types

Instance family	Available instance types
C5	c5.large | c5.xlarge | c5.2xlarge | c5.4xlarge | c5.9xlarge | c5.12xlarge | c5.18xlarge | c5.24xlarge | c5.metal
C5a	c5a.large | c5a.xlarge | c5a.2xlarge | c5a.4xlarge | c5a.8xlarge | c5a.12xlarge | c5a.16xlarge | c5a.24xlarge
C5ad	c5ad.large | c5ad.xlarge | c5ad.2xlarge | c5ad.4xlarge | c5ad.8xlarge | c5ad.12xlarge | c5ad.16xlarge | c5ad.24xlarge
C5d	c5d.large | c5d.xlarge | c5d.2xlarge | c5d.4xlarge | c5d.9xlarge | c5d.12xlarge | c5d.18xlarge | c5d.24xlarge | c5d.metal
C5n	c5n.large | c5n.xlarge | c5n.2xlarge | c5n.4xlarge | c5n.9xlarge | c5n.18xlarge | c5n.metal
C6a	c6a.large | c6a.xlarge | c6a.2xlarge | c6a.4xlarge | c6a.8xlarge | c6a.12xlarge | c6a.16xlarge | c6a.24xlarge | c6a.32xlarge | c6a.48xlarge | c6a.metal

Instance family	Available instance types
C6g	c6g.medium |c6g.large |c6g.xlarge |c6g.2xlarge |c6g.4xlarge |c6g.8xlarge |c6g.12xlarge |c6g.16xlarge |c6g.metal
C6gd	c6gd.medium |c6gd.large |c6gd.xlarge |c6gd.2xlarge | c6gd.4xlarge |c6gd.8xlarge |c6gd.12xlarge |c6gd.16xlarge | c6gd.metal
C6gn	c6gn.medium |c6gn.large |c6gn.xlarge |c6gn.2xlarge | c6gn.4xlarge |c6gn.8xlarge |c6gn.12xlarge |c6gn.16xlarge
C6i	c6i.large |c6i.xlarge |c6i.2xlarge |c6i.4xlarge |c6i.8xlarge |c6i.12xlarge |c6i.16xlarge |c6i.24xlarge |c6i.32xlarge | c6i.metal
C6id	c6id.large |c6id.xlarge |c6id.2xlarge |c6id.4xlarge | c6id.8xlarge |c6id.12xlarge |c6id.16xlarge |c6id.24xlarge | c6id.32xlarge |c6id.metal
C6in	c6in.large |c6in.xlarge |c6in.2xlarge |c6in.4xlarge | c6in.8xlarge |c6in.12xlarge |c6in.16xlarge |c6in.24xlarge | c6in.32xlarge |c6in.metal
C7a	c7a.medium |c7a.large |c7a.xlarge |c7a.2xlarge |c7a.4xlarge |c7a.8xlarge |c7a.12xlarge |c7a.16xlarge |c7a.24xlarge | c7a.32xlarge |c7a.48xlarge |c7a.metal-48xl
C7g	c7g.medium |c7g.large |c7g.xlarge |c7g.2xlarge |c7g.4xlarge |c7g.8xlarge |c7g.12xlarge |c7g.16xlarge |c7g.metal
C7gd	c7gd.medium |c7gd.large |c7gd.xlarge |c7gd.2xlarge | c7gd.4xlarge |c7gd.8xlarge |c7gd.12xlarge |c7gd.16xlarge | c7gd.metal
C7gn	c7gn.medium |c7gn.large |c7gn.xlarge |c7gn.2xlarge | c7gn.4xlarge |c7gn.8xlarge |c7gn.12xlarge |c7gn.16xlarge | c7gn.metal

Instance family	Available instance types
C7i	c7i.large |c7i.xlarge |c7i.2xlarge |c7i.4xlarge |c7i.8xlarge |c7i.12xlarge |c7i.16xlarge |c7i.24xlarge |c7i.48xlarge |c7i.metal-24xl |c7i.metal-48xl
C7i-flex	c7i-flex.large |c7i-flex.xlarge |c7i-flex.2xlarge |c7i-flex.4xlarge |c7i-flex.8xlarge |c7i-flex.12xlarge |c7i-flex.16xlarge
C8a	c8a.medium |c8a.large |c8a.xlarge |c8a.2xlarge |c8a.4xlarge |c8a.8xlarge |c8a.12xlarge |c8a.16xlarge |c8a.24xlarge |c8a.48xlarge |c8a.metal-24xl |c8a.metal-48xl
C8g	c8g.medium |c8g.large |c8g.xlarge |c8g.2xlarge |c8g.4xlarge |c8g.8xlarge |c8g.12xlarge |c8g.16xlarge |c8g.24xlarge |c8g.48xlarge |c8g.metal-24xl |c8g.metal-48xl
C8gb	c8gb.medium |c8gb.large |c8gb.xlarge |c8gb.2xlarge |c8gb.4xlarge |c8gb.8xlarge |c8gb.12xlarge |c8gb.16xlarge |c8gb.24xlarge |c8gb.48xlarge |c8gb.metal-24xl |c8gb.metal-48xl
C8gd	c8gd.medium |c8gd.large |c8gd.xlarge |c8gd.2xlarge |c8gd.4xlarge |c8gd.8xlarge |c8gd.12xlarge |c8gd.16xlarge |c8gd.24xlarge |c8gd.48xlarge |c8gd.metal-24xl |c8gd.metal-48xl
C8gn	c8gn.medium |c8gn.large |c8gn.xlarge |c8gn.2xlarge |c8gn.4xlarge |c8gn.8xlarge |c8gn.12xlarge |c8gn.16xlarge |c8gn.24xlarge |c8gn.48xlarge |c8gn.metal-24xl |c8gn.metal-48xl
C8i	c8i.large |c8i.xlarge |c8i.2xlarge |c8i.4xlarge |c8i.8xlarge |c8i.12xlarge |c8i.16xlarge |c8i.24xlarge |c8i.32xlarge |c8i.48xlarge |c8i.96xlarge |c8i.metal-48xl |c8i.metal-96xl

Instance family	Available instance types
C8id	c8id.large |c8id.xlarge |c8id.2xlarge |c8id.4xlarge | c8id.8xlarge |c8id.12xlarge |c8id.16xlarge |c8id.24xlarge | c8id.32xlarge |c8id.48xlarge |c8id.96xlarge |c8id.metal-48xl |c8id.metal-96xl
C8i-flex	c8i-flex.large |c8i-flex.xlarge |c8i-flex.2xlarge |c8i-flex. 4xlarge |c8i-flex.8xlarge |c8i-flex.12xlarge |c8i-flex. 16xlarge
C8in	c8in.large |c8in.xlarge |c8in.2xlarge |c8in.4xlarge | c8in.8xlarge |c8in.12xlarge |c8in.16xlarge |c8in.24xlarge | c8in.32xlarge |c8in.48xlarge |c8in.96xlarge |c8in.metal-48xl |c8in.metal-96xl
C8ine	c8ine.large |c8ine.xlarge |c8ine.2xlarge |c8ine.4xlarge | c8ine.8xlarge |c8ine.12xlarge
C8ib	c8ib.large |c8ib.xlarge |c8ib.2xlarge |c8ib.4xlarge | c8ib.8xlarge |c8ib.12xlarge |c8ib.16xlarge |c8ib.24xlarge | c8ib.32xlarge |c8ib.48xlarge |c8ib.96xlarge |c8ib.metal-48xl |c8ib.metal-96xl
C9g	c9g.medium |c9g.large |c9g.xlarge |c9g.2xlarge |c9g.4xlar ge |c9g.8xlarge |c9g.12xlarge |c9g.16xlarge |c9g.24xlarge | c9g.48xlarge |c9g.metal-48xl
C9gd	c9gd.medium |c9gd.large |c9gd.xlarge |c9gd.2xlarge | c9gd.4xlarge |c9gd.8xlarge |c9gd.12xlarge |c9gd.16xlarge | c9gd.24xlarge |c9gd.48xlarge |c9gd.metal-48xl

Instance family summary

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
C5	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C5a	Nitro v2	AMD (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
C5ad	Nitro v2	AMD (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
C5d	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C5n	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
C6a	Nitro v4	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C6g	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C6gd	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C6gn	Nitro v4	AWS Graviton (arm64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Linux
C6i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
C6id	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C6in	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C7a	Nitro v4	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C7g	Nitro v4	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C7gd	Nitro v4	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C7gn	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C7i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C7i-flex	Nitro v4	Intel (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
C8a	Nitro v6	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C8g	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
C8gb	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C8gd	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C8gn	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
C8i	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C8id	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
C8i-flex	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
C8in	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C8ine	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
C8ib	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C9g	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
C9gd	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux

Performance specifications

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
C5							
c5.large	4.00	Intel Xeon Platinum 8124M	2	1	2	✗ No	✗ No
c5.xlarge	8.00	Intel Xeon Platinum 8124M	4	2	2	✗ No	✗ No
c5.2xlarge	16.00	Intel Xeon Platinum 8124M	8	4	2	✗ No	✗ No
c5.4xlarge	32.00	Intel Xeon Platinum 8124M	16	8	2	✗ No	✗ No
c5.9xlarge	72.00	Intel Xeon Platinum 8124M	36	18	2	✗ No	✗ No
c5.12xlarge	96.00	2nd Gen Intel Xeon Platinum 8275CL	48	24	2	✗ No	✗ No
c5.18xlarge	144.00	Intel Xeon Platinum 8124M	72	36	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c5.24xlarge	192.00	2nd Gen Intel Xeon Platinum 8275CL	96	48	2	✗ No	✗ No
c5.metal	192.00	2nd Gen Intel Xeon Platinum 8275CL	96	48	2	✗ No	✗ No
C5a							
c5a.large	4.00	2nd Gen AMD EPYC 7R32	2	1	2	✗ No	✗ No
c5a.xlarge	8.00	2nd Gen AMD EPYC 7R32	4	2	2	✗ No	✗ No
c5a.2xlarge	16.00	2nd Gen AMD EPYC 7R32	8	4	2	✗ No	✗ No
c5a.4xlarge	32.00	2nd Gen AMD EPYC 7R32	16	8	2	✗ No	✗ No
c5a.8xlarge	64.00	2nd Gen AMD EPYC 7R32	32	16	2	✗ No	✗ No
c5a.12xlarge	96.00	2nd Gen AMD EPYC 7R32	48	24	2	✗ No	✗ No
c5a.16xlarge	128.00	2nd Gen AMD EPYC 7R32	64	32	2	✗ No	✗ No
c5a.24xlarge	192.00	2nd Gen AMD EPYC 7R32	96	48	2	✗ No	✗ No
C5ad							
c5ad.large	4.00	2nd Gen AMD EPYC 7R32	2	1	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c5ad.xlarge	8.00	2nd Gen AMD EPYC 7R32	4	2	2	✗ No	✗ No
c5ad.2xlarge	16.00	2nd Gen AMD EPYC 7R32	8	4	2	✗ No	✗ No
c5ad.4xlarge	32.00	2nd Gen AMD EPYC 7R32	16	8	2	✗ No	✗ No
c5ad.8xlarge	64.00	2nd Gen AMD EPYC 7R32	32	16	2	✗ No	✗ No
c5ad.12xlarge	96.00	2nd Gen AMD EPYC 7R32	48	24	2	✗ No	✗ No
c5ad.16xlarge	128.00	2nd Gen AMD EPYC 7R32	64	32	2	✗ No	✗ No
c5ad.24xlarge	192.00	2nd Gen AMD EPYC 7R32	96	48	2	✗ No	✗ No
C5d							
c5d.large	4.00	Intel Xeon Platinum 8124M	2	1	2	✗ No	✗ No
c5d.xlarge	8.00	Intel Xeon Platinum 8124M	4	2	2	✗ No	✗ No
c5d.2xlarge	16.00	Intel Xeon Platinum 8124M	8	4	2	✗ No	✗ No
c5d.4xlarge	32.00	Intel Xeon Platinum 8124M	16	8	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c5d.9xlarge	72.00	Intel Xeon Platinum 8124M	36	18	2	✗ No	✗ No
c5d.12xlarge	96.00	2nd Gen Intel Xeon Platinum 8275CL	48	24	2	✗ No	✗ No
c5d.18xlarge	144.00	Intel Xeon Platinum 8124M	72	36	2	✗ No	✗ No
c5d.24xlarge	192.00	2nd Gen Intel Xeon Platinum 8275CL	96	48	2	✗ No	✗ No
c5d.metal	192.00	2nd Gen Intel Xeon Platinum 8275CL	96	48	2	✗ No	✗ No
C5n							
c5n.large	5.25	Intel Xeon Platinum 8124M	2	1	2	✗ No	✗ No
c5n.xlarge	10.50	Intel Xeon Platinum 8124M	4	2	2	✗ No	✗ No
c5n.2xlarge	21.00	Intel Xeon Platinum 8124M	8	4	2	✗ No	✗ No
c5n.4xlarge	42.00	Intel Xeon Platinum 8124M	16	8	2	✗ No	✗ No
c5n.9xlarge	96.00	Intel Xeon Platinum 8124M	36	18	2	✗ No	✗ No
c5n.18xlarge	192.00	Intel Xeon Platinum 8124M	72	36	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c5n.metal	192.00	Intel Xeon Platinum 8124M	72	36	2	✗ No	✗ No
C6a							
c6a.large	4.00	AMD EPYC 7R13	2	1	2	✗ No	✗ No
c6a.xlarge	8.00	AMD EPYC 7R13	4	2	2	✗ No	✗ No
c6a.2xlarge	16.00	AMD EPYC 7R13	8	4	2	✗ No	✗ No
c6a.4xlarge	32.00	AMD EPYC 7R13	16	8	2	✗ No	✗ No
c6a.8xlarge	64.00	AMD EPYC 7R13	32	16	2	✗ No	✗ No
c6a.12xlarge	96.00	AMD EPYC 7R13	48	24	2	✗ No	✗ No
c6a.16xlarge	128.00	AMD EPYC 7R13	64	32	2	✗ No	✗ No
c6a.24xlarge	192.00	AMD EPYC 7R13	96	48	2	✗ No	✗ No
c6a.32xlarge	256.00	AMD EPYC 7R13	128	64	2	✗ No	✗ No
c6a.48xlarge	384.00	AMD EPYC 7R13	192	96	2	✗ No	✗ No
c6a.metal	384.00	AMD EPYC 7R13	192	96	2	✗ No	✗ No
C6g							
c6g.medium	2.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
c6g.large	4.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
c6g.xlarge	8.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c6g.2xlarge	16.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
c6g.4xlarge	32.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
c6g.8xlarge	64.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
c6g.12xlarge	96.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No
c6g.16xlarge	128.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
c6g.metal	128.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
C6gd							
c6gd.medium	2.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
c6gd.large	4.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
c6gd.xlarge	8.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
c6gd.2xlarge	16.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
c6gd.4xlarge	32.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c6gd.8xlarge	64.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
c6gd.12xlarge	96.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No
c6gd.16xlarge	128.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
c6gd.metal	128.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
C6gn							
c6gn.medium	2.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
c6gn.large	4.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
c6gn.xlarge	8.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
c6gn.2xlarge	16.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
c6gn.4xlarge	32.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
c6gn.8xlarge	64.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
c6gn.12xlarge	96.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c6gn.16xlarge	128.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
C6i							
c6i.large	4.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
c6i.xlarge	8.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
c6i.2xlarge	16.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
c6i.4xlarge	32.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
c6i.8xlarge	64.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
c6i.12xlarge	96.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
c6i.16xlarge	128.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
c6i.24xlarge	192.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
c6i.32xlarge	256.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
c6i.metal	256.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
C6id							
c6id.large	4.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
c6id.xlarge	8.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
c6id.2xlarge	16.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
c6id.4xlarge	32.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
c6id.8xlarge	64.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
c6id.12xlarge	96.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c6id.16xlarge	128.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
c6id.24xlarge	192.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
c6id.32xlarge	256.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
c6id.metal	256.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
C6in							
c6in.large	4.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
c6in.xlarge	8.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
c6in.2xlarge	16.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
c6in.4xlarge	32.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
c6in.8xlarge	64.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
c6in.12xlarge	96.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
c6in.16xlarge	128.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
c6in.24xlarge	192.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
c6in.32xlarge	256.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
c6in.metal	256.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
C7a							
c7a.medium	2.00	AMD EPYC 9R14	1	1	1	✗ No	✗ No
c7a.large	4.00	AMD EPYC 9R14	2	2	1	✗ No	✗ No
c7a.xlarge	8.00	AMD EPYC 9R14	4	4	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c7a.2xlarge	16.00	AMD EPYC 9R14	8	8	1	✗ No	✗ No
c7a.4xlarge	32.00	AMD EPYC 9R14	16	16	1	✗ No	✗ No
c7a.8xlarge	64.00	AMD EPYC 9R14	32	32	1	✗ No	✗ No
c7a.12xlarge	96.00	AMD EPYC 9R14	48	48	1	✗ No	✗ No
c7a.16xlarge	128.00	AMD EPYC 9R14	64	64	1	✗ No	✗ No
c7a.24xlarge	192.00	AMD EPYC 9R14	96	96	1	✗ No	✗ No
c7a.32xlarge	256.00	AMD EPYC 9R14	128	128	1	✗ No	✗ No
c7a.48xlarge	384.00	AMD EPYC 9R14	192	192	1	✗ No	✗ No
c7a.metal-48xl	384.00	AMD EPYC 9R14	192	192	1	✗ No	✗ No
C7g							
c7g.medium	2.00	AWS Graviton3 Processor	1	1	1	✗ No	✗ No
c7g.large	4.00	AWS Graviton3 Processor	2	2	1	✗ No	✗ No
c7g.xlarge	8.00	AWS Graviton3 Processor	4	4	1	✗ No	✗ No
c7g.2xlarge	16.00	AWS Graviton3 Processor	8	8	1	✗ No	✗ No
c7g.4xlarge	32.00	AWS Graviton3 Processor	16	16	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c7g.8xlarge	64.00	AWS Graviton3 Processor	32	32	1	✗ No	✗ No
c7g.12xlarge	96.00	AWS Graviton3 Processor	48	48	1	✗ No	✗ No
c7g.16xlarge	128.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
c7g.metal	128.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
C7gd							
c7gd.medium	2.00	AWS Graviton3 Processor	1	1	1	✗ No	✗ No
c7gd.large	4.00	AWS Graviton3 Processor	2	2	1	✗ No	✗ No
c7gd.xlarge	8.00	AWS Graviton3 Processor	4	4	1	✗ No	✗ No
c7gd.2xlarge	16.00	AWS Graviton3 Processor	8	8	1	✗ No	✗ No
c7gd.4xlarge	32.00	AWS Graviton3 Processor	16	16	1	✗ No	✗ No
c7gd.8xlarge	64.00	AWS Graviton3 Processor	32	32	1	✗ No	✗ No
c7gd.12xlarge	96.00	AWS Graviton3 Processor	48	48	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c7gd.16xlarge	128.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
c7gd.metal	128.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
C7gn							
c7gn.medium	2.00	AWS Graviton3E Processor	1	1	1	✗ No	✗ No
c7gn.large	4.00	AWS Graviton3E Processor	2	2	1	✗ No	✗ No
c7gn.xlarge	8.00	AWS Graviton3E Processor	4	4	1	✗ No	✗ No
c7gn.2xlarge	16.00	AWS Graviton3E Processor	8	8	1	✗ No	✗ No
c7gn.4xlarge	32.00	AWS Graviton3E Processor	16	16	1	✗ No	✗ No
c7gn.8xlarge	64.00	AWS Graviton3E Processor	32	32	1	✗ No	✗ No
c7gn.12xlarge	96.00	AWS Graviton3E Processor	48	48	1	✗ No	✗ No
c7gn.16xlarge	128.00	AWS Graviton3E Processor	64	64	1	✗ No	✗ No
c7gn.metal	128.00	AWS Graviton3E Processor	64	64	1	✗ No	✗ No
C7i							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c7i.large	4.00	Intel Xeon Sapphire Rapids	2	1	2	✗ No	✗ No
c7i.xlarge	8.00	Intel Xeon Sapphire Rapids	4	2	2	✗ No	✗ No
c7i.2xlarge	16.00	Intel Xeon Sapphire Rapids	8	4	2	✗ No	✗ No
c7i.4xlarge	32.00	Intel Xeon Sapphire Rapids	16	8	2	✗ No	✗ No
c7i.8xlarge	64.00	Intel Xeon Sapphire Rapids	32	16	2	✗ No	✗ No
c7i.12xlarge	96.00	Intel Xeon Sapphire Rapids	48	24	2	✗ No	✗ No
c7i.16xlarge	128.00	Intel Xeon Sapphire Rapids	64	32	2	✗ No	✗ No
c7i.24xlarge	192.00	Intel Xeon Sapphire Rapids	96	48	2	✗ No	✗ No
c7i.48xlarge	384.00	Intel Xeon Sapphire Rapids	192	96	2	✗ No	✗ No
c7i.metal-24xl	192.00	Intel Xeon Sapphire Rapids	96	48	2	✗ No	✗ No
c7i.metal-48xl	384.00	Intel Xeon Sapphire Rapids	192	96	2	✗ No	✗ No
C7i-flex							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c7i-flex.large	4.00	Intel Xeon Sapphire Rapids	2	1	2	✗ No	✗ No
c7i-flex.xlarge	8.00	Intel Xeon Sapphire Rapids	4	2	2	✗ No	✗ No
c7i-flex.2xlarge	16.00	Intel Xeon Sapphire Rapids	8	4	2	✗ No	✗ No
c7i-flex.4xlarge	32.00	Intel Xeon Sapphire Rapids	16	8	2	✗ No	✗ No
c7i-flex.8xlarge	64.00	Intel Xeon Sapphire Rapids	32	16	2	✗ No	✗ No
c7i-flex.12xlarge	96.00	Intel Xeon Sapphire Rapids	48	24	2	✗ No	✗ No
c7i-flex.16xlarge	128.00	Intel Xeon Sapphire Rapids	64	32	2	✗ No	✗ No
C8a							
c8a.medium	2.00	AMD EPYC 9R45	1	1	1	✗ No	✗ No
c8a.large	4.00	AMD EPYC 9R45	2	2	1	✗ No	✗ No
c8a.xlarge	8.00	AMD EPYC 9R45	4	4	1	✗ No	✗ No
c8a.2xlarge	16.00	AMD EPYC 9R45	8	8	1	✗ No	✗ No
c8a.4xlarge	32.00	AMD EPYC 9R45	16	16	1	✗ No	✗ No
c8a.8xlarge	64.00	AMD EPYC 9R45	32	32	1	✗ No	✗ No
c8a.12xlarge	96.00	AMD EPYC 9R45	48	48	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8a.16xlarge	128.00	AMD EPYC 9R45	64	64	1	✗ No	✗ No
c8a.24xlarge	192.00	AMD EPYC 9R45	96	96	1	✗ No	✗ No
c8a.48xlarge	384.00	AMD EPYC 9R45	192	192	1	✗ No	✗ No
c8a.metal-24xl	192.00	AMD EPYC 9R45	96	96	1	✗ No	✗ No
c8a.metal-48xl	384.00	AMD EPYC 9R45	192	192	1	✗ No	✗ No
C8g							
c8g.medium	2.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
c8g.large	4.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
c8g.xlarge	8.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
c8g.2xlarge	16.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
c8g.4xlarge	32.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
c8g.8xlarge	64.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
c8g.12xlarge	96.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8g.16xlarge	128.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
c8g.24xlarge	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8g.48xlarge	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
c8g.metal-24xl	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8g.metal-48xl	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
C8gb							
c8gb.medium	2.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
c8gb.large	4.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
c8gb.xlarge	8.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
c8gb.2xlarge	16.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
c8gb.4xlarge	32.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
c8gb.8xlarge	64.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8gb.12xlarge	96.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
c8gb.16xlarge	128.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
c8gb.24xlarge	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8gb.48xlarge	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
c8gb.metal-24xl	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8gb.metal-48xl	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
C8gd							
c8gd.medium	2.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
c8gd.large	4.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
c8gd.xlarge	8.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
c8gd.2xlarge	16.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
c8gd.4xlarge	32.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8gd.8xlarge	64.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
c8gd.12xlarge	96.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
c8gd.16xlarge	128.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
c8gd.24xlarge	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8gd.48xlarge	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
c8gd.metal-24xl	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8gd.metal-48xl	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
C8gn							
c8gn.medium	2.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
c8gn.large	4.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
c8gn.xlarge	8.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
c8gn.2xlarge	16.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8gn.4xlarge	32.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
c8gn.8xlarge	64.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
c8gn.12xlarge	96.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
c8gn.16xlarge	128.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
c8gn.24xlarge	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8gn.48xlarge	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
c8gn.metal-24xl	192.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
c8gn.metal-48xl	384.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
C8i							
c8i.large	4.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
c8i.xlarge	8.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
c8i.2xlarge	16.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8i.4xlarge	32.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
c8i.8xlarge	64.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
c8i.12xlarge	96.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
c8i.16xlarge	128.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
c8i.24xlarge	192.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
c8i.32xlarge	256.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
c8i.48xlarge	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8i.96xlarge	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
c8i.metal-48xl	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8i.metal-96xl	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
C8id							
c8id.large	4.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8id.xlarge	8.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
c8id.2xlarge	16.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
c8id.4xlarge	32.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
c8id.8xlarge	64.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
c8id.12xlarge	96.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
c8id.16xlarge	128.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
c8id.24xlarge	192.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
c8id.32xlarge	256.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
c8id.48xlarge	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8id.96xlarge	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
c8id.metal-48xl	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8id.metal-96xl	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
C8i-flex							
c8i-flex.large	4.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
c8i-flex.xlarge	8.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
c8i-flex.2xlarge	16.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
c8i-flex.4xlarge	32.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
c8i-flex.8xlarge	64.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
c8i-flex.12xlarge	96.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
c8i-flex.16xlarge	128.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
C8in							
c8in.large	4.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
c8in.xlarge	8.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
c8in.2xlarge	16.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
c8in.4xlarge	32.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8in.8xlarge	64.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
c8in.12xlarge	96.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
c8in.16xlarge	128.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
c8in.24xlarge	192.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
c8in.32xlarge	256.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
c8in.48xlarge	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8in.96xlarge	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
c8in.metal-48xl	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8in.metal-96xl	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
C8ine							
c8ine.large	4.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
c8ine.xlarge	8.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8ine.2xlarge	16.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
c8ine.4xlarge	32.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
c8ine.8xlarge	64.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
c8ine.12xlarge	96.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
C8ib							
c8ib.large	4.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
c8ib.xlarge	8.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
c8ib.2xlarge	16.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
c8ib.4xlarge	32.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
c8ib.8xlarge	64.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
c8ib.12xlarge	96.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
c8ib.16xlarge	128.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c8ib.24xlarge	192.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
c8ib.32xlarge	256.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
c8ib.48xlarge	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8ib.96xlarge	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
c8ib.metal-48xl	384.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
c8ib.metal-96xl	768.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
C9g							
c9g.medium	2.00	AWS Graviton5	1	1	1	✗ No	✗ No
c9g.large	4.00	AWS Graviton5	2	2	1	✗ No	✗ No
c9g.xlarge	8.00	AWS Graviton5	4	4	1	✗ No	✗ No
c9g.2xlarge	16.00	AWS Graviton5	8	8	1	✗ No	✗ No
c9g.4xlarge	32.00	AWS Graviton5	16	16	1	✗ No	✗ No
c9g.8xlarge	64.00	AWS Graviton5	32	32	1	✗ No	✗ No
c9g.12xlarge	96.00	AWS Graviton5	48	48	1	✗ No	✗ No
c9g.16xlarge	128.00	AWS Graviton5	64	64	1	✗ No	✗ No
c9g.24xlarge	192.00	AWS Graviton5	96	96	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c9g.48xlarge	384.00	AWS Graviton5	192	192	1	✗ No	✗ No
c9g.metal-48xl	384.00	AWS Graviton5	192	192	1	✗ No	✗ No
C9gd							
c9gd.medium	2.00	AWS Graviton5	1	1	1	✗ No	✗ No
c9gd.large	4.00	AWS Graviton5	2	2	1	✗ No	✗ No
c9gd.xlarge	8.00	AWS Graviton5	4	4	1	✗ No	✗ No
c9gd.2xlarge	16.00	AWS Graviton5	8	8	1	✗ No	✗ No
c9gd.4xlarge	32.00	AWS Graviton5	16	16	1	✗ No	✗ No
c9gd.8xlarge	64.00	AWS Graviton5	32	32	1	✗ No	✗ No
c9gd.12xlarge	96.00	AWS Graviton5	48	48	1	✗ No	✗ No
c9gd.16xlarge	128.00	AWS Graviton5	64	64	1	✗ No	✗ No
c9gd.24xlarge	192.00	AWS Graviton5	96	96	1	✗ No	✗ No
c9gd.48xlarge	384.00	AWS Graviton5	192	192	1	✗ No	✗ No
c9gd.metal-48xl	384.00	AWS Graviton5	192	192	1	✗ No	✗ No

Network specifications

Note

C8a, C8g, C8gd, C8i, C8id, C8i-flex, C9g, C9gd instance types support configurable bandwidth weightings. With these instance types, you can optimize an instance's bandwidth for either networking performance or Amazon EBS performance. The following table shows the default networking bandwidth performance for these instance types. For the supported configurable weightings, see Configurable bandwidth weighting preferences.

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				C5					
c5.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
c5.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5.2xlarg e [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5.4xlarg e [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5.9xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5.12xlar ge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c5.18xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
c5.24xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
c5.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				C5a					
c5a.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
c5a.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5a.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5a.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5a.8xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5a.12xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5a.16xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c5a.24xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				C5ad					
c5ad.large [1 2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
c5ad.xlarge [1 2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5ad.2xlarge [1 2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5ad.4xlarge [1 2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5ad.8xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5ad.12xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5ad.16xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
c5ad.24xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				C5d					

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c5d.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
c5d.xlarg e [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5d.2xlar ge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5d.4xlar ge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5d.9xlar ge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5d.12xla rge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c5d.18xla rge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
c5d.24xla rge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
c5d.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
C5n									
c5n.large [1] [2]	3.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c5n.xlarg e [1] [2]	5.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5n.2xlar ge [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c5n.4xlar ge [1] [2]	15.0 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
c5n.9xlar ge [2]	50 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	8	30	✓ Yes
c5n.18xla rge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
c5n.metal [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
				C6a					
c6a.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c6a.xlarg e [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c6a.2xlar ge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c6a.4xlar ge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c6a.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c6a.12xlarge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c6a.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c6a.24xlarge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c6a.32xlarge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c6a.48xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c6a.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				C6g					
c6g.medium [1] [2]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
c6g.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
c6g.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c6g.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c6g.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c6g.8xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c6g.12xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c6g.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
c6g.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
C6gd									
c6gd.medium [1] [2]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
c6gd.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
c6gd.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c6gd.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c6gd.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c6gd.8xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c6gd.12xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c6gd.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
c6gd.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
C6gn									
c6gn.medium [1] [2]	1.6 / 16.0	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
c6gn.large [1] [2]	3.0 / 25.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c6gn.xlarge [1] [2]	6.3 / 25.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c6gn.2xlarge [1] [2]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c6gn.4xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c6gn.8xla rge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	32	1	8	30	✓ Yes
c6gn.12xl arge [2]	75 Gigabit	✗ No	✓ Yes	✓ Yes	32	1	8	30	✓ Yes
c6gn.16xl arge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
				C6i					
c6i.large [1]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
c6i.xlarge [1]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
c6i.2xlarge [1]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
c6i.4xlarge [1]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
c6i.8xlarge	12.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
c6i.12xlarge	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
c6i.16xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c6i.24xlarge	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
c6i.32xlarge	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
c6i.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
C6id									
c6id.large [1]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
c6id.xlarge [1]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
c6id.2xlarge [1]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
c6id.4xlarge [1]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
c6id.8xlarge	12.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
c6id.12xlarge	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
c6id.16xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c6id.24xlarge	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
c6id.32xlarge	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
c6id.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
C6in									
c6in.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
c6in.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
c6in.2xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
c6in.4xlarge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
c6in.8xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
c6in.12xlarge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
c6in.16xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c6in.24xlarge	150 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 32	1	15	50	✓ Yes
c6in.32xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 32	2	16	50	✓ Yes
c6in.metal [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	16	50	✓ Yes
				C7a					
c7a.medium [1] [2]	0.39 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
c7a.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c7a.xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c7a.2xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c7a.4xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c7a.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c7a.12xlarge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c7a.16xla rge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c7a.24xla rge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c7a.32xla rge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
c7a.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
c7a.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
C7g									
c7g.mediu m [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
c7g.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c7g.xlarg e [1] [2]	1.876 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c7g.2xlar ge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c7g.4xlar ge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c7g.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c7g.12xlarge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c7g.16xlarge [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c7g.metal [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
C7gd									
c7gd.medium [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
c7gd.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c7gd.xlarge [1] [2]	1.876 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c7gd.2xlarge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c7gd.4xlarge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c7gd.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c7gd.12xlarge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c7gd.16xlarge [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c7gd.metal [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
C7gn									
c7gn.medium [1] [2]	3.125 / 25.0	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
c7gn.large [1] [2]	6.25 / 30.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c7gn.xlarge [1] [2]	12.5 / 40.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c7gn.2xlarge [1] [2]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c7gn.4xlarge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	8	30	✓ Yes
c7gn.8xlarge [2]	100 Gigabit	✗ No	✓ Yes	✓ Yes	32	1	8	30	✓ Yes
c7gn.12xlarge [2]	150 Gigabit	✗ No	✓ Yes	✓ Yes	32	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c7gn.16xlarge [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
c7gn.metal [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
C7i									
c7i.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c7i.xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c7i.2xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c7i.4xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c7i.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c7i.12xlarge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c7i.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c7i.24xlarge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c7i.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
c7i.metal -24xl [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c7i.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
				C7i-flex					
c7i-flex. large [1] [2]	0.39 / 12.5	✗ No	✓ Yes	✗ No	1	1	3	10	✓ Yes
c7i-flex. xlarge [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	4	15	✓ Yes
c7i-flex. 2xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c7i-flex. 4xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	4	1	8	30	✓ Yes
c7i-flex. 8xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	4	1	8	30	✓ Yes
c7i-flex. 12xlarge [1] [2]	9.375 / 18.75	✗ No	✓ Yes	✗ No	4	1	8	30	✓ Yes
c7i-flex. 16xlarge [1] [2]	12.5 / 25.0	✗ No	✓ Yes	✗ No	4	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				C8a					
c8a.mediu m [1]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
c8a.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
c8a.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	20	✓ Yes
c8a.2xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	40	✓ Yes
c8a.4xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	40	✓ Yes
c8a.8xlarge	15 Gigabit	✗ No	✓ Yes	✗ No	8 / 32	1	10	40	✓ Yes
c8a.12xlarge	22.5 Gigabit	✗ No	✓ Yes	✗ No	16 / 64	1	12	64	✓ Yes
c8a.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
c8a.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
c8a.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8a.metal -24xl	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
c8a.metal -48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				C8g					
c8g.mediu m [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
c8g.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c8g.xlarg e [1] [2]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c8g.2xlar ge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
c8g.4xlar ge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c8g.8xlar ge [2]	15 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c8g.12xla rge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c8g.16xla rge [2]	30 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8g.24xla rge [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c8g.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
c8g.metal -24xl [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
c8g.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
				C8gb					
c8gb.medi um [1]	2.083 / 16.666	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
c8gb.large [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
c8gb.xlar ge [1]	8.333 / 26.666	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
c8gb.2xla rge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
c8gb.4xlarge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 16	1	8	30	✓ Yes
c8gb.8xlarge	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8gb.12xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	30	✓ Yes
c8gb.16xlarge	133.33 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 64	1	16	50	✓ Yes
c8gb.24xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	24	50	✓ Yes
c8gb.48xlarge	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
c8gb.metal-24xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	50	✓ Yes
c8gb.metal-48xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
C8gd									
c8gd.medium [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
c8gd.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
c8gd.xlarge [1] [2]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
c8gd.2xlarge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8gd.4xlarge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
c8gd.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c8gd.12xlarge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
c8gd.16xlarge [2]	30 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c8gd.24xlarge [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
c8gd.48xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
c8gd.metal-24xl [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
c8gd.metal-48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
C8gn									
c8gn.medium [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
c8gn.large [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8gn.xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
c8gn.2xlarge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
c8gn.4xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 16	1	8	30	✓ Yes
c8gn.8xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	30	✓ Yes
c8gn.12xlarge	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	30	✓ Yes
c8gn.16xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 64	1	16	50	✓ Yes
c8gn.24xlarge	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	24	50	✓ Yes
c8gn.48xlarge	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
c8gn.metal-24xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	50	✓ Yes
c8gn.metal-48xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
C8i									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8i.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
c8i.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c8i.2xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
c8i.4xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
c8i.8xlarge	15 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
c8i.12xlarge	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
c8i.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
c8i.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
c8i.32xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
c8i.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8i.96xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8i.metal -48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8i.metal -96xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				C8id					
c8id.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
c8id.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c8id.2xla rge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
c8id.4xla rge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
c8id.8xlarge	15 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
c8id.12xl arge	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
c8id.16xl arge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
c8id.24xl arge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8id.32xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
c8id.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8id.96xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8id.metal-48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8id.metal-96xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				C8i-flex					
c8i-flex.large [1]	0.468 / 12.5	✗ No	✓ Yes	✗ No	1 / 1	1	3	20	✓ Yes
c8i-flex.xlarge [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	4	30	✓ Yes
c8i-flex.2xlarge [1]	1.875 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c8i-flex.4xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	4 / 8	1	8	50	✓ Yes
c8i-flex.8xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	4 / 16	1	10	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8i-flex. 12xlarge [1]	11.25 / 22.5	✗ No	✓ Yes	✗ No	8 / 32	1	12	50	✓ Yes
c8i-flex. 16xlarge [1]	15.0 / 30.0	✗ No	✓ Yes	✗ No	8 / 32	1	16	64	✓ Yes
				C8in					
c8in.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
c8in.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c8in.2xla rge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
c8in.4xla rge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
c8in.8xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
c8in.12xl arge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
c8in.16xl arge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
c8in.24xl arge	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8in.32xl arge	200 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
c8in.48xl arge	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8in.96xl arge	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
c8in.meta l-48xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8in.meta l-96xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
C8ine									
c8ine.large	3.125 Gigabit	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
c8ine.xlarge	6.25 Gigabit	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c8ine.2xl arge	12.5 Gigabit	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
c8ine.4xl arge	25 Gigabit	✗ No	✓ Yes	✗ No	16 / 16	1	8	50	✓ Yes
c8ine.8xl arge	50 Gigabit	✗ No	✓ Yes	✗ No	32 / 32	1	8	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8ine.12x large	75 Gigabit	✗ No	✓ Yes	✗ No	32 / 64	1	12	50	✓ Yes
				C8ib					
c8ib.large [1]	2.083 / 16.667	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
c8ib.xlarge [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c8ib.2xla rge [1]	8.333 / 26.667	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
c8ib.4xla rge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
c8ib.8xlarge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
c8ib.12xl arge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
c8ib.16xl arge	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
c8ib.24xl arge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
c8ib.32xl arge	133.33 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c8ib.48xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8ib.96xlarge	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
c8ib.metal-48xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c8ib.metal-96xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
C9g									
c9g.medium [1]	0.55 / 15.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	20	✓ Yes
c9g.large [1]	1.0 / 15.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
c9g.xlarge [1]	2.1 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c9g.2xlarge [1]	4.25 / 17.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
c9g.4xlarge [1]	8.5 / 17.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
c9g.8xlarge	17 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c9g.12xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
c9g.16xlarge	34 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
c9g.24xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
c9g.48xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c9g.metal -48xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
C9gd									
c9gd.medi um [1]	0.55 / 15.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	20	✓ Yes
c9gd.large [1]	1.0 / 15.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
c9gd.xlar ge [1]	2.1 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
c9gd.2xla rge [1]	4.25 / 17.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
c9gd.4xla rge [1]	8.5 / 17.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c9gd.8xlarge	17 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
c9gd.12xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
c9gd.16xlarge	34 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
c9gd.24xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
c9gd.48xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
c9gd.metal-48xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes

Note

[1] These instances have a baseline bandwidth and can use a network I/O credit mechanism to burst beyond their baseline bandwidth on a best effort basis. Other instances types can sustain their maximum performance indefinitely. For more information, see instance network bandwidth.

[2] These instance types do not support configurable ENA queue allocation. For `c6in.32xlarge`, `c6in.metal`, you must attach at least 2 ENIs, to separate network cards, to achieve 200 Gbps throughput. Each ENI attached to a network card can achieve up to 170 Gbps.

For `c8in.96xlarge`, `c8in.metal-96xl`, `c8gn.48xlarge`, `c8gn.metal-48xl`, you must attach at least 2 ENIs, to separate network cards, to achieve 600 Gbps throughput. Each ENI attached to a network card can achieve up to 300 Gbps.
For `c8ib.96xlarge`, `c8ib.metal-96xl`, `c8gb.48xlarge`, `c8gb.metal-48xl`, you must attach at least 2 ENIs, to separate network cards, to achieve 400 Gbps throughput. Each ENI attached to a network card can achieve up to 200 Gbps.

Amazon EBS specifications

The following table indicates which instance types are Amazon EBS optimized by default and which optionally support it. It also describes their EBS-optimized performance, including dedicated bandwidth to Amazon EBS, the typical maximum aggregate throughput that can be achieved on that dedicated connection with a streaming read workload and 128 KiB I/O size, and the maximum IOPS the instance type can support when using a 16 KiB I/O size. Instance types not listed do not support Amazon EBS optimization.

Important

An instance's EBS performance is bounded by the instance's performance limits, or the aggregated performance of its attached volumes, whichever is smaller. To achieve maximum EBS performance, an instance must have attached volumes that provide a combined performance equal to or greater than the maximum instance performance. For example, to achieve `80,000` IOPS for `r6i.16xlarge`, the instance must have at least 5 gp3 volumes provisioned with `16,000` IOPS each (5 volumes x `16,000` IOPS = `80,000` IOPS).
We recommend that you choose an EBS–optimized instance type that provides more dedicated Amazon EBS throughput than your application needs; otherwise, the connection between Amazon EBS and Amazon EC2 can become a performance bottleneck.

Note

C8a, C8g, C8gd, C8i, C8id, C8i-flex, C9g, C9gd instance types support configurable bandwidth weightings. With these instance types, you can optimize an instance's bandwidth for either networking performance or Amazon EBS performance. The following table shows the default networking bandwidth performance for these instance types.

For the supported configurable weightings, see Configurable bandwidth weighting preferences.

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			C5			
c5.large [1]	650.00 / 4750.00	81.25 / 593.75	4000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	10000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5.9xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c5.18xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			C5a			
c5a.large [1]	200.00 / 3170.00	25.00 / 396.25	800.00 / 13300.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5a.xlarge [1]	400.00 / 3170.00	50.00 / 396.25	1600.00 / 13300.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5a.2xlarge [1]	800.00 / 3170.00	100.00 / 396.25	3200.00 / 13300.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5a.4xlarge [1]	1580.00 / 3170.00	197.50 / 396.25	6600.00 / 13300.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c5a.8xlarge	3170.00	396.25	13300.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5a.12xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5a.16xlarge	6300.00	787.50	26700.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5a.24xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
C5ad						
c5ad.large [1]	200.00 / 3170.00	25.00 / 396.25	800.00 / 13300.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c5ad.xlarge [1]	400.00 / 3170.00	50.00 / 396.25	1600.00 / 13300.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c5ad.2xlarge [1]	800.00 / 3170.00	100.00 / 396.25	3200.00 / 13300.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c5ad.4xlarge [1]	1580.00 / 3170.00	197.50 / 396.25	6600.00 / 13300.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c5ad.8xlarge	3170.00	396.25	13300.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c5ad.12xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c5ad.16xlarge	6300.00	787.50	26700.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c5ad.24xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
C5d						
c5d.large [1]	650.00 / 4750.00	81.25 / 593.75	4000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c5d.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c5d.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	10000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c5d.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c5d.9xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c5d.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c5d.18xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c5d.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
c5d.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C5n						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c5n.large [1]	650.00 / 4750.00	81.25 / 593.75	4000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5n.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5n.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	10000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5n.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5n.9xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5n.18xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c5n.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C6a						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6a.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6a.metal	40000.00	5000.00	240000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			C6g			
c6g.medium [1]	315.00 / 4750.00	39.38 / 593.75	2500.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6g.large [1]	630.00 / 4750.00	78.75 / 593.75	3600.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6g.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6g.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6g.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6g.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6g.12xlarge	14250.00	1781.25	50000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6g.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6g.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C6gd						
c6gd.medium [1]	315.00 / 4750.00	39.38 / 593.75	2500.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6gd.large [1]	630.00 / 4750.00	78.75 / 593.75	3600.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6gd.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6gd.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6gd.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6gd.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6gd.12xlarge	14250.00	1781.25	50000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c6gd.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c6gd.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C6gn						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6gn.medium [1]	760.00 / 9500.00	95.00 / 1187.50	2500.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6gn.large [1]	1235.00 / 9500.00	154.38 / 1187.50	5000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6gn.xlarge [1]	2375.00 / 9500.00	296.88 / 1187.50	10000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6gn.2xlarge [1]	4750.00 / 9500.00	593.75 / 1187.50	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6gn.4xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6gn.8xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6gn.12xlarge	28500.00	3562.50	120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6gn.16xlarge	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			C6i			
c6i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6i.metal	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C6id						
c6id.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6id.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6id.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6id.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6id.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c6id.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c6id.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c6id.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
c6id.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
c6id.metal	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C6in						
c6in.large [1]	1562.00 / 25000.00	195.31 / 3125.00	6250.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6in.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	12500.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6in.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	25000.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6in.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	50000.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6in.8xlarge	25000.00	3125.00	100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6in.12xlarge	37500.00	4687.50	150000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6in.16xlarge	50000.00	6250.00	200000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6in.24xlarge	75000.00	9375.00	300000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c6in.32xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c6in.metal	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			C7a			
c7a.medium [1]	325.00 / 10000.00	40.62 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c7a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
c7a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c7a.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
c7a.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c7a.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
C7g						
c7g.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c7g.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7g.metal	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			C7gd			
c7gd.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c7gd.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c7gd.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c7gd.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c7gd.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c7gd.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
c7gd.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c7gd.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
c7gd.metal	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C7gn						
c7gn.medium [1]	521.00 / 10000.00	65.12 / 1250.00	2083.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7gn.large [1]	1042.00 / 10000.00	130.25 / 1250.00	4167.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7gn.xlarge [1]	2083.00 / 10000.00	260.38 / 1250.00	8333.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7gn.2xlarge [1]	4167.00 / 10000.00	520.88 / 1250.00	16667.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7gn.4xlarge [1]	8333.00 / 10000.00	1041.62 / 1250.00	33333.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c7gn.8xlarge [1]	16667.00 / 20000.00	2083.38 / 2500.00	66667.00 / 80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7gn.12xlarge [1]	25000.00 / 30000.00	3125.00 / 3750.00	100000.00 / 120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7gn.16xlarge [1]	33333.00 / 40000.00	4166.62 / 5000.00	133333.00 / 160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
c7gn.metal [1]	33333.00 / 40000.00	4166.62 / 5000.00	133333.00 / 160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
C7i						
c7i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c7i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
c7i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c7i.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c7i.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
c7i.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
C7i-flex						
c7i-flex.large [1]	312.00 / 10000.00	39.06 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i-flex.xlarge [1]	625.00 / 10000.00	78.12 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i-flex.2xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i-flex.4xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i-flex.8xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i-flex.12xlarge [1]	7500.00 / 15000.00	937.50 / 1875.00	30000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c7i-flex.16xlarge [1]	10000.00 / 20000.00	1250.00 / 2500.00	40000.00 / 80000.00	✓ Yes	✗ No	48 (Dedicated limit)
C8a						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8a.medium [1]	325.00 / 10000.00	40.62 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8a.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8a.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8a.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
C8g						
c8g.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8g.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
c8g.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8g.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8g.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8g.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
C8gb						
c8gb.medium [1]	1562.00 / 25000.00	195.31 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gb.large [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gb.xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gb.2xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gb.4xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gb.8xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8gb.12xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gb.16xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	48 (Dedicated limit)
c8gb.24xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8gb.48xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
c8gb.metal-24xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	39 (Dedicated limit)
c8gb.metal-48xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
C8gd						
c8gd.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8gd.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gd.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gd.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gd.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gd.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gd.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gd.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
c8gd.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8gd.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8gd.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
c8gd.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
C8gn						
c8gn.medium [1]	760.00 / 10000.00	95.00 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gn.large [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gn.xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gn.2xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8gn.4xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gn.8xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gn.12xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8gn.16xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	48 (Dedicated limit)
c8gn.24xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8gn.48xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
c8gn.metal-24xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	39 (Dedicated limit)
c8gn.metal-48xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			C8i			
c8i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
c8i.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8i.96xlarge	80000.00	10000.00	480000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8i.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8i.metal-96xl	80000.00	10000.00	480000.00	✓ Yes	✗ No	79 (Dedicated limit)
C8id						
c8id.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8id.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8id.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8id.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8id.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8id.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8id.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
c8id.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8id.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8id.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8id.96xlarge	80000.00	10000.00	480000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8id.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8id.metal-96xl	80000.00	10000.00	480000.00	✓ Yes	✗ No	79 (Dedicated limit)
C8i-flex						
c8i-flex.large [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i-flex.xlarge [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i-flex.2xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8i-flex.4xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i-flex.8xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i-flex.12xlarge [1]	7500.00 / 15000.00	937.50 / 1875.00	30000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8i-flex.16xlarge [1]	10000.00 / 20000.00	1250.00 / 2500.00	40000.00 / 80000.00	✓ Yes	✗ No	48 (Dedicated limit)
C8in						
c8in.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8in.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8in.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8in.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8in.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8in.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8in.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
c8in.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8in.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
c8in.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8in.96xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8in.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8in.metal-96xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
C8ine						
c8ine.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ine.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ine.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ine.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ine.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8ine.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
C8ib						
c8ib.large [1]	1563.00 / 25000.00	195.38 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ib.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ib.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ib.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ib.8xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
c8ib.12xlarge	37500.00	4687.50	180000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c8ib.16xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	48 (Dedicated limit)
c8ib.24xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8ib.32xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	88 (Dedicated limit)
c8ib.48xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	128 (Dedicated limit)
c8ib.96xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
c8ib.metal-48xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
c8ib.metal-96xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
C9g						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c9g.medium [1]	380.00 / 12000.00	47.50 / 1500.00	2500.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9g.large [1]	760.00 / 12000.00	95.00 / 1500.00	3600.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9g.xlarge [1]	1500.00 / 12000.00	187.50 / 1500.00	6000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9g.2xlarge [1]	3000.00 / 12000.00	375.00 / 1500.00	12000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9g.4xlarge [1]	6000.00 / 12000.00	750.00 / 1500.00	24000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9g.8xlarge	12000.00	1500.00	48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9g.12xlarge	18000.00	2250.00	72000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9g.16xlarge	24000.00	3000.00	96000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c9g.24xlarge	36000.00	4500.00	144000.00	✓ Yes	✗ No	64 (Dedicated limit)
c9g.48xlarge	72000.00	9000.00	288000.00	✓ Yes	✗ No	128 (Dedicated limit)
c9g.metal-48xl	72000.00	9000.00	288000.00	✓ Yes	✗ No	79 (Dedicated limit)
C9gd						
c9gd.medium [1]	380.00 / 12000.00	47.50 / 1500.00	2500.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9gd.large [1]	760.00 / 12000.00	95.00 / 1500.00	3600.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9gd.xlarge [1]	1500.00 / 12000.00	187.50 / 1500.00	6000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9gd.2xlarge [1]	3000.00 / 12000.00	375.00 / 1500.00	12000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c9gd.4xlarge [1]	6000.00 / 12000.00	750.00 / 1500.00	24000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9gd.8xlarge	12000.00	1500.00	48000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9gd.12xlarge	18000.00	2250.00	72000.00	✓ Yes	✗ No	32 (Dedicated limit)
c9gd.16xlarge	24000.00	3000.00	96000.00	✓ Yes	✗ No	48 (Dedicated limit)
c9gd.24xlarge	36000.00	4500.00	144000.00	✓ Yes	✗ No	64 (Dedicated limit)
c9gd.48xlarge	72000.00	9000.00	288000.00	✓ Yes	✗ No	128 (Dedicated limit)
c9gd.metal-48xl	72000.00	9000.00	288000.00	✓ Yes	✗ No	79 (Dedicated limit)

Note

[1] These instances can support maximum performance for 30 minutes at least once every 24 hours, after which they revert to their baseline performance. Other instances can sustain the maximum performance indefinitely. If your workload requires sustained maximum performance for longer than 30 minutes, use one of these instances.

Instance store specifications

The following table shows the instance store volume configuration for supported instance types, along with the aggregated IOPS performance with 4,096 byte block size at queue depth saturation.

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
C5ad					
c5ad.large	1 x 75 GB	NVMe SSD	16,283 / 7,105		✓ Yes
c5ad.xlarge	1 x 150 GB	NVMe SSD	32,566 / 14,211		✓ Yes
c5ad.2xlarge	1 x 300 GB	NVMe SSD	65,132 / 28,421		✓ Yes
c5ad.4xlarge	2 x 300 GB	NVMe SSD	130,262 / 56,842		✓ Yes
c5ad.8xlarge	2 x 600 GB	NVMe SSD	260,526 / 113,684		✓ Yes
c5ad.12xlarge	2 x 900 GB	NVMe SSD	412,500 / 180,000		✓ Yes
c5ad.16xlarge	2 x 1200 GB	NVMe SSD	521,052 / 227,368		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c5ad.24xlarge	2 x 1900 GB	NVMe SSD	825,000 / 360,000		✓ Yes
C5d					
c5d.large	1 x 50 GB	NVMe SSD	20,000 / 9,000		✓ Yes
c5d.xlarge	1 x 100 GB	NVMe SSD	40,000 / 18,000		✓ Yes
c5d.2xlarge	1 x 200 GB	NVMe SSD	80,000 / 37,000		✓ Yes
c5d.4xlarge	1 x 400 GB	NVMe SSD	175,000 / 75,000		✓ Yes
c5d.9xlarge	1 x 900 GB	NVMe SSD	350,000 / 170,000		✓ Yes
c5d.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
c5d.18xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
c5d.24xlarge	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
c5d.metal	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
C6gd					
c6gd.medium	1 x 59 GB	NVMe SSD	13,438 / 5,625		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c6gd.large	1 x 118 GB	NVMe SSD	26,875 / 11,250		✓ Yes
c6gd.xlarge	1 x 237 GB	NVMe SSD	53,750 / 22,500		✓ Yes
c6gd.2xlarge	1 x 474 GB	NVMe SSD	107,500 / 45,000		✓ Yes
c6gd.4xlarge	1 x 950 GB	NVMe SSD	215,000 / 90,000		✓ Yes
c6gd.8xlarge	1 x 1900 GB	NVMe SSD	430,000 / 180,000		✓ Yes
c6gd.12xlarge	2 x 1425 GB	NVMe SSD	645,000 / 270,000		✓ Yes
c6gd.16xlarge	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
c6gd.metal	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
C6id					
c6id.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
c6id.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
c6id.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c6id.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
c6id.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
c6id.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes
c6id.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
c6id.24xlarge	4 x 1425 GB	NVMe SSD	1,609,996 / 805,000		✓ Yes
c6id.32xlarge	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
c6id.metal	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
C7gd					
c7gd.medium	1 x 59 GB	NVMe SSD	16,771 / 8,385		✓ Yes
c7gd.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
c7gd.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
c7gd.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c7gd.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
c7gd.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
c7gd.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes
c7gd.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
c7gd.metal	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
C8gd					
c8gd.medium	1 x 59 GB	NVMe SSD	16,771 / 8,385		✓ Yes
c8gd.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
c8gd.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
c8gd.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
c8gd.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
c8gd.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c8gd.12xlarge	3 x 950 GB	NVMe SSD	804,999 / 402,501		✓ Yes
c8gd.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
c8gd.24xlarge	3 x 1900 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
c8gd.48xlarge	6 x 1900 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
c8gd.metal-24xl	3 x 1900 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
c8gd.metal-48xl	6 x 1900 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
C8id					
c8id.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
c8id.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
c8id.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
c8id.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
c8id.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c8id.12xlarge	1 x 2850 GB	NVMe SSD	804,999 / 402,501		✓ Yes
c8id.16xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
c8id.24xlarge	2 x 2850 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
c8id.32xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
c8id.48xlarge	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
c8id.96xlarge	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
c8id.metal-48xl	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
c8id.metal-96xl	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
C9gd					
c9gd.medium	1 x 59 GB	NVMe SSD	21,802 / 10,901		✓ Yes
c9gd.large	1 x 118 GB	NVMe SSD	43,604 / 21,802		✓ Yes
c9gd.xlarge	1 x 237 GB	NVMe SSD	87,207 / 43,604		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c9gd.2xlarge	1 x 474 GB	NVMe SSD	174,417 / 87,209		✓ Yes
c9gd.4xlarge	1 x 950 GB	NVMe SSD	348,832 / 174,417		✓ Yes
c9gd.8xlarge	1 x 1900 GB	NVMe SSD	697,665 / 348,834		✓ Yes
c9gd.12xlarge	3 x 950 GB	NVMe SSD	1,046,496 / 523,251		✓ Yes
c9gd.16xlarge	1 x 3800 GB	NVMe SSD	1,395,331 / 697,668		✓ Yes
c9gd.24xlarge	3 x 1900 GB	NVMe SSD	2,092,995 / 1,046,502		✓ Yes
c9gd.48xlarge	3 x 3800 GB	NVMe SSD	4,185,993 / 2,093,004		✓ Yes
c9gd.metal-48xl	3 x 3800 GB	NVMe SSD	4,185,993 / 2,093,004		✓ Yes

[1] Volumes attached to certain instances suffer a first-write penalty unless initialized. For more information, see Optimize disk performance for instance store volumes.

[2] For more information, see Instance store volume TRIM support.

Security specifications

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
			C5			
c5.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
c5.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c5.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c5.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c5.9xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c5.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c5.18xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c5.24xlarge	✓ Yes	Instance store not	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
		supported				
c5.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
			C5a			
c5a.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c5a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c5a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
C5ad						
c5ad.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
c5ad.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c5ad.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c5ad.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c5ad.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c5ad.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c5ad.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c5ad.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
C5d						
c5d.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
c5d.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c5d.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c5d.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c5d.9xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c5d.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c5d.18xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c5d.24xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c5d.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
C5n						
c5n.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c5n.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5n.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5n.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5n.9xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c5n.18xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c5n.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C6a						
c6a.large	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✗ No
c6a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
c6a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
c6a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
c6a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
c6a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c6a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
c6a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6a.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6a.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C6g						
c6g.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
c6g.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c6g.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c6g.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c6g.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c6g.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c6g.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c6g.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
c6g.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
C6gd						
c6gd.medium	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
c6gd.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c6gd.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c6gd.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c6gd.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c6gd.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c6gd.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c6gd.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
c6gd.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
C6gn						
c6gn.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c6gn.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6gn.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6gn.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6gn.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c6gn.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6gn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6gn.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
C6i						
c6i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c6i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c6i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6i.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6i.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C6id						
c6id.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
c6id.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c6id.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c6id.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c6id.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c6id.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c6id.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c6id.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c6id.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c6id.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
C6in						
c6in.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c6in.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6in.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6in.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6in.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6in.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c6in.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6in.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6in.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c6in.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C7a						
c7a.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7a.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c7a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7a.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C7g						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c7g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c7g.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C7gd						
c7gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
c7gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c7gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c7gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c7gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c7gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c7gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c7gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c7gd.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
C7gn						
c7gn.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7gn.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c7gn.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7gn.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7gn.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7gn.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7gn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7gn.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7gn.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C7i						
c7i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c7i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c7i.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c7i.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
c7i.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C7i-flex						
c7i-flex.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7i-flex.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7i-flex.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7i-flex.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7i-flex.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c7i-flex.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c7i-flex.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
C8a						
c8a.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8a.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8a.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
c8a.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C8g						
c8g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8g.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8g.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
C8gb						
c8gb.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8gb.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8gb.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gb.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8gb.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
C8gd						
c8gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
c8gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gd.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
c8gd.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
C8gn						
c8gn.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8gn.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8gn.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8gn.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8gn.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
C8i						
c8i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8i.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8i.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
c8i.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C8id						
c8id.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
c8id.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8id.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.96xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c8id.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
c8id.metal-96xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
C8i-flex						
c8i-flex.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8i-flex.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8i-flex.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8i-flex.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8i-flex.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8i-flex.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8i-flex.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
C8in						
c8in.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8in.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8in.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8in.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
c8in.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C8ine						
c8ine.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8ine.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8ine.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ine.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ine.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ine.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
C8ib						
c8ib.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c8ib.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8ib.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c8ib.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c8ib.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
C9g						
c9g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
c9g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c9g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
c9g.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
C9gd						
c9gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
c9gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
c9gd.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
c9gd.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No

Specifications for Amazon EC2 memory optimized instances

End of sale notice

The **U-9tb1**, **U-12tb1**, **U-18tb1**, and **U-24tb1** instance types are no longer available for new instance launches. If your workload requires a high-memory instance, we recommend that you use a U7i instance type instead.

Memory optimized instances are designed to deliver fast performance for workloads that process large data sets in memory.

For information on previous generation instance types of this category, such as R4 instances, see Specifications for Amazon EC2 previous generation instances.

Contents

- Instance families and instance types
- Instance family summary
- Performance specifications
- Network specifications
- Amazon EBS specifications
- Instance store specifications
- Security specifications

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Instance families and instance types

Instance family	Available instance types
R5	r5.large|r5.xlarge |r5.2xlarge |r5.4xlarge |r5.8xlarge | r5.12xlarge |r5.16xlarge |r5.24xlarge |r5.metal
R5a	r5a.large |r5a.xlarge |r5a.2xlarge |r5a.4xlarge |r5a.8xlarge |r5a.12xlarge |r5a.16xlarge |r5a.24xlarge
R5ad	r5ad.large |r5ad.xlarge |r5ad.2xlarge |r5ad.4xlarge | r5ad.8xlarge |r5ad.12xlarge |r5ad.16xlarge |r5ad.24xlarge
R5b	r5b.large |r5b.xlarge |r5b.2xlarge |r5b.4xlarge |r5b.8xlarge |r5b.12xlarge |r5b.16xlarge |r5b.24xlarge |r5b.metal
R5d	r5d.large |r5d.xlarge |r5d.2xlarge |r5d.4xlarge |r5d.8xlarge |r5d.12xlarge |r5d.16xlarge |r5d.24xlarge |r5d.metal
R5dn	r5dn.large |r5dn.xlarge |r5dn.2xlarge |r5dn.4xlarge | r5dn.8xlarge |r5dn.12xlarge |r5dn.16xlarge |r5dn.24xlarge | r5dn.metal
R5n	r5n.large |r5n.xlarge |r5n.2xlarge |r5n.4xlarge |r5n.8xlarge |r5n.12xlarge |r5n.16xlarge |r5n.24xlarge |r5n.metal
R6a	r6a.large |r6a.xlarge |r6a.2xlarge |r6a.4xlarge |r6a.8xlarge |r6a.12xlarge |r6a.16xlarge |r6a.24xlarge |r6a.32xlarge | r6a.48xlarge |r6a.metal
R6g	r6g.medium |r6g.large |r6g.xlarge |r6g.2xlarge |r6g.4xlarge |r6g.8xlarge |r6g.12xlarge |r6g.16xlarge |r6g.metal
R6gd	r6gd.medium |r6gd.large |r6gd.xlarge |r6gd.2xlarge | r6gd.4xlarge |r6gd.8xlarge |r6gd.12xlarge |r6gd.16xlarge | r6gd.metal

Instance family	Available instance types
R6i	r6i.large |r6i.xlarge |r6i.2xlarge |r6i.4xlarge |r6i.8xlarge |r6i.12xlarge |r6i.16xlarge |r6i.24xlarge |r6i.32xlarge |r6i.metal
R6id	r6id.large |r6id.xlarge |r6id.2xlarge |r6id.4xlarge |r6id.8xlarge |r6id.12xlarge |r6id.16xlarge |r6id.24xlarge |r6id.32xlarge |r6id.metal
R6idn	r6idn.large |r6idn.xlarge |r6idn.2xlarge |r6idn.4xlarge |r6idn.8xlarge |r6idn.12xlarge |r6idn.16xlarge |r6idn.24xlarge |r6idn.32xlarge |r6idn.metal
R6in	r6in.large |r6in.xlarge |r6in.2xlarge |r6in.4xlarge |r6in.8xlarge |r6in.12xlarge |r6in.16xlarge |r6in.24xlarge |r6in.32xlarge |r6in.metal
R7a	r7a.medium |r7a.large |r7a.xlarge |r7a.2xlarge |r7a.4xlarge |r7a.8xlarge |r7a.12xlarge |r7a.16xlarge |r7a.24xlarge |r7a.32xlarge |r7a.48xlarge |r7a.metal-48xl
R7g	r7g.medium |r7g.large |r7g.xlarge |r7g.2xlarge |r7g.4xlarge |r7g.8xlarge |r7g.12xlarge |r7g.16xlarge |r7g.metal
R7gd	r7gd.medium |r7gd.large |r7gd.xlarge |r7gd.2xlarge |r7gd.4xlarge |r7gd.8xlarge |r7gd.12xlarge |r7gd.16xlarge |r7gd.metal
R7i	r7i.large |r7i.xlarge |r7i.2xlarge |r7i.4xlarge |r7i.8xlarge |r7i.12xlarge |r7i.16xlarge |r7i.24xlarge |r7i.48xlarge |r7i.metal-24xl |r7i.metal-48xl
R7iz	r7iz.large |r7iz.xlarge |r7iz.2xlarge |r7iz.4xlarge |r7iz.8xlarge |r7iz.12xlarge |r7iz.16xlarge |r7iz.32xlarge |r7iz.metal-16xl |r7iz.metal-32xl

Instance family	Available instance types
R8a	r8a.medium |r8a.large |r8a.xlarge |r8a.2xlarge |r8a.4xlarge |r8a.8xlarge |r8a.12xlarge |r8a.16xlarge |r8a.24xlarge |r8a.48xlarge |r8a.metal-24xl |r8a.metal-48xl
R8g	r8g.medium |r8g.large |r8g.xlarge |r8g.2xlarge |r8g.4xlarge |r8g.8xlarge |r8g.12xlarge |r8g.16xlarge |r8g.24xlarge |r8g.48xlarge |r8g.metal-24xl |r8g.metal-48xl
R8gb	r8gb.medium |r8gb.large |r8gb.xlarge |r8gb.2xlarge |r8gb.4xlarge |r8gb.8xlarge |r8gb.12xlarge |r8gb.16xlarge |r8gb.24xlarge |r8gb.48xlarge |r8gb.metal-24xl |r8gb.metal-48xl
R8gd	r8gd.medium |r8gd.large |r8gd.xlarge |r8gd.2xlarge |r8gd.4xlarge |r8gd.8xlarge |r8gd.12xlarge |r8gd.16xlarge |r8gd.24xlarge |r8gd.48xlarge |r8gd.metal-24xl |r8gd.metal-48xl
R8gn	r8gn.medium |r8gn.large |r8gn.xlarge |r8gn.2xlarge |r8gn.4xlarge |r8gn.8xlarge |r8gn.12xlarge |r8gn.16xlarge |r8gn.24xlarge |r8gn.48xlarge |r8gn.metal-24xl |r8gn.metal-48xl
R8i	r8i.large |r8i.xlarge |r8i.2xlarge |r8i.4xlarge |r8i.8xlarge |r8i.12xlarge |r8i.16xlarge |r8i.24xlarge |r8i.32xlarge |r8i.48xlarge |r8i.96xlarge |r8i.metal-48xl |r8i.metal-96xl
R8id	r8id.large |r8id.xlarge |r8id.2xlarge |r8id.4xlarge |r8id.8xlarge |r8id.12xlarge |r8id.16xlarge |r8id.24xlarge |r8id.32xlarge |r8id.48xlarge |r8id.96xlarge |r8id.metal-48xl |r8id.metal-96xl
R8i-flex	r8i-flex.large |r8i-flex.xlarge |r8i-flex.2xlarge |r8i-flex.4xlarge |r8i-flex.8xlarge |r8i-flex.12xlarge |r8i-flex.16xlarge

Instance family	Available instance types
R8in	r8in.large | r8in.xlarge | r8in.2xlarge | r8in.4xlarge | r8in.8xlarge | r8in.12xlarge | r8in.16xlarge | r8in.24xlarge | r8in.32xlarge | r8in.48xlarge | r8in.96xlarge | r8in.metal-48xl | r8in.metal-96xl
R8idn	r8idn.large | r8idn.xlarge | r8idn.2xlarge | r8idn.4xlarge | r8idn.8xlarge | r8idn.12xlarge | r8idn.16xlarge | r8idn.24xlarge | r8idn.32xlarge | r8idn.48xlarge | r8idn.96xlarge | r8idn.metal-48xl | r8idn.metal-96xl
R8ib	r8ib.large | r8ib.xlarge | r8ib.2xlarge | r8ib.4xlarge | r8ib.8xlarge | r8ib.12xlarge | r8ib.16xlarge | r8ib.24xlarge | r8ib.32xlarge | r8ib.48xlarge | r8ib.96xlarge | r8ib.metal-48xl | r8ib.metal-96xl
R8idb	r8idb.large | r8idb.xlarge | r8idb.2xlarge | r8idb.4xlarge | r8idb.8xlarge | r8idb.12xlarge | r8idb.16xlarge | r8idb.24xlarge | r8idb.32xlarge | r8idb.48xlarge | r8idb.96xlarge | r8idb.metal-48xl | r8idb.metal-96xl
R9g	r9g.medium | r9g.large | r9g.xlarge | r9g.2xlarge | r9g.4xlarge | r9g.8xlarge | r9g.12xlarge | r9g.16xlarge | r9g.24xlarge | r9g.48xlarge | r9g.metal-48xl
R9gd	r9gd.medium | r9gd.large | r9gd.xlarge | r9gd.2xlarge | r9gd.4xlarge | r9gd.8xlarge | r9gd.12xlarge | r9gd.16xlarge | r9gd.24xlarge | r9gd.48xlarge | r9gd.metal-48xl
U-3tb1	u-3tb1.56xlarge
U-6tb1	u-6tb1.56xlarge | u-6tb1.112xlarge | u-6tb1.metal
U-9tb1	u-9tb1.112xlarge | u-9tb1.metal
U-12tb1	u-12tb1.112xlarge | u-12tb1.metal

Instance family	Available instance types
U-18tb1	u-18tb1.112xlarge |u-18tb1.metal
U-24tb1	u-24tb1.112xlarge |u-24tb1.metal
U7i-6tb	u7i-6tb.112xlarge
U7i-8tb	u7i-8tb.112xlarge
U7i-12tb	u7i-12tb.224xlarge
U7in-16tb	u7in-16tb.224xlarge
U7in-24tb	u7in-24tb.224xlarge
U7in-32tb	u7in-32tb.224xlarge
U7inh-32tb	u7inh-32tb.480xlarge
X1	x1.16xlarge |x1.32xlarge
X1e	x1e.xlarge |x1e.2xlarge |x1e.4xlarge |x1e.8xlarge |x1e.16xlarge |x1e.32xlarge
X2gd	x2gd.medium |x2gd.large |x2gd.xlarge |x2gd.2xlarge | x2gd.4xlarge |x2gd.8xlarge |x2gd.12xlarge |x2gd.16xlarge | x2gd.metal
X2idn	x2idn.16xlarge |x2idn.24xlarge |x2idn.32xlarge |x2idn.metal
X2iedn	x2iedn.xlarge |x2iedn.2xlarge |x2iedn.4xlarge |x2iedn.8xlarge |x2iedn.16xlarge |x2iedn.24xlarge |x2iedn.32xlarge | x2iedn.metal
X2iezn	x2iezn.2xlarge |x2iezn.4xlarge |x2iezn.6xlarge |x2iezn.8xlarge |x2iezn.12xlarge |x2iezn.metal

Instance family	Available instance types
X8g	x8g.medium | x8g.large | x8g.xlarge | x8g.2xlarge | x8g.4xlarge | x8g.8xlarge | x8g.12xlarge | x8g.16xlarge | x8g.24xlarge | x8g.48xlarge | x8g.metal-24xl | x8g.metal-48xl
X8aedz	x8aedz.large | x8aedz.xlarge | x8aedz.3xlarge | x8aedz.6xlarge | x8aedz.12xlarge | x8aedz.24xlarge | x8aedz.metal-12xl | x8aedz.metal-24xl
X8i	x8i.large | x8i.xlarge | x8i.2xlarge | x8i.4xlarge | x8i.8xlarge | x8i.12xlarge | x8i.16xlarge | x8i.24xlarge | x8i.32xlarge | x8i.48xlarge | x8i.64xlarge | x8i.96xlarge | x8i.metal-48xl | x8i.metal-96xl
z1d	z1d.large | z1d.xlarge | z1d.2xlarge | z1d.3xlarge | z1d.6xlarge | z1d.12xlarge | z1d.metal

Instance family summary

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
R5	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R5a	Nitro v2	AMD (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
R5ad	Nitro v2	AMD (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
R5b	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
R5d	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R5dn	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
R5n	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
R6a	Nitro v4	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R6g	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R6gd	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R6i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
R6id	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
R6idn	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R6in	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R7a	Nitro v4	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
R7g	Nitro v4	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R7gd	Nitro v4	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R7i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R7iz	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R8a	Nitro v6	AMD (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R8g	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R8gb	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R8gd	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R8gn	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
R8i	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R8id	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
R8i-flex	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✓ Yes	Windows | Linux
R8in	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R8idn	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R8ib	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R8idb	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R9g	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
R9gd	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
U-3tb1	Nitro v3	Intel (x86_64)	✗ No	✗ No	✗ No	✗ No	Windows | Linux
U-6tb1	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✗ No	✗ No	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
U-9tb1	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✗ No	✗ No	Windows | Linux
U-12tb1	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✗ No	✗ No	Windows | Linux
U-18tb1	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✗ No	✗ No	Windows | Linux
U-24tb1	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✗ No	✗ No	Windows | Linux
U7i-6tb	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✗ No	✗ No	Windows | Linux
U7i-8tb	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✗ No	✗ No	Windows | Linux
U7i-12tb	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✗ No	✗ No	Windows | Linux
U7in-16tb	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✗ No	✗ No	Windows | Linux
U7in-24tb	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✗ No	✗ No	Windows | Linux
U7in-32tb	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✗ No	✗ No	Windows | Linux
U7inh-32tb	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✗ No	✗ No	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
X1	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
X1e	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
X2gd	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
X2idn	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
X2iedn	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
X2iezn	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
X8g	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Linux
X8aedz	Nitro v6	AMD (x86_64)	✓ Yes	✓ Yes	✗ No	✓ Yes	Windows | Linux
X8i	Nitro v6	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
z1d	Nitro v2	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux

Performance specifications

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
R5							
r5.large	16.00	Intel Xeon Platinum 8175	2	1	2	✗ No	✗ No
r5.xlarge	32.00	Intel Xeon Platinum 8175	4	2	2	✗ No	✗ No
r5.2xlarge	64.00	Intel Xeon Platinum 8175	8	4	2	✗ No	✗ No
r5.4xlarge	128.00	Intel Xeon Platinum 8175	16	8	2	✗ No	✗ No
r5.8xlarge	256.00	Intel Xeon Platinum 8175	32	16	2	✗ No	✗ No
r5.12xlarge	384.00	Intel Xeon Platinum 8175	48	24	2	✗ No	✗ No
r5.16xlarge	512.00	Intel Xeon Platinum 8175	64	32	2	✗ No	✗ No
r5.24xlarge	768.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
r5.metal	768.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
R5a							
r5a.large	16.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
r5a.xlarge	32.00	AMD EPYC 7571	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r5a.2xlarge	64.00	AMD EPYC 7571	8	4	2	✗ No	✗ No
r5a.4xlarge	128.00	AMD EPYC 7571	16	8	2	✗ No	✗ No
r5a.8xlarge	256.00	AMD EPYC 7571	32	16	2	✗ No	✗ No
r5a.12xlarge	384.00	AMD EPYC 7571	48	24	2	✗ No	✗ No
r5a.16xlarge	512.00	AMD EPYC 7571	64	32	2	✗ No	✗ No
r5a.24xlarge	768.00	AMD EPYC 7571	96	48	2	✗ No	✗ No
R5ad							
r5ad.large	16.00	AMD EPYC 7571	2	1	2	✗ No	✗ No
r5ad.xlarge	32.00	AMD EPYC 7571	4	2	2	✗ No	✗ No
r5ad.2xlarge	64.00	AMD EPYC 7571	8	4	2	✗ No	✗ No
r5ad.4xlarge	128.00	AMD EPYC 7571	16	8	2	✗ No	✗ No
r5ad.8xlarge	256.00	AMD EPYC 7571	32	16	2	✗ No	✗ No
r5ad.12xlarge	384.00	AMD EPYC 7571	48	24	2	✗ No	✗ No
r5ad.16xlarge	512.00	AMD EPYC 7571	64	32	2	✗ No	✗ No
r5ad.24xlarge	768.00	AMD EPYC 7571	96	48	2	✗ No	✗ No
R5b							
r5b.large	16.00	Intel Xeon Platinum 8259	2	1	2	✗ No	✗ No
r5b.xlarge	32.00	Intel Xeon Platinum 8259	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r5b.2xlarge	64.00	Intel Xeon Platinum 8259	8	4	2	✗ No	✗ No
r5b.4xlarge	128.00	Intel Xeon Platinum 8259	16	8	2	✗ No	✗ No
r5b.8xlarge	256.00	Intel Xeon Platinum 8259	32	16	2	✗ No	✗ No
r5b.12xlarge	384.00	Intel Xeon Platinum 8259	48	24	2	✗ No	✗ No
r5b.16xlarge	512.00	Intel Xeon Platinum 8259	64	32	2	✗ No	✗ No
r5b.24xlarge	768.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
r5b.metal	768.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
R5d							
r5d.large	16.00	Intel Xeon Platinum 8175	2	1	2	✗ No	✗ No
r5d.xlarge	32.00	Intel Xeon Platinum 8175	4	2	2	✗ No	✗ No
r5d.2xlarge	64.00	Intel Xeon Platinum 8175	8	4	2	✗ No	✗ No
r5d.4xlarge	128.00	Intel Xeon Platinum 8175	16	8	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r5d.8xlarge	256.00	Intel Xeon Platinum 8175	32	16	2	✗ No	✗ No
r5d.12xlarge	384.00	Intel Xeon Platinum 8175	48	24	2	✗ No	✗ No
r5d.16xlarge	512.00	Intel Xeon Platinum 8175	64	32	2	✗ No	✗ No
r5d.24xlarge	768.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
r5d.metal	768.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
R5dn							
r5dn.large	16.00	Intel Xeon Platinum 8259	2	1	2	✗ No	✗ No
r5dn.xlarge	32.00	Intel Xeon Platinum 8259	4	2	2	✗ No	✗ No
r5dn.2xlarge	64.00	Intel Xeon Platinum 8259	8	4	2	✗ No	✗ No
r5dn.4xlarge	128.00	Intel Xeon Platinum 8259	16	8	2	✗ No	✗ No
r5dn.8xlarge	256.00	Intel Xeon Platinum 8259	32	16	2	✗ No	✗ No
r5dn.12xlarge	384.00	Intel Xeon Platinum 8259	48	24	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r5dn.16xlarge	512.00	Intel Xeon Platinum 8259	64	32	2	✗ No	✗ No
r5dn.24xlarge	768.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
r5dn.metal	768.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
R5n							
r5n.large	16.00	Intel Xeon Platinum 8259	2	1	2	✗ No	✗ No
r5n.xlarge	32.00	Intel Xeon Platinum 8259	4	2	2	✗ No	✗ No
r5n.2xlarge	64.00	Intel Xeon Platinum 8259	8	4	2	✗ No	✗ No
r5n.4xlarge	128.00	Intel Xeon Platinum 8259	16	8	2	✗ No	✗ No
r5n.8xlarge	256.00	Intel Xeon Platinum 8259	32	16	2	✗ No	✗ No
r5n.12xlarge	384.00	Intel Xeon Platinum 8259	48	24	2	✗ No	✗ No
r5n.16xlarge	512.00	Intel Xeon Platinum 8259	64	32	2	✗ No	✗ No
r5n.24xlarge	768.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r5n.metal	768.00	Intel Xeon Platinum 8259	96	48	2	✗ No	✗ No
R6a							
r6a.large	16.00	AMD EPYC 7R13	2	1	2	✗ No	✗ No
r6a.xlarge	32.00	AMD EPYC 7R13	4	2	2	✗ No	✗ No
r6a.2xlarge	64.00	AMD EPYC 7R13	8	4	2	✗ No	✗ No
r6a.4xlarge	128.00	AMD EPYC 7R13	16	8	2	✗ No	✗ No
r6a.8xlarge	256.00	AMD EPYC 7R13	32	16	2	✗ No	✗ No
r6a.12xlarge	384.00	AMD EPYC 7R13	48	24	2	✗ No	✗ No
r6a.16xlarge	512.00	AMD EPYC 7R13	64	32	2	✗ No	✗ No
r6a.24xlarge	768.00	AMD EPYC 7R13	96	48	2	✗ No	✗ No
r6a.32xlarge	1024.00	AMD EPYC 7R13	128	64	2	✗ No	✗ No
r6a.48xlarge	1536.00	AMD EPYC 7R13	192	96	2	✗ No	✗ No
r6a.metal	1536.00	AMD EPYC 7R13	192	96	2	✗ No	✗ No
R6g							
r6g.medium	8.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
r6g.large	16.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
r6g.xlarge	32.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r6g.2xlarge	64.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
r6g.4xlarge	128.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
r6g.8xlarge	256.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
r6g.12xlarge	384.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No
r6g.16xlarge	512.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
r6g.metal	512.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
R6gd							
r6gd.medium	8.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
r6gd.large	16.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
r6gd.xlarge	32.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
r6gd.2xlarge	64.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
r6gd.4xlarge	128.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r6gd.8xlarge	256.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
r6gd.12xlarge	384.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No
r6gd.16xlarge	512.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
r6gd.metal	512.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
R6i							
r6i.large	16.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
r6i.xlarge	32.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
r6i.2xlarge	64.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
r6i.4xlarge	128.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
r6i.8xlarge	256.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
r6i.12xlarge	384.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
r6i.16xlarge	512.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
r6i.24xlarge	768.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
r6i.32xlarge	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
r6i.metal	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
R6id							
r6id.large	16.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r6id.xlarge	32.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
r6id.2xlarge	64.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
r6id.4xlarge	128.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
r6id.8xlarge	256.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
r6id.12xlarge	384.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
r6id.16xlarge	512.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
r6id.24xlarge	768.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
r6id.32xlarge	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
r6id.metal	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
R6idn							
r6idn.large	16.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
r6idn.xlarge	32.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
r6idn.2xlarge	64.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
r6idn.4xlarge	128.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
r6idn.8xlarge	256.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
r6idn.12xlarge	384.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
r6idn.16xlarge	512.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r6idn.24xlarge	768.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
r6idn.32xlarge	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
r6idn.metal	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
R6in							
r6in.large	16.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
r6in.xlarge	32.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
r6in.2xlarge	64.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
r6in.4xlarge	128.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
r6in.8xlarge	256.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
r6in.12xlarge	384.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
r6in.16xlarge	512.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
r6in.24xlarge	768.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
r6in.32xlarge	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
r6in.metal	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
R7a							
r7a.medium	8.00	AMD EPYC 9R14	1	1	1	✗ No	✗ No
r7a.large	16.00	AMD EPYC 9R14	2	2	1	✗ No	✗ No
r7a.xlarge	32.00	AMD EPYC 9R14	4	4	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r7a.2xlarge	64.00	AMD EPYC 9R14	8	8	1	✗ No	✗ No
r7a.4xlarge	128.00	AMD EPYC 9R14	16	16	1	✗ No	✗ No
r7a.8xlarge	256.00	AMD EPYC 9R14	32	32	1	✗ No	✗ No
r7a.12xlarge	384.00	AMD EPYC 9R14	48	48	1	✗ No	✗ No
r7a.16xlarge	512.00	AMD EPYC 9R14	64	64	1	✗ No	✗ No
r7a.24xlarge	768.00	AMD EPYC 9R14	96	96	1	✗ No	✗ No
r7a.32xlarge	1024.00	AMD EPYC 9R14	128	128	1	✗ No	✗ No
r7a.48xlarge	1536.00	AMD EPYC 9R14	192	192	1	✗ No	✗ No
r7a.metal-48xl	1536.00	AMD EPYC 9R14	192	192	1	✗ No	✗ No
R7g							
r7g.medium	8.00	AWS Graviton3 Processor	1	1	1	✗ No	✗ No
r7g.large	16.00	AWS Graviton3 Processor	2	2	1	✗ No	✗ No
r7g.xlarge	32.00	AWS Graviton3 Processor	4	4	1	✗ No	✗ No
r7g.2xlarge	64.00	AWS Graviton3 Processor	8	8	1	✗ No	✗ No
r7g.4xlarge	128.00	AWS Graviton3 Processor	16	16	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r7g.8xlarge	256.00	AWS Graviton3 Processor	32	32	1	✗ No	✗ No
r7g.12xlarge	384.00	AWS Graviton3 Processor	48	48	1	✗ No	✗ No
r7g.16xlarge	512.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
r7g.metal	512.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
R7gd							
r7gd.medium	8.00	AWS Graviton3 Processor	1	1	1	✗ No	✗ No
r7gd.large	16.00	AWS Graviton3 Processor	2	2	1	✗ No	✗ No
r7gd.xlarge	32.00	AWS Graviton3 Processor	4	4	1	✗ No	✗ No
r7gd.2xlarge	64.00	AWS Graviton3 Processor	8	8	1	✗ No	✗ No
r7gd.4xlarge	128.00	AWS Graviton3 Processor	16	16	1	✗ No	✗ No
r7gd.8xlarge	256.00	AWS Graviton3 Processor	32	32	1	✗ No	✗ No
r7gd.12xlarge	384.00	AWS Graviton3 Processor	48	48	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r7gd.16xlarge	512.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
r7gd.metal	512.00	AWS Graviton3 Processor	64	64	1	✗ No	✗ No
R7i							
r7i.large	16.00	Intel Xeon Sapphire Rapids	2	1	2	✗ No	✗ No
r7i.xlarge	32.00	Intel Xeon Sapphire Rapids	4	2	2	✗ No	✗ No
r7i.2xlarge	64.00	Intel Xeon Sapphire Rapids	8	4	2	✗ No	✗ No
r7i.4xlarge	128.00	Intel Xeon Sapphire Rapids	16	8	2	✗ No	✗ No
r7i.8xlarge	256.00	Intel Xeon Sapphire Rapids	32	16	2	✗ No	✗ No
r7i.12xlarge	384.00	Intel Xeon Sapphire Rapids	48	24	2	✗ No	✗ No
r7i.16xlarge	512.00	Intel Xeon Sapphire Rapids	64	32	2	✗ No	✗ No
r7i.24xlarge	768.00	Intel Xeon Sapphire Rapids	96	48	2	✗ No	✗ No
r7i.48xlarge	1536.00	Intel Xeon Sapphire Rapids	192	96	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r7i.metal-24xl	768.00	Intel Xeon Sapphire Rapids	96	48	2	✗ No	✗ No
r7i.metal-48xl	1536.00	Intel Xeon Sapphire Rapids	192	96	2	✗ No	✗ No
R7iz							
r7iz.large	16.00	Intel Xeon Sapphire Rapids	2	1	2	✗ No	✗ No
r7iz.xlarge	32.00	Intel Xeon Sapphire Rapids	4	2	2	✗ No	✗ No
r7iz.2xlarge	64.00	Intel Xeon Sapphire Rapids	8	4	2	✗ No	✗ No
r7iz.4xlarge	128.00	Intel Xeon Sapphire Rapids	16	8	2	✗ No	✗ No
r7iz.8xlarge	256.00	Intel Xeon Sapphire Rapids	32	16	2	✗ No	✗ No
r7iz.12xlarge	384.00	Intel Xeon Sapphire Rapids	48	24	2	✗ No	✗ No
r7iz.16xlarge	512.00	Intel Xeon Sapphire Rapids	64	32	2	✗ No	✗ No
r7iz.32xlarge	1024.00	Intel Xeon Sapphire Rapids	128	64	2	✗ No	✗ No
r7iz.metal-16xl	512.00	Intel Xeon Sapphire Rapids	64	32	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r7iz.metal-32xl	1024.00	Intel Xeon Sapphire Rapids	128	64	2	✗ No	✗ No
R8a							
r8a.medium	8.00	AMD EPYC 9R45	1	1	1	✗ No	✗ No
r8a.large	16.00	AMD EPYC 9R45	2	2	1	✗ No	✗ No
r8a.xlarge	32.00	AMD EPYC 9R45	4	4	1	✗ No	✗ No
r8a.2xlarge	64.00	AMD EPYC 9R45	8	8	1	✗ No	✗ No
r8a.4xlarge	128.00	AMD EPYC 9R45	16	16	1	✗ No	✗ No
r8a.8xlarge	256.00	AMD EPYC 9R45	32	32	1	✗ No	✗ No
r8a.12xlarge	384.00	AMD EPYC 9R45	48	48	1	✗ No	✗ No
r8a.16xlarge	512.00	AMD EPYC 9R45	64	64	1	✗ No	✗ No
r8a.24xlarge	768.00	AMD EPYC 9R45	96	96	1	✗ No	✗ No
r8a.48xlarge	1536.00	AMD EPYC 9R45	192	192	1	✗ No	✗ No
r8a.metal-24xl	768.00	AMD EPYC 9R45	96	96	1	✗ No	✗ No
r8a.metal-48xl	1536.00	AMD EPYC 9R45	192	192	1	✗ No	✗ No
R8g							
r8g.medium	8.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8g.large	16.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
r8g.xlarge	32.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
r8g.2xlarge	64.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
r8g.4xlarge	128.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
r8g.8xlarge	256.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
r8g.12xlarge	384.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
r8g.16xlarge	512.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
r8g.24xlarge	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
r8g.48xlarge	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
r8g.metal-24xl	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
r8g.metal-48xl	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No

R8gb

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8gb.medium	8.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
r8gb.large	16.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
r8gb.xlarge	32.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
r8gb.2xlarge	64.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
r8gb.4xlarge	128.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
r8gb.8xlarge	256.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
r8gb.12xlarge	384.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
r8gb.16xlarge	512.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
r8gb.24xlarge	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
r8gb.48xlarge	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
r8gb.metal-24xl	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
r8gb.metal-48xl	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
R8gd							
r8gd.medium	8.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
r8gd.large	16.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
r8gd.xlarge	32.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
r8gd.2xlarge	64.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
r8gd.4xlarge	128.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
r8gd.8xlarge	256.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
r8gd.12xlarge	384.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
r8gd.16xlarge	512.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
r8gd.24xlarge	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
r8gd.48xlarge	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
r8gd.metal-24xl	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8gd.metal-48xl	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
R8gn							
r8gn.medium	8.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No
r8gn.large	16.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
r8gn.xlarge	32.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
r8gn.2xlarge	64.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
r8gn.4xlarge	128.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
r8gn.8xlarge	256.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
r8gn.12xlarge	384.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
r8gn.16xlarge	512.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
r8gn.24xlarge	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
r8gn.48xlarge	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8gn.metal-24xl	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
r8gn.metal-48xl	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
R8i							
r8i.large	16.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
r8i.xlarge	32.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
r8i.2xlarge	64.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
r8i.4xlarge	128.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
r8i.8xlarge	256.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
r8i.12xlarge	384.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
r8i.16xlarge	512.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
r8i.24xlarge	768.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
r8i.32xlarge	1024.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8i.48xlarge	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8i.96xlarge	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
r8i.metal-48xl	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8i.metal-96xl	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
R8id							
r8id.large	16.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
r8id.xlarge	32.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
r8id.2xlarge	64.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
r8id.4xlarge	128.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
r8id.8xlarge	256.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
r8id.12xlarge	384.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
r8id.16xlarge	512.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8id.24xlarge	768.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
r8id.32xlarge	1024.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
r8id.48xlarge	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8id.96xlarge	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
r8id.metal-48xl	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8id.metal-96xl	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
R8i-flex							
r8i-flex.large	16.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
r8i-flex.xlarge	32.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
r8i-flex.2xlarge	64.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
r8i-flex.4xlarge	128.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
r8i-flex.8xlarge	256.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8i-flex.12xlarge	384.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
r8i-flex.16xlarge	512.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
R8in							
r8in.large	16.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
r8in.xlarge	32.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
r8in.2xlarge	64.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
r8in.4xlarge	128.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
r8in.8xlarge	256.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
r8in.12xlarge	384.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
r8in.16xlarge	512.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
r8in.24xlarge	768.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
r8in.32xlarge	1024.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8in.48xlarge	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8in.96xlarge	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
r8in.metal-48xl	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8in.metal-96xl	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
R8idn							
r8idn.large	16.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
r8idn.xlarge	32.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
r8idn.2xlarge	64.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
r8idn.4xlarge	128.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
r8idn.8xlarge	256.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
r8idn.12xlarge	384.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
r8idn.16xlarge	512.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8idn.24xlarge	768.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
r8idn.32xlarge	1024.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
r8idn.48xlarge	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8idn.96xlarge	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
r8idn.metal-48xl	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8idn.metal-96xl	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
R8ib							
r8ib.large	16.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
r8ib.xlarge	32.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
r8ib.2xlarge	64.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
r8ib.4xlarge	128.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
r8ib.8xlarge	256.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8ib.12xlarge	384.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
r8ib.16xlarge	512.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
r8ib.24xlarge	768.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
r8ib.32xlarge	1024.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
r8ib.48xlarge	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8ib.96xlarge	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
r8ib.metal-48xl	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8ib.metal-96xl	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
R8idb							
r8idb.large	16.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
r8idb.xlarge	32.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
r8idb.2xlarge	64.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r8idb.4xlarge	128.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
r8idb.8xlarge	256.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No
r8idb.12xlarge	384.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
r8idb.16xlarge	512.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
r8idb.24xlarge	768.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
r8idb.32xlarge	1024.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
r8idb.48xlarge	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8idb.96xlarge	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
r8idb.metal-48xl	1536.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
r8idb.metal-96xl	3072.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
R9g							
r9g.medium	8.00	AWS Graviton5	1	1	1	✗ No	✗ No
r9g.large	16.00	AWS Graviton5	2	2	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r9g.xlarge	32.00	AWS Graviton5	4	4	1	✗ No	✗ No
r9g.2xlarge	64.00	AWS Graviton5	8	8	1	✗ No	✗ No
r9g.4xlarge	128.00	AWS Graviton5	16	16	1	✗ No	✗ No
r9g.8xlarge	256.00	AWS Graviton5	32	32	1	✗ No	✗ No
r9g.12xlarge	384.00	AWS Graviton5	48	48	1	✗ No	✗ No
r9g.16xlarge	512.00	AWS Graviton5	64	64	1	✗ No	✗ No
r9g.24xlarge	768.00	AWS Graviton5	96	96	1	✗ No	✗ No
r9g.48xlarge	1536.00	AWS Graviton5	192	192	1	✗ No	✗ No
r9g.metal-48xl	1536.00	AWS Graviton5	192	192	1	✗ No	✗ No
R9gd							
r9gd.medium	8.00	AWS Graviton5	1	1	1	✗ No	✗ No
r9gd.large	16.00	AWS Graviton5	2	2	1	✗ No	✗ No
r9gd.xlarge	32.00	AWS Graviton5	4	4	1	✗ No	✗ No
r9gd.2xlarge	64.00	AWS Graviton5	8	8	1	✗ No	✗ No
r9gd.4xlarge	128.00	AWS Graviton5	16	16	1	✗ No	✗ No
r9gd.8xlarge	256.00	AWS Graviton5	32	32	1	✗ No	✗ No
r9gd.12xlarge	384.00	AWS Graviton5	48	48	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r9gd.16xlarge	512.00	AWS Graviton5	64	64	1	✗ No	✗ No
r9gd.24xlarge	768.00	AWS Graviton5	96	96	1	✗ No	✗ No
r9gd.48xlarge	1536.00	AWS Graviton5	192	192	1	✗ No	✗ No
r9gd.metal-48xl	1536.00	AWS Graviton5	192	192	1	✗ No	✗ No
U-3tb1							
u-3tb1.56xlarge	3072.00	Intel Xeon Platinum 8176M	224	112	2	✗ No	✗ No
U-6tb1							
u-6tb1.56xlarge	6144.00	Intel Xeon Platinum 8176M	224	224	1	✗ No	✗ No
u-6tb1.112xlarge	6144.00	Intel Xeon Platinum 8176M	448	224	2	✗ No	✗ No
u-6tb1.metal	6144.00	Intel Xeon Platinum 8176M	448	224	2	✗ No	✗ No
U-9tb1							
u-9tb1.112xlarge	9216.00	Intel Xeon Platinum 8176M	448	224	2	✗ No	✗ No
u-9tb1.metal	9216.00	Intel Xeon Platinum 8176M	448	224	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
U-12tb1							
u-12tb1.112xlarge	12288.0	Intel Xeon Platinum 8176M	448	224	2	✗ No	✗ No
u-12tb1.metal	12288.0	Intel Xeon Platinum 8176M	448	224	2	✗ No	✗ No
U-18tb1							
u-18tb1.112xlarge	18432.0	Intel Xeon Platinum 8280L	448	224	2	✗ No	✗ No
u-18tb1.metal	18432.0	Intel Xeon Platinum 8280L	448	224	2	✗ No	✗ No
U-24tb1							
u-24tb1.112xlarge	24576.0	Intel Xeon Platinum 8280L	448	224	2	✗ No	✗ No
u-24tb1.metal	24576.0	Intel Xeon Platinum 8280L	448	224	2	✗ No	✗ No
U7i-6tb							
u7i-6tb.112xlarge	6144.00	Intel Xeon Sapphire Rapids	448	224	2	✗ No	✗ No
U7i-8tb							
u7i-8tb.112xlarge	8192.00	Intel Xeon Sapphire Rapids	448	224	2	✗ No	✗ No
U7i-12tb							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
u7i-12tb.224xlarge	12288.0	Intel Xeon Sapphire Rapids	896	448	2	✗ No	✗ No
U7in-16tb							
u7in-16tb.224xlarge	16384.0	Intel Xeon Sapphire Rapids	896	448	2	✗ No	✗ No
U7in-24tb							
u7in-24tb.224xlarge	24576.0	Intel Xeon Sapphire Rapids	896	448	2	✗ No	✗ No
U7in-32tb							
u7in-32tb.224xlarge	32768.0	Intel Xeon Sapphire Rapids	896	448	2	✗ No	✗ No
U7inh-32tb							
u7inh-32tb.480xlarge	32768.0	Intel Xeon Sapphire Rapids	1920	960	2	✗ No	✗ No
X1							
x1.16xlarge	976.00	Intel Xeon E7 8880 v3	64	32	2	✗ No	✗ No
x1.32xlarge	1952.00	Intel Xeon E7 8880 v3	128	64	2	✗ No	✗ No
X1e							
x1e.xlarge	122.00	Intel Haswell E7 8880v3	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
x1e.2xlarge	244.00	Intel Haswell E7 8880v3	8	4	2	✗ No	✗ No
x1e.4xlarge	488.00	Intel Haswell E7 8880v3	16	8	2	✗ No	✗ No
x1e.8xlarge	976.00	Intel Haswell E7 8880v3	32	16	2	✗ No	✗ No
x1e.16xlarge	1952.00	Intel Haswell E7 8880v3	64	32	2	✗ No	✗ No
x1e.32xlarge	3904.00	Intel Haswell E7 8880v3	128	64	2	✗ No	✗ No
X2gd							
x2gd.medium	16.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
x2gd.large	32.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
x2gd.xlarge	64.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
x2gd.2xlarge	128.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
x2gd.4xlarge	256.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
x2gd.8xlarge	512.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
x2gd.12xlarge	768.00	AWS Graviton2 Processor	48	48	1	✗ No	✗ No
x2gd.16xlarge	1024.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
x2gd.metal	1024.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
X2idn							
x2idn.16xlarge	1024.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
x2idn.24xlarge	1536.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
x2idn.32xlarge	2048.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
x2idn.metal	2048.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
X2iedn							
x2iedn.xlarge	128.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
x2iedn.2xlarge	256.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
x2iedn.4xlarge	512.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
x2iedn.8xlarge	1024.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
x2iedn.16xlarge	2048.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
x2iedn.24xlarge	3072.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
x2iedn.32xlarge	4096.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
x2iedn.metal	4096.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
X2iezn							
x2iezn.2xlarge	256.00	Intel Xeon Platinum 8252	8	4	2	✗ No	✗ No
x2iezn.4xlarge	512.00	Intel Xeon Platinum 8252	16	8	2	✗ No	✗ No
x2iezn.6xlarge	768.00	Intel Xeon Platinum 8252	24	12	2	✗ No	✗ No
x2iezn.8xlarge	1024.00	Intel Xeon Platinum 8252	32	16	2	✗ No	✗ No
x2iezn.12xlarge	1536.00	Intel Xeon Platinum 8252	48	24	2	✗ No	✗ No
x2iezn.metal	1536.00	Intel Xeon Platinum 8252	48	24	2	✗ No	✗ No
X8g							
x8g.medium	16.00	AWS Graviton4 Processor	1	1	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
x8g.large	32.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
x8g.xlarge	64.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
x8g.2xlarge	128.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
x8g.4xlarge	256.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
x8g.8xlarge	512.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
x8g.12xlarge	768.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
x8g.16xlarge	1024.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
x8g.24xlarge	1536.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
x8g.48xlarge	3072.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
x8g.metal-24xl	1536.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
x8g.metal-48xl	3072.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
X8aedz							
x8aedz.large	64.00	AMD EPYC 9R05	2	2	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
x8aedz.xlarge	128.00	AMD EPYC 9R05	4	4	1	✗ No	✗ No
x8aedz.3xlarge	384.00	AMD EPYC 9R05	12	12	1	✗ No	✗ No
x8aedz.6xlarge	768.00	AMD EPYC 9R05	24	24	1	✗ No	✗ No
x8aedz.12xlarge	1536.00	AMD EPYC 9R05	48	48	1	✗ No	✗ No
x8aedz.24xlarge	3072.00	AMD EPYC 9R05	96	96	1	✗ No	✗ No
x8aedz.metal-12xl	1536.00	AMD EPYC 9R05	48	48	1	✗ No	✗ No
x8aedz.metal-24xl	3072.00	AMD EPYC 9R05	96	96	1	✗ No	✗ No
X8i							
x8i.large	32.00	Intel Xeon Granite Rapids	2	1	2	✗ No	✗ No
x8i.xlarge	64.00	Intel Xeon Granite Rapids	4	2	2	✗ No	✗ No
x8i.2xlarge	128.00	Intel Xeon Granite Rapids	8	4	2	✗ No	✗ No
x8i.4xlarge	256.00	Intel Xeon Granite Rapids	16	8	2	✗ No	✗ No
x8i.8xlarge	512.00	Intel Xeon Granite Rapids	32	16	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
x8i.12xlarge	768.00	Intel Xeon Granite Rapids	48	24	2	✗ No	✗ No
x8i.16xlarge	1024.00	Intel Xeon Granite Rapids	64	32	2	✗ No	✗ No
x8i.24xlarge	1536.00	Intel Xeon Granite Rapids	96	48	2	✗ No	✗ No
x8i.32xlarge	2048.00	Intel Xeon Granite Rapids	128	64	2	✗ No	✗ No
x8i.48xlarge	3072.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
x8i.64xlarge	4096.00	Intel Xeon Granite Rapids	256	128	2	✗ No	✗ No
x8i.96xlarge	6144.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
x8i.metal-48xl	3072.00	Intel Xeon Granite Rapids	192	96	2	✗ No	✗ No
x8i.metal-96xl	6144.00	Intel Xeon Granite Rapids	384	192	2	✗ No	✗ No
z1d							
z1d.large	16.00	Intel Xeon Platinum 8151	2	1	2	✗ No	✗ No
z1d.xlarge	32.00	Intel Xeon Platinum 8151	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
z1d.2xlarge	64.00	Intel Xeon Platinum 8151	8	4	2	✗ No	✗ No
z1d.3xlarge	96.00	Intel Xeon Platinum 8151	12	6	2	✗ No	✗ No
z1d.6xlarge	192.00	Intel Xeon Platinum 8151	24	12	2	✗ No	✗ No
z1d.12xlarge	384.00	Intel Xeon Platinum 8151	48	24	2	✗ No	✗ No
z1d.metal	384.00	Intel Xeon Platinum 8151	48	24	2	✗ No	✗ No

Network specifications

Note

R8a, R8g, R8gd, R8i, R8id, R8i-flex, R9g, R9gd, X8g, X8aedz, X8i instance types support configurable bandwidth weightings. With these instance types, you can optimize an instance's bandwidth for either networking performance or Amazon EBS performance. The following table shows the default networking bandwidth performance for these instance types. For the supported configurable weightings, see Configurable bandwidth weighting preferences.

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				R5					
r5.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r5.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5.2xlarg e [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5.4xlarg e [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5.8xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5.12xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5.16xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5.24xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				R5a					

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r5a.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r5a.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5a.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5a.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5a.8xlarge [1] [2]	7.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5a.12xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5a.16xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5a.24xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
R5ad									
r5ad.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r5ad.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r5ad.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5ad.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5ad.8xlarge [1] [2]	7.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5ad.12xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5ad.16xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5ad.24xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				R5b					
r5b.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r5b.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5b.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5b.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r5b.8xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5b.12xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5b.16xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5b.24xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5b.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				R5d					
r5d.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r5d.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5d.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5d.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5d.8xlarge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r5d.12xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r5d.16xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5d.24xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r5d.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
R5dn									
r5dn.large [1] [2]	2.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r5dn.xlarge [1] [2]	4.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5dn.2xlarge [1] [2]	8.125 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5dn.4xlarge [1] [2]	16.25 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
r5dn.8xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
r5dn.12xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r5dn.16xlarge [2]	75 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
r5dn.24xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
r5dn.metal [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
				R5n					
r5n.large [1] [2]	2.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r5n.xlarge [1] [2]	4.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5n.2xlarge [1] [2]	8.125 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r5n.4xlarge [1] [2]	16.25 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
r5n.8xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
r5n.12xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
r5n.16xlarge [2]	75 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r5n.24xla rge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
r5n.metal [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
				R6a					
r6a.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
r6a.xlarg e [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r6a.2xlar ge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r6a.4xlar ge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r6a.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r6a.12xla rge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r6a.16xla rge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r6a.24xla rge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r6a.32xlarge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r6a.48xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r6a.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				R6g					
r6g.medium [1] [2]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
r6g.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r6g.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r6g.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r6g.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r6g.8xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r6g.12xlarge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r6g.16xla rge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
r6g.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				R6gd					
r6gd.medi um [1] [2]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
r6gd.larg e [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r6gd.xlar ge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r6gd.2xla rge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r6gd.4xla rge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r6gd.8xla rge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r6gd.12xl arge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r6gd.16xl arge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r6gd.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
				R6i					
r6i.large [1]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
r6i.xlarge [1]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
r6i.2xlarge [1]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
r6i.4xlarge [1]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
r6i.8xlarge	12.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
r6i.12xlarge	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
r6i.16xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
r6i.24xlarge	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
r6i.32xlarge	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r6i.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				R6id					
r6id.large [1]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
r6id.xlarge [1]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
r6id.2xlarge [1]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
r6id.4xlarge [1]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
r6id.8xlarge	12.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
r6id.12xlarge	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	8	30	✓ Yes
r6id.16xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
r6id.24xlarge	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes
r6id.32xlarge	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8 / 32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r6id.metal [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
R6idn									
r6idn.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
r6idn.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
r6idn.2xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
r6idn.4xlarge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
r6idn.8xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
r6idn.12xlarge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
r6idn.16xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	15	50	✓ Yes
r6idn.24xlarge	150 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 32	1	15	50	✓ Yes
r6idn.32xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 32	2	16	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r6idn.met al [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	16	50	✓ Yes
				R6in					
r6in.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
r6in.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
r6in.2xla rge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
r6in.4xla rge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	30	✓ Yes
r6in.8xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
r6in.12xl arge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	30	✓ Yes
r6in.16xl arge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	15	50	✓ Yes
r6in.24xl arge	150 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 32	1	15	50	✓ Yes
r6in.32xl arge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 32	2	16	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r6in.metal [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	16	50	✓ Yes
				R7a					
r7a.mediu m [1] [2]	0.39 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
r7a.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
r7a.xlarg e [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r7a.2xlar ge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r7a.4xlar ge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7a.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7a.12xla rge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r7a.16xla rge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r7a.24xla rge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r7a.32xla rge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
r7a.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
r7a.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
				R7g					
r7g.mediu m [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
r7g.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
r7g.xlarg e [1] [2]	1.876 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r7g.2xlar ge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r7g.4xlar ge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7g.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7g.12xla rge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r7g.16xla rge [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r7g.metal [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				R7gd					
r7gd.medi um [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
r7gd.larg e [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
r7gd.xlar ge [1] [2]	1.876 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r7gd.2xla rge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r7gd.4xla rge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7gd.8xla rge [2]	15 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7gd.12xl arge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r7gd.16xl arge [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r7gd.metal [2]	30 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				R7i					
r7i.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
r7i.xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r7i.2xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r7i.4xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7i.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7i.12xlarge [2]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r7i.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r7i.24xlarge [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r7i.48xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r7i.metal -24xl [2]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r7i.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
R7iz									
r7iz.large [1] [2]	0.781 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
r7iz.xlarge [1] [2]	1.562 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r7iz.2xlarge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r7iz.4xlarge [1] [2]	6.25 / 12.5	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r7iz.8xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r7iz.12xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r7iz.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r7iz.32xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r7iz.meta l-16xl [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r7iz.meta l-32xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				R8a					
r8a.mediu m [1]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
r8a.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
r8a.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	20	✓ Yes
r8a.2xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	40	✓ Yes
r8a.4xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	40	✓ Yes
r8a.8xlarge	15 Gigabit	✗ No	✓ Yes	✗ No	8 / 32	1	10	40	✓ Yes
r8a.12xlarge	22.5 Gigabit	✗ No	✓ Yes	✗ No	16 / 64	1	12	64	✓ Yes
r8a.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8a.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
r8a.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8a.metal -24xl	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
r8a.metal -48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				R8g					
r8g.mediu m [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
r8g.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
r8g.xlarg e [1] [2]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r8g.2xlar ge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r8g.4xlar ge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r8g.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8g.12xla rge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r8g.16xla rge [2]	30 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r8g.24xla rge [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r8g.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
r8g.metal -24xl [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
r8g.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
R8gb									
r8gb.medi um [1]	2.083 / 16.667	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
r8gb.large [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
r8gb.xlarge [1]	8.333 / 26.667	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
r8gb.2xla rge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8gb.4xlarge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 16	1	8	30	✓ Yes
r8gb.8xlarge	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	30	✓ Yes
r8gb.12xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	30	✓ Yes
r8gb.16xlarge	133.33 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 64	1	16	50	✓ Yes
r8gb.24xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	24	50	✓ Yes
r8gb.48xlarge	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
r8gb.metal-24xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	50	✓ Yes
r8gb.metal-48xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
R8gd									
r8gd.medium [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
r8gd.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8gd.xlarge [1] [2]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
r8gd.2xlarge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r8gd.4xlarge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r8gd.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r8gd.12xlarge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
r8gd.16xlarge [2]	30 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r8gd.24xlarge [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
r8gd.48xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
r8gd.metal-24xl [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
r8gd.metal-48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
R8gn									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8gn.medi um [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	4	✓ Yes
r8gn.large [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
r8gn.xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
r8gn.2xla rge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
r8gn.4xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 16	1	8	30	✓ Yes
r8gn.8xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	30	✓ Yes
r8gn.12xl arge	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	30	✓ Yes
r8gn.16xl arge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 64	1	16	50	✓ Yes
r8gn.24xl arge	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	24	50	✓ Yes
r8gn.48xl arge	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
r8gn.meta l-24xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8gn.meta l-48xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
				R8i					
r8i.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
r8i.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r8i.2xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
r8i.4xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
r8i.8xlarge	15 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
r8i.12xlarge	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
r8i.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r8i.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
r8i.32xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8i.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8i.96xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8i.metal -48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8i.metal -96xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
R8id									
r8id.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
r8id.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r8id.2xla rge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
r8id.4xla rge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
r8id.8xlarge	15 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
r8id.12xl arge	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8id.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r8id.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
r8id.32xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
r8id.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8id.96xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8id.metal-48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8id.metal-96xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				R8i-flex					
r8i-flex.large [1]	0.468 / 12.5	✗ No	✓ Yes	✗ No	1 / 1	1	3	20	✓ Yes
r8i-flex.xlarge [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	4	30	✓ Yes
r8i-flex.2xlarge [1]	1.875 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8i-flex. 4xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	4 / 8	1	8	50	✓ Yes
r8i-flex. 8xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	4 / 16	1	10	50	✓ Yes
r8i-flex. 12xlarge [1]	11.25 / 22.5	✗ No	✓ Yes	✗ No	8 / 32	1	12	50	✓ Yes
r8i-flex. 16xlarge [1]	15.0 / 30.0	✗ No	✓ Yes	✗ No	8 / 32	1	16	64	✓ Yes
R8in									
r8in.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
r8in.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r8in.2xla rge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
r8in.4xla rge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
r8in.8xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
r8in.12xl arge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8in.16xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r8in.24xlarge	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
r8in.32xlarge	200 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
r8in.48xlarge	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8in.96xlarge	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
r8in.metal-48xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8in.metal-96xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
R8idn									
r8idn.large [1]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
r8idn.xlarge [1]	6.25 / 30.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r8idn.2xlarge [1]	12.5 / 40.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8idn.4xl arge [1]	25.0 / 50.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
r8idn.8xl arge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
r8idn.12x large	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
r8idn.16x large	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r8idn.24x large	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
r8idn.32x large	200 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
r8idn.48x large	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8idn.96x large	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
r8idn.met al-48xl	300 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8idn.met al-96xl	600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
R8ib									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8ib.large [1]	2.083 / 16.667	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
r8ib.xlarge [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r8ib.2xlarge [1]	8.333 / 26.667	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
r8ib.4xlarge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
r8ib.8xlarge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
r8ib.12xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
r8ib.16xlarge	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r8ib.24xlarge	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
r8ib.32xlarge	133.33 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
r8ib.48xlarge	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8ib.96xlarge	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8ib.meta l-48xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8ib.meta l-96xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
R8idb									
r8idb.large [1]	2.083 / 16.667	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
r8idb.xla rge [1]	4.166 / 20.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r8idb.2xl arge [1]	8.333 / 26.667	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
r8idb.4xl arge [1]	16.666 / 33.333	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
r8idb.8xl arge	33.33 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 32	1	8	50	✓ Yes
r8idb.12x large	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
r8idb.16x large	66.66 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r8idb.24x large	100 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r8idb.32x large	133.33 Gigabit	✗ No	✓ Yes	✓ Yes	32 / 128	1	16	64	✓ Yes
r8idb.48x large	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8idb.96x large	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
r8idb.met al-48xl	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r8idb.met al-96xl	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
				R9g					
r9g.mediu m [1]	0.55 / 15.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	20	✓ Yes
r9g.large [1]	1.0 / 15.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
r9g.xlarge [1]	2.1 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r9g.2xlarge [1]	4.25 / 17.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
r9g.4xlarge [1]	8.5 / 17.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r9g.8xlarge	17 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
r9g.12xlarge	25 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
r9g.16xlarge	34 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r9g.24xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
r9g.48xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r9g.metal -48xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
R9gd									
r9gd.medi um [1]	0.55 / 15.0	✗ No	✓ Yes	✗ No	1 / 1	1	2	20	✓ Yes
r9gd.large [1]	1.0 / 15.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
r9gd.xlarge [1]	2.1 / 15.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
r9gd.2xla rge [1]	4.25 / 17.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r9gd.4xla rge [1]	8.5 / 17.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
r9gd.8xlarge	17 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
r9gd.12xl arge	25 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
r9gd.16xl arge	34 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
r9gd.24xl arge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
r9gd.48xl arge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
r9gd.meta l-48xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				U-3tb1					
u-3tb1.56 xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
				U-6tb1					
u-6tb1.56 xlarge [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
u-6tb1.112xlarge [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
u-6tb1.metal [2]	100	✗ No	✓ Yes	✗ No	32	1	5	30	✓ Yes
U-9tb1									
u-9tb1.112xlarge [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
u-9tb1.metal [2]	100	✗ No	✓ Yes	✗ No	32	1	5	30	✓ Yes
U-12tb1									
u-12tb1.112xlarge [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
u-12tb1.metal [2]	100	✗ No	✓ Yes	✗ No	32	1	5	30	✓ Yes
U-18tb1									
u-18tb1.112xlarge [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
u-18tb1.metal [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
U-24tb1									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
u-24tb1.1 12xlarge [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
u-24tb1.m etal [2]	100 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
U7i-6tb									
u7i-6tb.1 12xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
U7i-8tb									
u7i-8tb.1 12xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
U7i-12tb									
u7i-12tb. 224xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
U7in-16tb									
u7in-16tb .224xlarge [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	2	16	50	✓ Yes
U7in-24tb									
u7in-24tb .224xlarge [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	2	16	50	✓ Yes
U7in-32tb									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
u7in-32tb .224xlarge [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	2	16	50	✓ Yes
U7inh-32tb									
u7inh-32t b.480xlar ge [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	2	16	50	✓ Yes
X1									
x1.16xlar ge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
x1.32xlar ge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
X1e									
x1e.xlarg e [1] [2]	0.625 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
x1e.2xlar ge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
x1e.4xlar ge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
x1e.8xlar ge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
x1e.16xla rge [2]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
x1e.32xla rge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
				X2gd					
x2gd.medi um [1] [2]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
x2gd.larg e [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
x2gd.xlar ge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
x2gd.2xla rge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
x2gd.4xla rge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
x2gd.8xla rge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
x2gd.12xl arge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
x2gd.16xl arge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
x2gd.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	15	50	✓ Yes
X2idn									
x2idn.16x large [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
x2idn.24x large [2]	75 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
x2idn.32x large [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
x2idn.met al [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
X2iedn									
x2iedn.xl arge [1] [2]	1.875 / 25.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
x2iedn.2x large [1] [2]	5.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
x2iedn.4x large [1] [2]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
x2iedn.8x large [2]	25 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
x2iedn.16 xlarge [2]	50 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
x2iedn.24 xlarge [2]	75 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
x2iedn.32 xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
x2iedn.me tal [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
X2iezn									
x2iezn.2x large [1] [2]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
x2iezn.4x large [1] [2]	15.0 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
x2iezn.6x large [2]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
x2iezn.8x large [2]	75 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
x2iezn.12 xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
x2iezn.me tal [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				X8g					
x8g.mediu m [1] [2]	0.52 / 12.5	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
x8g.large [1] [2]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
x8g.xlarg e [1] [2]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
x8g.2xlar ge [1] [2]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
x8g.4xlar ge [1] [2]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
x8g.8xlar ge [2]	15 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
x8g.12xla rge [2]	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
x8g.16xla rge [2]	30 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
x8g.24xla rge [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
x8g.48xla rge [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
x8g.metal -24xl [2]	40 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
x8g.metal -48xl [2]	50 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
				X8aedz					
x8aedz.la rge [1]	1.562 / 18.75	✗ No	✓ Yes	✗ No	2 / 2	1	4	20	✓ Yes
x8aedz.xl arge [1]	3.125 / 18.75	✗ No	✓ Yes	✗ No	4 / 4	1	4	20	✓ Yes
x8aedz.3x large [1]	9.375 / 18.75	✗ No	✓ Yes	✗ No	4 / 16	1	8	40	✓ Yes
x8aedz.6x large	18.75 Gigabit	✗ No	✓ Yes	✗ No	8 / 32	1	8	40	✓ Yes
x8aedz.12 xlarge	37.5 Gigabit	✗ No	✓ Yes	✗ No	8 / 64	1	16	64	✓ Yes
x8aedz.24 xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
x8aedz.me tal-12xl	37.5 Gigabit	✗ No	✓ Yes	✗ No	8 / 64	1	16	64	✓ Yes
x8aedz.me tal-24xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				X8i					
x8i.large [1]	0.937 / 12.5	✗ No	✓ Yes	✗ No	2 / 2	1	3	20	✓ Yes
x8i.xlarge [1]	1.875 / 12.5	✗ No	✓ Yes	✗ No	4 / 4	1	4	30	✓ Yes
x8i.2xlarge [1]	3.75 / 15.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	30	✓ Yes
x8i.4xlarge [1]	7.5 / 15.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	50	✓ Yes
x8i.8xlarge	15 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	50	✓ Yes
x8i.12xlarge	22.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	50	✓ Yes
x8i.16xlarge	30 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	16	64	✓ Yes
x8i.24xlarge	40 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	64	✓ Yes
x8i.32xlarge	50 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
x8i.48xlarge	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
x8i.64xlarge	80 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
x8i.96xlarge	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
x8i.metal -48xl	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
x8i.metal -96xl	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	1	24	64	✓ Yes
				z1d					
z1d.large [1] [2]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
z1d.xlarg e [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
z1d.2xlar ge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
z1d.3xlar ge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
z1d.6xlar ge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
z1d.12xla rge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
z1d.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes

Note

[1] These instances have a baseline bandwidth and can use a network I/O credit mechanism to burst beyond their baseline bandwidth on a best effort basis. Other instances types can sustain their maximum performance indefinitely. For more information, see instance network bandwidth.

[2] These instance types do not support configurable ENA queue allocation.

For `r6in.32xlarge`, `r6in.metal`, `r6idn.32xlarge`, `r6idn.metal`, you must attach at least 2 ENIs, to separate network cards, to achieve 200 Gbps throughput. Each ENI attached to a network card can achieve up to 170 Gbps.

For `u7in-16tb.224xlarge`, `u7in-24tb.224xlarge`, `u7in-32tb.224xlarge`, `u7inh-32tb.480xlarge`, you must attach at least 2 ENIs, to separate network cards, to achieve 200 Gbps throughput. Each ENI attached to a network card can achieve up to 100 Gbps.

For `r8in.96xlarge`, `r8in.metal-96xl`, `r8idn.96xlarge`, `r8idn.metal-96xl`, `r8gn.48xlarge`, `r8gn.metal-48xl`, you must attach at least 2 ENIs, to separate network cards, to achieve 600 Gbps throughput. Each ENI attached to a network card can achieve up to 300 Gbps.

For `r8ib.96xlarge`, `r8ib.metal-96xl`, `r8idb.96xlarge`, `r8idb.metal-96xl`, `r8gb.48xlarge`, `r8gb.metal-48xl`, you must attach at least 2 ENIs, to separate network cards, to achieve 400 Gbps throughput. Each ENI attached to a network card can achieve up to 200 Gbps.

Amazon EBS specifications

The following table indicates which instance types are Amazon EBS optimized by default and which optionally support it. It also describes their EBS-optimized performance, including dedicated bandwidth to Amazon EBS, the typical maximum aggregate throughput that can be achieved on that dedicated connection with a streaming read workload and 128 KiB I/O size, and the maximum IOPS the instance type can support when using a 16 KiB I/O size. Instance types not listed do not support Amazon EBS optimization.

Important

An instance's EBS performance is bounded by the instance's performance limits, or the aggregated performance of its attached volumes, whichever is smaller. To achieve maximum EBS performance, an instance must have attached volumes that provide a combined performance equal to or greater than the maximum instance performance. For example, to achieve `80,000` IOPS for `r6i.16xlarge`, the instance must have at least 5 gp3 volumes provisioned with `16,000` IOPS each (5 volumes x `16,000` IOPS = `80,000` IOPS).

We recommend that you choose an EBS–optimized instance type that provides more dedicated Amazon EBS throughput than your application needs; otherwise, the connection between Amazon EBS and Amazon EC2 can become a performance bottleneck.

Note

- R8a, R8g, R8gd, R8i, R8id, R8i-flex, R9g, R9gd, X8g, X8aedz, X8i virtualized instance types support configurable bandwidth weightings. With these instance types, you can optimize an instance's bandwidth for either networking performance or Amazon EBS performance. The following table shows the default networking bandwidth performance for these instance types. Bare metal instance types are not supported. For the supported configurable weightings, see Configurable bandwidth weighting preferences.
- For maximum IOPS performance with U7i instances, we recommend that you use io2 BlockExpress volumes.

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			R5			
r5.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r5.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			R5a			
r5a.large [1]	650.00 / 2880.00	81.25 / 360.00	3600.00 / 16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5a.xlarge [1]	1085.00 / 2880.00	135.62 / 360.00	6000.00 / 16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5a.2xlarge [1]	1580.00 / 2880.00	197.50 / 360.00	8333.00 / 16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5a.4xlarge	2880.00	360.00	16000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5a.8xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r5a.12xlarge	6780.00	847.50	30000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5a.16xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5a.24xlarge	13570.00	1696.25	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
R5ad						
r5ad.large [1]	650.00 / 2880.00	81.25 / 360.00	3600.00 / 16000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5ad.xlarge [1]	1085.00 / 2880.00	135.62 / 360.00	6000.00 / 16000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5ad.2xlarge [1]	1580.00 / 2880.00	197.50 / 360.00	8333.00 / 16000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5ad.4xlarge	2880.00	360.00	16000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r5ad.8xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5ad.12xlarge	6780.00	847.50	30000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5ad.16xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
r5ad.24xlarge	13570.00	1696.25	60000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
			R5b			
r5b.large [1]	1250.00 / 10000.00	156.25 / 1250.00	5417.00 / 43333.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5b.xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10833.00 / 43333.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5b.2xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	21667.00 / 43333.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r5b.4xlarge	10000.00	1250.00	43333.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5b.8xlarge	20000.00	2500.00	86667.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5b.12xlarge	30000.00	3750.00	130000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5b.16xlarge	40000.00	5000.00	173333.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5b.24xlarge	60000.00	7500.00	260000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5b.metal	60000.00	7500.00	260000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			R5d			
r5d.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r5d.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5d.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5d.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5d.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5d.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5d.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
r5d.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
r5d.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			R5dn			
r5dn.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5dn.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5dn.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r5dn.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5dn.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5dn.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r5dn.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 23 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r5dn.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
r5dn.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			R5n			
r5n.large [1]	650.00 / 4750.00	81.25 / 593.75	3600.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5n.xlarge [1]	1150.00 / 4750.00	143.75 / 593.75	6000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5n.2xlarge [1]	2300.00 / 4750.00	287.50 / 593.75	12000.00 / 18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5n.4xlarge	4750.00	593.75	18750.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5n.8xlarge	6800.00	850.00	30000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r5n.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5n.16xlarge	13600.00	1700.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5n.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r5n.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			R6a			
r6a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6a.metal	40000.00	5000.00	240000.00	✓ Yes	✗ No	Up to 31 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			R6g			
r6g.medium [1]	315.00 / 4750.00	39.38 / 593.75	2500.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6g.large [1]	630.00 / 4750.00	78.75 / 593.75	3600.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6g.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6g.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6g.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6g.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6g.12xlarge	14250.00	1781.25	50000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6g.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6g.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
R6gd						
r6gd.medium [1]	315.00 / 4750.00	39.38 / 593.75	2500.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6gd.large [1]	630.00 / 4750.00	78.75 / 593.75	3600.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6gd.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6gd.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6gd.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6gd.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6gd.12xlarge	14250.00	1781.25	50000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r6gd.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r6gd.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			R6i			
r6i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6i.metal	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
R6id						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6id.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6id.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6id.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6id.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6id.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6id.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r6id.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r6id.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 23 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6id.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
r6id.metal	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			R6idn			
r6idn.large [1]	1562.00 / 25000.00	195.31 / 3125.00	6250.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6idn.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	12500.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6idn.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	25000.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6idn.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	50000.00 / 100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r6idn.8xlarge	25000.00	3125.00	100000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6idn.12xlarge	37500.00	4687.50	150000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r6idn.16xlarge	50000.00	6250.00	200000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r6idn.24xlarge	75000.00	9375.00	300000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
r6idn.32xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
r6idn.metal	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
R6in						
r6in.large [1]	1562.00 / 25000.00	195.31 / 3125.00	6250.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	12500.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r6in.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	25000.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	50000.00 / 100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.8xlarge	25000.00	3125.00	100000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.12xlarge	37500.00	4687.50	150000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.16xlarge	50000.00	6250.00	200000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.24xlarge	75000.00	9375.00	300000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.32xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r6in.metal	100000.00	12500.00	400000.00	✓ Yes	✗ No	Up to 31 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			R7a			
r7a.medium [1]	325.00 / 10000.00	40.62 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r7a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r7a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r7a.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
r7a.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
r7a.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
			R7g			
r7g.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r7g.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r7g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r7g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r7g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r7g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r7g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r7g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
r7g.metal	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
R7gd						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r7gd.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r7gd.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r7gd.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r7gd.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r7gd.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r7gd.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
r7gd.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
r7gd.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r7gd.metal	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
R7i						
r7i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r7i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r7i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r7i.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
r7i.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
r7i.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
R7iz						
r7iz.large [1]	792.00 / 10000.00	99.00 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7iz.xlarge [1]	1584.00 / 10000.00	198.00 / 1250.00	6667.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r7iz.2xlarge [1]	3168.00 / 10000.00	396.00 / 1250.00	13333.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7iz.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7iz.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7iz.12xlarge	19000.00	2375.00	76000.00	✓ Yes	✗ No	32 (Dedicated limit)
r7iz.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r7iz.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
r7iz.metal-16xl	20000.00	2500.00	80000.00	✓ Yes	✗ No	39 (Dedicated limit)
r7iz.metal-32xl	40000.00	5000.00	160000.00	✓ Yes	✗ No	79 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			R8a			
r8a.medium [1]	325.00 / 10000.00	40.62 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8a.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8a.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8a.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8a.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8a.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8a.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8a.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8a.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8a.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8a.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8a.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
R8g						
r8g.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8g.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8g.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8g.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8g.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
r8g.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
R8gb						
r8gb.medium [1]	1562.00 / 25000.00	195.31 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gb.large [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gb.xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gb.2xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gb.4xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8gb.8xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gb.12xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gb.16xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8gb.24xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8gb.48xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
r8gb.metal-24xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	39 (Dedicated limit)
r8gb.metal-48xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
R8gd						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8gd.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gd.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gd.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gd.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gd.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gd.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gd.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gd.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8gd.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8gd.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8gd.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
r8gd.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
R8gn						
r8gn.medium [1]	760.00 / 10000.00	95.00 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gn.large [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gn.xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8gn.2xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gn.4xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gn.8xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gn.12xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8gn.16xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8gn.24xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8gn.48xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
r8gn.metal-24xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	39 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8gn.metal-48xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
			R8i			
r8i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
r8i.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8i.96xlarge	80000.00	10000.00	480000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8i.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8i.metal-96xl	80000.00	10000.00	480000.00	✓ Yes	✗ No	79 (Dedicated limit)
R8id						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8id.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8id.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8id.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8id.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8id.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8id.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8id.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8id.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8id.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
r8id.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8id.96xlarge	80000.00	10000.00	480000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8id.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8id.metal-96xl	80000.00	10000.00	480000.00	✓ Yes	✗ No	79 (Dedicated limit)
R8i-flex						
r8i-flex.large [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i-flex.xlarge [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8i-flex.2xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i-flex.4xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i-flex.8xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i-flex.12xlarge [1]	7500.00 / 15000.00	937.50 / 1875.00	30000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8i-flex.16xlarge [1]	10000.00 / 20000.00	1250.00 / 2500.00	40000.00 / 80000.00	✓ Yes	✗ No	48 (Dedicated limit)
R8in						
r8in.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8in.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8in.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8in.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8in.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8in.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8in.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8in.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8in.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
r8in.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8in.96xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
r8in.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8in.metal-96xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
R8idn						
r8idn.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idn.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idn.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idn.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8idn.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idn.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idn.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8idn.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8idn.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
r8idn.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8idn.96xlarge	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
r8idn.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8idn.metal-96xl	120000.00	15000.00	480000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
R8ib						
r8ib.large [1]	1563.00 / 25000.00	195.38 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8ib.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8ib.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8ib.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8ib.8xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8ib.12xlarge	37500.00	4687.50	180000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8ib.16xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8ib.24xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8ib.32xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	88 (Dedicated limit)
r8ib.48xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8ib.96xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
r8ib.metal-48xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8ib.metal-96xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
R8idb						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8idb.large [1]	1563.00 / 25000.00	195.38 / 3125.00	7500.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idb.xlarge [1]	3125.00 / 25000.00	390.62 / 3125.00	15000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idb.2xlarge [1]	6250.00 / 25000.00	781.25 / 3125.00	30000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idb.4xlarge [1]	12500.00 / 25000.00	1562.50 / 3125.00	60000.00 / 120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idb.8xlarge	25000.00	3125.00	120000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idb.12xlarge	37500.00	4687.50	180000.00	✓ Yes	✗ No	32 (Dedicated limit)
r8idb.16xlarge	50000.00	6250.00	240000.00	✓ Yes	✗ No	48 (Dedicated limit)
r8idb.24xlarge	75000.00	9375.00	360000.00	✓ Yes	✗ No	64 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r8idb.32xlarge	100000.00	12500.00	480000.00	✓ Yes	✗ No	88 (Dedicated limit)
r8idb.48xlarge	150000.00	18750.00	720000.00	✓ Yes	✗ No	128 (Dedicated limit)
r8idb.96xlarge	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
r8idb.metal-48xl	150000.00	18750.00	720000.00	✓ Yes	✗ No	64 (Dedicated limit)
r8idb.metal-96xl	300000.00	37500.00	1440000.00	✓ Yes	✓ Yes (2 EBS cards)	78 (Dedicated limit)
R9g						
r9g.medium [1]	380.00 / 12000.00	47.50 / 1500.00	2500.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9g.large [1]	760.00 / 12000.00	95.00 / 1500.00	3600.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r9g.xlarge [1]	1500.00 / 12000.00	187.50 / 1500.00	6000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9g.2xlarge [1]	3000.00 / 12000.00	375.00 / 1500.00	12000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9g.4xlarge [1]	6000.00 / 12000.00	750.00 / 1500.00	24000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9g.8xlarge	12000.00	1500.00	48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9g.12xlarge	18000.00	2250.00	72000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9g.16xlarge	24000.00	3000.00	96000.00	✓ Yes	✗ No	48 (Dedicated limit)
r9g.24xlarge	36000.00	4500.00	144000.00	✓ Yes	✗ No	64 (Dedicated limit)
r9g.48xlarge	72000.00	9000.00	288000.00	✓ Yes	✗ No	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r9g.metal-48xl	72000.00	9000.00	288000.00	✓ Yes	✗ No	79 (Dedicated limit)
			R9gd			
r9gd.medium [1]	380.00 / 12000.00	47.50 / 1500.00	2500.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9gd.large [1]	760.00 / 12000.00	95.00 / 1500.00	3600.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9gd.xlarge [1]	1500.00 / 12000.00	187.50 / 1500.00	6000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9gd.2xlarge [1]	3000.00 / 12000.00	375.00 / 1500.00	12000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9gd.4xlarge [1]	6000.00 / 12000.00	750.00 / 1500.00	24000.00 / 48000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9gd.8xlarge	12000.00	1500.00	48000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r9gd.12xlarge	18000.00	2250.00	72000.00	✓ Yes	✗ No	32 (Dedicated limit)
r9gd.16xlarge	24000.00	3000.00	96000.00	✓ Yes	✗ No	48 (Dedicated limit)
r9gd.24xlarge	36000.00	4500.00	144000.00	✓ Yes	✗ No	64 (Dedicated limit)
r9gd.48xlarge	72000.00	9000.00	288000.00	✓ Yes	✗ No	128 (Dedicated limit)
r9gd.metal-48xl	72000.00	9000.00	288000.00	✓ Yes	✗ No	79 (Dedicated limit)
U-3tb1						
u-3tb1.56xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
U-6tb1						
u-6tb1.56xlarge	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
u-6tb1.112xlarge	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
u-6tb1.metal	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
U-9tb1						
u-9tb1.112xlarge	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
u-9tb1.metal	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
U-12tb1						
u-12tb1.112xlarge	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
u-12tb1.metal	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
U-18tb1						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
u-18tb1.112xlarge	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
u-18tb1.metal	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
U-24tb1						
u-24tb1.112xlarge	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
u-24tb1.metal	38000.00	4750.00	160000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
U7i-6tb						
u7i-6tb.112xlarge	100000.00	12500.00	560000.00	✓ Yes	✗ No	128 (Dedicated limit)
U7i-8tb						
u7i-8tb.112xlarge	100000.00	12500.00	560000.00	✓ Yes	✗ No	128 (Dedicated limit)
U7i-12tb						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
u7i-12tb.224xlarge	100000.00	12500.00	560000.00	✓ Yes	✗ No	128 (Dedicated limit)
U7in-16tb						
u7in-16tb.224xlarge	100000.00	12500.00	560000.00	✓ Yes	✗ No	128 (Dedicated limit)
U7in-24tb						
u7in-24tb.224xlarge	100000.00	12500.00	560000.00	✓ Yes	✗ No	128 (Dedicated limit)
U7in-32tb						
u7in-32tb.224xlarge	100000.00	12500.00	560000.00	✓ Yes	✗ No	128 (Dedicated limit)
U7inh-32tb						
u7inh-32tb.480xlarge	160000.00	20000.00	840000.00	✓ Yes	✗ No	128 (Dedicated limit)
X1						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x1.16xlarge	7000.00	875.00	40000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
x1.32xlarge	14000.00	1750.00	80000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
			X1e			
x1e.xlarge	500.00	62.50	3700.00	✗ No	✗ No	Up to 40 (Xen-based limit)
x1e.2xlarge	1000.00	125.00	7400.00	✗ No	✗ No	Up to 40 (Xen-based limit)
x1e.4xlarge	1750.00	218.75	10000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
x1e.8xlarge	3500.00	437.50	20000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
x1e.16xlarge	7000.00	875.00	40000.00	✗ No	✗ No	Up to 40 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x1e.32xlarge	14000.00	1750.00	80000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
			X2gd			
x2gd.medium [1]	315.00 / 4750.00	39.38 / 593.75	2500.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2gd.large [1]	630.00 / 4750.00	78.75 / 593.75	3600.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2gd.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2gd.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2gd.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2gd.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x2gd.12xlarge	14250.00	1781.25	60000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
x2gd.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
x2gd.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
X2idn						
x2idn.16xlarge	40000.00	5000.00	173333.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2idn.24xlarge	60000.00	7500.00	260000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
x2idn.32xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
x2idn.metal	80000.00	10000.00	260000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
X2iedn						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x2iedn.xlarge [1]	2500.00 / 20000.00	312.50 / 2500.00	8125.00 / 65000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2iedn.2xlarge [1]	5000.00 / 20000.00	625.00 / 2500.00	16250.00 / 65000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2iedn.4xlarge [1]	10000.00 / 20000.00	1250.00 / 2500.00	32500.00 / 65000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2iedn.8xlarge	20000.00	2500.00	65000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2iedn.16xlarge	40000.00	5000.00	130000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
x2iedn.24xlarge	60000.00	7500.00	195000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
x2iedn.32xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
x2iedn.metal	80000.00	10000.00	260000.00	✓ Yes	✗ No	Up to 31 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			X2iezn			
x2iezn.2xlarge	3170.00	396.25	13333.00	✓ Yes	✗ No	Up to 27 (Shared limit)
x2iezn.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
x2iezn.6xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
x2iezn.8xlarge	12000.00	1500.00	55000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
x2iezn.12xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
x2iezn.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			X8g			
x8g.medium [1]	315.00 / 10000.00	39.38 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x8g.large [1]	630.00 / 10000.00	78.75 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
x8g.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x8g.48xlarge	40000.00	5000.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
x8g.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
x8g.metal-48xl	40000.00	5000.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
X8aedz						
x8aedz.large [1]	1250.00 / 15000.00	156.25 / 1875.00	5000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8aedz.xlarge [1]	2500.00 / 15000.00	312.50 / 1875.00	10000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8aedz.3xlarge [1]	7500.00 / 15000.00	937.50 / 1875.00	30000.00 / 60000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8aedz.6xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x8aedz.12xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
x8aedz.24xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
x8aedz.metal-12xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
x8aedz.metal-24xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
X8i						
x8i.large [1]	650.00 / 10000.00	81.25 / 1250.00	3600.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	12000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x8i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
x8i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
x8i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
x8i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	88 (Dedicated limit)
x8i.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
x8i.64xlarge	70000.00	8750.00	320000.00	✓ Yes	✗ No	128 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
x8i.96xlarge	80000.00	10000.00	480000.00	✓ Yes	✗ No	128 (Dedicated limit)
x8i.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
x8i.metal-96xl	80000.00	10000.00	480000.00	✓ Yes	✗ No	79 (Dedicated limit)
z1d						
z1d.large [1]	800.00 / 3170.00	100.00 / 396.25	3333.00 / 13333.00	✓ Yes	✗ No	Up to 26 (Shared limit)
z1d.xlarge [1]	1580.00 / 3170.00	197.50 / 396.25	6667.00 / 13333.00	✓ Yes	✗ No	Up to 26 (Shared limit)
z1d.2xlarge	3170.00	396.25	13333.00	✓ Yes	✗ No	Up to 26 (Shared limit)
z1d.3xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
z1d.6xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
z1d.12xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
z1d.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)

Note

[1] These instances can support maximum performance for 30 minutes at least once every 24 hours, after which they revert to their baseline performance. Other instances can sustain the maximum performance indefinitely. If your workload requires sustained maximum performance for longer than 30 minutes, use one of these instances.

Instance store specifications

The following table shows the instance store volume configuration for supported instance types, along with the aggregated IOPS performance with 4,096 byte block size at queue depth saturation.

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
R5ad					
r5ad.large	1 x 75 GB	NVMe SSD	30,000 / 15,000		✓ Yes
r5ad.xlarge	1 x 150 GB	NVMe SSD	59,000 / 29,000		✓ Yes
r5ad.2xlarge	1 x 300 GB	NVMe SSD	117,000 / 57,000		✓ Yes
r5ad.4xlarge	2 x 300 GB	NVMe SSD	234,000 / 114,000		✓ Yes
r5ad.8xlarge	2 x 600 GB	NVMe SSD	466,666 / 233,334		✓ Yes
r5ad.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
r5ad.16xlarge	4 x 600 GB	NVMe SSD	933,332 / 466,668		✓ Yes
r5ad.24xlarge	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
R5d					
r5d.large	1 x 75 GB	NVMe SSD	30,000 / 15,000		✓ Yes
r5d.xlarge	1 x 150 GB	NVMe SSD	59,000 / 29,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r5d.2xlarge	1 x 300 GB	NVMe SSD	117,000 / 57,000		✓ Yes
r5d.4xlarge	2 x 300 GB	NVMe SSD	234,000 / 114,000		✓ Yes
r5d.8xlarge	2 x 600 GB	NVMe SSD	466,666 / 233,334		✓ Yes
r5d.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
r5d.16xlarge	4 x 600 GB	NVMe SSD	933,332 / 466,668		✓ Yes
r5d.24xlarge	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
r5d.metal	4 x 900 GB	NVMe SSD	1,400,000 / 680,000		✓ Yes
R5dn					
r5dn.large	1 x 75 GB	NVMe SSD	29,000 / 14,500		✓ Yes
r5dn.xlarge	1 x 150 GB	NVMe SSD	58,000 / 29,000		✓ Yes
r5dn.2xlarge	1 x 300 GB	NVMe SSD	116,000 / 58,000		✓ Yes
r5dn.4xlarge	2 x 300 GB	NVMe SSD	232,000 / 116,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r5dn.8xlarge	2 x 600 GB	NVMe SSD	464,000 / 232,000		✓ Yes
r5dn.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 350,000		✓ Yes
r5dn.16xlarge	4 x 600 GB	NVMe SSD	930,000 / 465,000		✓ Yes
r5dn.24xlarge	4 x 900 GB	NVMe SSD	1,400,000 / 700,000		✓ Yes
r5dn.metal	4 x 900 GB	NVMe SSD	1,400,000 / 700,000		✓ Yes
R6gd					
r6gd.medium	1 x 59 GB	NVMe SSD	13,438 / 5,625		✓ Yes
r6gd.large	1 x 118 GB	NVMe SSD	26,875 / 11,250		✓ Yes
r6gd.xlarge	1 x 237 GB	NVMe SSD	53,750 / 22,500		✓ Yes
r6gd.2xlarge	1 x 474 GB	NVMe SSD	107,500 / 45,000		✓ Yes
r6gd.4xlarge	1 x 950 GB	NVMe SSD	215,000 / 90,000		✓ Yes
r6gd.8xlarge	1 x 1900 GB	NVMe SSD	430,000 / 180,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r6gd.12xlarge	2 x 1425 GB	NVMe SSD	645,000 / 270,000		✓ Yes
r6gd.16xlarge	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
r6gd.metal	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
R6id					
r6id.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
r6id.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
r6id.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
r6id.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
r6id.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
r6id.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes
r6id.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
r6id.24xlarge	4 x 1425 GB	NVMe SSD	1,609,996 / 805,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r6id.32xlarge	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
r6id.metal	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
R6idn					
r6idn.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
r6idn.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
r6idn.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
r6idn.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
r6idn.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
r6idn.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes
r6idn.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
r6idn.24xlarge	4 x 1425 GB	NVMe SSD	1,609,996 / 805,000		✓ Yes
r6idn.32xlarge	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r6idn.metal	4 x 1900 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
R7gd					
r7gd.medium	1 x 59 GB	NVMe SSD	16,771 / 8,385		✓ Yes
r7gd.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
r7gd.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
r7gd.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
r7gd.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
r7gd.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
r7gd.12xlarge	2 x 1425 GB	NVMe SSD	804,998 / 402,500		✓ Yes
r7gd.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
r7gd.metal	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
R8gd					
r8gd.medium	1 x 59 GB	NVMe SSD	16,771 / 8,385		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r8gd.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
r8gd.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
r8gd.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
r8gd.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
r8gd.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
r8gd.12xlarge	3 x 950 GB	NVMe SSD	804,999 / 402,501		✓ Yes
r8gd.16xlarge	2 x 1900 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
r8gd.24xlarge	3 x 1900 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
r8gd.48xlarge	6 x 1900 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
r8gd.metal-24xl	3 x 1900 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
r8gd.metal-48xl	6 x 1900 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
R8id					

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r8id.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
r8id.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
r8id.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
r8id.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
r8id.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
r8id.12xlarge	1 x 2850 GB	NVMe SSD	804,999 / 402,501		✓ Yes
r8id.16xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
r8id.24xlarge	2 x 2850 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
r8id.32xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
r8id.48xlarge	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
r8id.96xlarge	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
r8id.metal-48xl	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r8id.metal-96xl	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
R8idn					
r8idn.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
r8idn.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
r8idn.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
r8idn.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
r8idn.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
r8idn.12xlarge	1 x 2850 GB	NVMe SSD	804,999 / 402,501		✓ Yes
r8idn.16xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
r8idn.24xlarge	2 x 2850 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes
r8idn.32xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
r8idn.48xlarge	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r8idn.96xlarge	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
r8idn.metal-48xl	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
r8idn.metal-96xl	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
R8idb					
r8idb.large	1 x 118 GB	NVMe SSD	33,542 / 16,771		✓ Yes
r8idb.xlarge	1 x 237 GB	NVMe SSD	67,083 / 33,542		✓ Yes
r8idb.2xlarge	1 x 474 GB	NVMe SSD	134,167 / 67,084		✓ Yes
r8idb.4xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
r8idb.8xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
r8idb.12xlarge	1 x 2850 GB	NVMe SSD	804,999 / 402,501		✓ Yes
r8idb.16xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
r8idb.24xlarge	2 x 2850 GB	NVMe SSD	1,609,998 / 805,002		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r8idb.32xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
r8idb.48xlarge	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
r8idb.96xlarge	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
r8idb.metal-48xl	3 x 3800 GB	NVMe SSD	3,219,996 / 1,610,004		✓ Yes
r8idb.metal-96xl	6 x 3800 GB	NVMe SSD	6,439,992 / 3,220,008		✓ Yes
R9gd					
r9gd.medium	1 x 59 GB	NVMe SSD	21,802 / 10,901		✓ Yes
r9gd.large	1 x 118 GB	NVMe SSD	43,604 / 21,802		✓ Yes
r9gd.xlarge	1 x 237 GB	NVMe SSD	87,207 / 43,604		✓ Yes
r9gd.2xlarge	1 x 474 GB	NVMe SSD	174,417 / 87,209		✓ Yes
r9gd.4xlarge	1 x 950 GB	NVMe SSD	348,832 / 174,417		✓ Yes
r9gd.8xlarge	1 x 1900 GB	NVMe SSD	697,665 / 348,834		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
r9gd.12xlarge	3 x 950 GB	NVMe SSD	1,046,496 / 523,251		✓ Yes
r9gd.16xlarge	1 x 3800 GB	NVMe SSD	1,395,331 / 697,668		✓ Yes
r9gd.24xlarge	3 x 1900 GB	NVMe SSD	2,092,995 / 1,046,502		✓ Yes
r9gd.48xlarge	3 x 3800 GB	NVMe SSD	4,185,993 / 2,093,004		✓ Yes
r9gd.metal-48xl	3 x 3800 GB	NVMe SSD	4,185,993 / 2,093,004		✓ Yes
X1					
x1.16xlarge	1 x 1920 GB	SSD		✓ Yes	
x1.32xlarge	2 x 1920 GB	SSD		✓ Yes	
X1e					
x1e.xlarge	1 x 120 GB	SSD		✓ Yes	
x1e.2xlarge	1 x 240 GB	SSD		✓ Yes	
x1e.4xlarge	1 x 480 GB	SSD		✓ Yes	
x1e.8xlarge	1 x 960 GB	SSD		✓ Yes	
x1e.16xlarge	1 x 1920 GB	SSD		✓ Yes	
x1e.32xlarge	2 x 1920 GB	SSD		✓ Yes	
X2gd					

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
x2gd.medium	1 x 59 GB	NVMe SSD	13,438 / 5,625		✓ Yes
x2gd.large	1 x 118 GB	NVMe SSD	26,875 / 11,250		✓ Yes
x2gd.xlarge	1 x 237 GB	NVMe SSD	53,750 / 22,500		✓ Yes
x2gd.2xlarge	1 x 475 GB	NVMe SSD	107,500 / 45,000		✓ Yes
x2gd.4xlarge	1 x 950 GB	NVMe SSD	215,000 / 90,000		✓ Yes
x2gd.8xlarge	1 x 1900 GB	NVMe SSD	430,000 / 180,000		✓ Yes
x2gd.12xlarge	2 x 1425 GB	NVMe SSD	645,000 / 270,000		✓ Yes
x2gd.16xlarge	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
x2gd.metal	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
X2idn					
x2idn.16xlarge	1 x 1900 GB	NVMe SSD	430,000 / 180,000		✓ Yes
x2idn.24xlarge	2 x 1425 GB	NVMe SSD	645,000 / 270,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
x2idn.32xlarge	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
x2idn.metal	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
X2iedn					
x2iedn.xlarge	1 x 118 GB	NVMe SSD	26,875 / 11,250		✓ Yes
x2iedn.2xlarge	1 x 237 GB	NVMe SSD	53,750 / 22,500		✓ Yes
x2iedn.4xlarge	1 x 475 GB	NVMe SSD	107,500 / 45,000		✓ Yes
x2iedn.8xlarge	1 x 950 GB	NVMe SSD	215,000 / 90,000		✓ Yes
x2iedn.16xlarge	1 x 1900 GB	NVMe SSD	430,000 / 180,000		✓ Yes
x2iedn.24xlarge	2 x 1425 GB	NVMe SSD	645,000 / 270,000		✓ Yes
x2iedn.32xlarge	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
x2iedn.metal	2 x 1900 GB	NVMe SSD	860,000 / 360,000		✓ Yes
X8aedz					
x8aedz.large	1 x 158 GB	NVMe SSD	44,722 / 22,361		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
x8aedz.xlarge	1 x 316 GB	NVMe SSD	89,444 / 44,722		✓ Yes
x8aedz.3xlarge	1 x 950 GB	NVMe SSD	268,333 / 134,167		✓ Yes
x8aedz.6xlarge	1 x 1900 GB	NVMe SSD	536,666 / 268,334		✓ Yes
x8aedz.12xlarge	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
x8aedz.24xlarge	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
x8aedz.metal-12xl	1 x 3800 GB	NVMe SSD	1,073,332 / 536,668		✓ Yes
x8aedz.metal-24xl	2 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes
z1d					
z1d.large	1 x 75 GB	NVMe SSD	30,000 / 15,000		✓ Yes
z1d.xlarge	1 x 150 GB	NVMe SSD	59,000 / 29,000		✓ Yes
z1d.2xlarge	1 x 300 GB	NVMe SSD	117,000 / 57,000		✓ Yes
z1d.3xlarge	1 x 450 GB	NVMe SSD	175,000 / 75,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
z1d.6xlarge	1 x 900 GB	NVMe SSD	350,000 / 170,000		✓ Yes
z1d.12xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
z1d.metal	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes

[1] Volumes attached to certain instances suffer a first-write penalty unless initialized. For more information, see Optimize disk performance for instance store volumes.

[2] For more information, see Instance store volume TRIM support.

Security specifications

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
			R5			
r5.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
r5.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r5.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5.24xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
R5a						
r5a.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
r5a.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r5a.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5a.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5a.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5a.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5a.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5a.24xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
R5ad						
r5ad.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
r5ad.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5ad.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5ad.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r5ad.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5ad.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5ad.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5ad.24xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
R5b						
r5b.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
r5b.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5b.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5b.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5b.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5b.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r5b.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5b.24xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r5b.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
R5d						
r5d.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
r5d.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5d.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5d.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5d.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5d.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5d.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5d.24xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r5d.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
R5dn						
r5dn.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r5dn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r5dn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r5dn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r5dn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r5dn.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r5dn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r5dn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r5dn.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
R5n						
r5n.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r5n.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r5n.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r5n.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r5n.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r5n.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r5n.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r5n.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r5n.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R6a						
r6a.large	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✗ No
r6a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
r6a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r6a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✓ Yes	✓ Yes	✓ Yes
r6a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6a.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6a.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R6g						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r6g.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✗ No
r6g.large	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r6g.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r6g.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r6g.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r6g.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r6g.12xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes
r6g.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r6g.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
R6gd						
r6gd.medium	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
r6gd.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r6gd.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r6gd.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r6gd.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r6gd.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r6gd.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r6gd.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
r6gd.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
R6i						
r6i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r6i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r6i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6i.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6i.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R6id						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r6id.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r6id.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6id.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
R6idn						
r6idn.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r6idn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6idn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6idn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6idn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6idn.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6idn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6idn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r6idn.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r6idn.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
R6in						
r6in.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r6in.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6in.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6in.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6in.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6in.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6in.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r6in.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6in.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r6in.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R7a						
r7a.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r7a.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r7a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r7a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7a.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R7g						
r7g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r7g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7g.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R7gd						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r7gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r7gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r7gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r7gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r7gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r7gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r7gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r7gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r7gd.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
			R7i			
r7i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r7i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r7i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7i.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7i.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
r7i.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R7iz						
r7iz.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r7iz.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7iz.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7iz.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7iz.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7iz.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7iz.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7iz.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r7iz.metal-16xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r7iz.metal-32xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R8a						
r8a.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8a.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8a.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8a.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
r8a.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R8g						
r8g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8g.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8g.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
R8gb						
r8gb.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8gb.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8gb.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gb.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8gb.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
R8gd						
r8gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r8gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gd.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r8gd.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
R8gn						
r8gn.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8gn.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8gn.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8gn.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8gn.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
R8i						
r8i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8i.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8i.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
r8i.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R8id						
r8id.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r8id.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8id.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.96xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8id.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
r8id.metal-96xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
R8i-flex						
r8i-flex.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8i-flex.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8i-flex.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8i-flex.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8i-flex.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8i-flex.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8i-flex.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
R8in						
r8in.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8in.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8in.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8in.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
r8in.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R8idn						
r8idn.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r8idn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8idn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.96xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idn.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
r8idn.metal-96xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
R8ib						
r8ib.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r8ib.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8ib.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r8ib.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r8ib.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
R8idb						
r8idb.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r8idb.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.96xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r8idb.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
r8idb.metal-96xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
R9g						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r9g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
r9g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r9g.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
r9g.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
R9gd						
r9gd.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
r9gd.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
r9gd.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
U-3tb1						
u-3tb1.56xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
U-6tb1						
u-6tb1.56xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
u-6tb1.112xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
u-6tb1.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
U-9tb1						
u-9tb1.112xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
u-9tb1.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
U-12tb1						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
u-12tb1.112xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
u-12tb1.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
U-18tb1						
u-18tb1.112xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
u-18tb1.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
U-24tb1						
u-24tb1.112xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
u-24tb1.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
U7i-6tb						
u7i-6tb.112xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
U7i-8tb						
u7i-8tb.112xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
U7i-12tb						
u7i-12tb.224xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
U7in-16tb						
u7in-16tb.224xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
U7in-24tb						
u7in-24tb.224xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
U7in-32tb						
u7in-32tb.224xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
U7inh-32tb						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
u7inh-32tb.480xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
X1						
x1.16xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
x1.32xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
X1e						
x1e.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
x1e.2xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
x1e.4xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
x1e.8xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
x1e.16xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
x1e.32xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
X2gd						
x2gd.medium	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
x2gd.large	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✓ Yes
x2gd.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✓ Yes
x2gd.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✓ Yes
x2gd.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
x2gd.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✓ Yes
x2gd.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✓ Yes
x2gd.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✓ Yes
x2gd.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
X2idn						
x2idn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2idn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2idn.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2idn.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
X2iedn						
x2iedn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iedn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iedn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iedn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iedn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iedn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iedn.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iedn.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
X2iezn						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
x2iezn.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iezn.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iezn.6xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iezn.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iezn.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x2iezn.metal	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
X8g						
x8g.medium	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
x8g.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
x8g.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8g.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8g.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8g.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8g.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
x8g.metal-24xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
x8g.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
X8aedz						
x8aedz.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x8aedz.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x8aedz.3xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x8aedz.6xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x8aedz.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x8aedz.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
x8aedz.metal-12xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
x8aedz.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
X8i						
x8i.large	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
x8i.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
x8i.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.32xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
x8i.64xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
x8i.metal-48xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
x8i.metal-96xl	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
z1d						
z1d.large	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✗ No
z1d.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
z1d.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
z1d.3xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
z1d.6xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
z1d.12xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes	✓ Yes
z1d.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No

Specifications for Amazon EC2 storage optimized instances

Storage optimized instances are designed for workloads that require high, sequential read and write access to very large data sets on local storage. They are optimized to deliver tens of thousands of low-latency, random I/O operations per second (IOPS) to applications.

For information on previous generation instance types of this category, such as I2 instances, see Specifications for Amazon EC2 previous generation instances.

Contents

- Instance families and instance types
- Instance family summary
- Performance specifications
- Network specifications
- Amazon EBS specifications
- Instance store specifications
- Security specifications

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Instance families and instance types

Instance family	Available instance types
D2	d2.xlarge | d2.2xlarge | d2.4xlarge | d2.8xlarge
D3	d3.xlarge | d3.2xlarge | d3.4xlarge | d3.8xlarge
D3en	d3en.xlarge | d3en.2xlarge | d3en.4xlarge | d3en.6xlarge | d3en.8xlarge | d3en.12xlarge
H1	h1.2xlarge | h1.4xlarge | h1.8xlarge | h1.16xlarge

Instance family	Available instance types
I3	i3.large|i3.xlarge |i3.2xlarge |i3.4xlarge |i3.8xlarge | i3.16xlarge |i3.metal
I3en	i3en.large |i3en.xlarge |i3en.2xlarge |i3en.3xlarge | i3en.6xlarge |i3en.12xlarge |i3en.24xlarge |i3en.metal
I4g	i4g.large |i4g.xlarge |i4g.2xlarge |i4g.4xlarge |i4g.8xlarge |i4g.16xlarge
I4i	i4i.large |i4i.xlarge |i4i.2xlarge |i4i.4xlarge |i4i.8xlarge |i4i.12xlarge |i4i.16xlarge |i4i.24xlarge |i4i.32xlarge | i4i.metal
I7i	i7i.large |i7i.xlarge |i7i.2xlarge |i7i.4xlarge |i7i.8xlarge |i7i.12xlarge |i7i.16xlarge |i7i.24xlarge |i7i.48xlarge | i7i.metal-24xl |i7i.metal-48xl
I7ie	i7ie.large |i7ie.xlarge |i7ie.2xlarge |i7ie.3xlarge | i7ie.6xlarge |i7ie.12xlarge |i7ie.18xlarge |i7ie.24xlarge | i7ie.48xlarge |i7ie.metal-24xl |i7ie.metal-48xl
I8g	i8g.large |i8g.xlarge |i8g.2xlarge |i8g.4xlarge |i8g.8xlarge |i8g.12xlarge |i8g.16xlarge |i8g.24xlarge |i8g.48xlarge | i8g.metal-24xl |i8g.metal-48xl
I8ge	i8ge.large |i8ge.xlarge |i8ge.2xlarge |i8ge.3xlarge | i8ge.6xlarge |i8ge.12xlarge |i8ge.18xlarge |i8ge.24xlarge | i8ge.48xlarge |i8ge.metal-24xl |i8ge.metal-48xl
Im4gn	im4gn.large |im4gn.xlarge |im4gn.2xlarge |im4gn.4xlarge | im4gn.8xlarge |im4gn.16xlarge
Is4gen	is4gen.medium |is4gen.large |is4gen.xlarge |is4gen.2xlarge | is4gen.4xlarge |is4gen.8xlarge

Instance family summary

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
D2	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
D3	Nitro v3	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
D3en	Nitro v3	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
H1	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
I3	Xen *	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
I3en	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
I4g	Nitro v4	AWS Graviton (arm64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Linux
I4i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
I7i	Nitro v4	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
I7ie	Nitro v5	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
I8g	Nitro v5	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
I8ge	Nitro v6	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✓ Yes	Linux
Im4gn	Nitro v4	AWS Graviton (arm64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Linux
Is4gen	Nitro v4	AWS Graviton (arm64)	✗ No	✗ No	✓ Yes	✓ Yes	Linux

Note

* `i3.metal` instances are built on the AWS Nitro System.

Performance specifications

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
D2							
d2.xlarge	30.50	Intel Xeon E52676v3	4	2	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
d2.2xlarge	61.00	Intel Xeon E52676v3	8	4	2	✗ No	✗ No
d2.4xlarge	122.00	Intel Xeon E52676v3	16	8	2	✗ No	✗ No
d2.8xlarge	244.00	Intel Xeon E52676v3	36	18	2	✗ No	✗ No
D3							
d3.xlarge	32.00	Intel Xeon Platinum 8259	4	2	2	✗ No	✗ No
d3.2xlarge	64.00	Intel Xeon Platinum 8259	8	4	2	✗ No	✗ No
d3.4xlarge	128.00	Intel Xeon Platinum 8259	16	8	2	✗ No	✗ No
d3.8xlarge	256.00	Intel Xeon Platinum 8259	32	16	2	✗ No	✗ No
D3en							
d3en.xlarge	16.00	Intel Xeon Platinum 8259	4	2	2	✗ No	✗ No
d3en.2xlarge	32.00	Intel Xeon Platinum 8259	8	4	2	✗ No	✗ No
d3en.4xlarge	64.00	Intel Xeon Platinum 8259	16	8	2	✗ No	✗ No
d3en.6xlarge	96.00	Intel Xeon Platinum 8259	24	12	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
d3en.8xlarge	128.00	Intel Xeon Platinum 8259	32	16	2	✗ No	✗ No
d3en.12xlarge	192.00	Intel Xeon Platinum 8259	48	24	2	✗ No	✗ No
H1							
h1.2xlarge	32.00	Intel Broadwell E5-2686v4	8	4	2	✗ No	✗ No
h1.4xlarge	64.00	Intel Broadwell E5-2686v4	16	8	2	✗ No	✗ No
h1.8xlarge	128.00	Intel Broadwell E5-2686v4	32	16	2	✗ No	✗ No
h1.16xlarge	256.00	Intel Broadwell E5-2686v4	64	32	2	✗ No	✗ No
I3							
i3.large	15.25	Intel Broadwell E5-2686v4	2	1	2	✗ No	✗ No
i3.xlarge	30.50	Intel Broadwell E5-2686v4	4	2	2	✗ No	✗ No
i3.2xlarge	61.00	Intel Broadwell E5-2686v4	8	4	2	✗ No	✗ No
i3.4xlarge	122.00	Intel Broadwell E5-2686v4	16	8	2	✗ No	✗ No
i3.8xlarge	244.00	Intel Broadwell E5-2686v4	32	16	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
i3.16xlarge	488.00	Intel Broadwell E5-2686v4	64	32	2	✗ No	✗ No
i3.metal	512.00	Intel Broadwell E5-2686v4	72	36	2	✗ No	✗ No
I3en							
i3en.large	16.00	Intel Xeon Platinum 8175	2	1	2	✗ No	✗ No
i3en.xlarge	32.00	Intel Xeon Platinum 8175	4	2	2	✗ No	✗ No
i3en.2xlarge	64.00	Intel Xeon Platinum 8175	8	4	2	✗ No	✗ No
i3en.3xlarge	96.00	Intel Xeon Platinum 8175	12	6	2	✗ No	✗ No
i3en.6xlarge	192.00	Intel Xeon Platinum 8175	24	12	2	✗ No	✗ No
i3en.12xlarge	384.00	Intel Xeon Platinum 8175	48	24	2	✗ No	✗ No
i3en.24xlarge	768.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
i3en.metal	768.00	Intel Xeon Platinum 8175	96	48	2	✗ No	✗ No
I4g							
i4g.large	16.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
i4g.xlarge	32.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
i4g.2xlarge	64.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
i4g.4xlarge	128.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
i4g.8xlarge	256.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
i4g.16xlarge	512.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
I4i							
i4i.large	16.00	Intel Xeon Ice Lake	2	1	2	✗ No	✗ No
i4i.xlarge	32.00	Intel Xeon Ice Lake	4	2	2	✗ No	✗ No
i4i.2xlarge	64.00	Intel Xeon Ice Lake	8	4	2	✗ No	✗ No
i4i.4xlarge	128.00	Intel Xeon Ice Lake	16	8	2	✗ No	✗ No
i4i.8xlarge	256.00	Intel Xeon Ice Lake	32	16	2	✗ No	✗ No
i4i.12xlarge	384.00	Intel Xeon Ice Lake	48	24	2	✗ No	✗ No
i4i.16xlarge	512.00	Intel Xeon Ice Lake	64	32	2	✗ No	✗ No
i4i.24xlarge	768.00	Intel Xeon Ice Lake	96	48	2	✗ No	✗ No
i4i.32xlarge	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No
i4i.metal	1024.00	Intel Xeon Ice Lake	128	64	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
I7i							
i7i.large	16.00	Intel Emerald Rapids	2	1	2	✗ No	✗ No
i7i.xlarge	32.00	Intel Emerald Rapids	4	2	2	✗ No	✗ No
i7i.2xlarge	64.00	Intel Emerald Rapids	8	4	2	✗ No	✗ No
i7i.4xlarge	128.00	Intel Emerald Rapids	16	8	2	✗ No	✗ No
i7i.8xlarge	256.00	Intel Emerald Rapids	32	16	2	✗ No	✗ No
i7i.12xlarge	384.00	Intel Emerald Rapids	48	24	2	✗ No	✗ No
i7i.16xlarge	512.00	Intel Emerald Rapids	64	32	2	✗ No	✗ No
i7i.24xlarge	768.00	Intel Emerald Rapids	96	48	2	✗ No	✗ No
i7i.48xlarge	1536.00	Intel Emerald Rapids	192	96	2	✗ No	✗ No
i7i.metal-24xl	768.00	Intel Emerald Rapids	96	48	2	✗ No	✗ No
i7i.metal-48xl	1536.00	Intel Emerald Rapids	192	96	2	✗ No	✗ No
I7ie							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
i7ie.large	16.00	Intel Emerald Rapids	2	1	2	✗ No	✗ No
i7ie.xlarge	32.00	Intel Emerald Rapids	4	2	2	✗ No	✗ No
i7ie.2xlarge	64.00	Intel Emerald Rapids	8	4	2	✗ No	✗ No
i7ie.3xlarge	96.00	Intel Emerald Rapids	12	6	2	✗ No	✗ No
i7ie.6xlarge	192.00	Intel Emerald Rapids	24	12	2	✗ No	✗ No
i7ie.12xlarge	384.00	Intel Emerald Rapids	48	24	2	✗ No	✗ No
i7ie.18xlarge	576.00	Intel Emerald Rapids	72	36	2	✗ No	✗ No
i7ie.24xlarge	768.00	Intel Emerald Rapids	96	48	2	✗ No	✗ No
i7ie.48xlarge	1536.00	Intel Emerald Rapids	192	96	2	✗ No	✗ No
i7ie.metal-24xl	768.00	Intel Emerald Rapids	96	48	2	✗ No	✗ No
i7ie.metal-48xl	1536.00	Intel Emerald Rapids	192	96	2	✗ No	✗ No
I8g							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
i8g.large	16.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
i8g.xlarge	32.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
i8g.2xlarge	64.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
i8g.4xlarge	128.00	AWS Graviton4 Processor	16	16	1	✗ No	✗ No
i8g.8xlarge	256.00	AWS Graviton4 Processor	32	32	1	✗ No	✗ No
i8g.12xlarge	384.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
i8g.16xlarge	512.00	AWS Graviton4 Processor	64	64	1	✗ No	✗ No
i8g.24xlarge	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
i8g.48xlarge	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
i8g.metal-24xl	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
i8g.metal-48xl	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
I8ge							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
i8ge.large	16.00	AWS Graviton4 Processor	2	2	1	✗ No	✗ No
i8ge.xlarge	32.00	AWS Graviton4 Processor	4	4	1	✗ No	✗ No
i8ge.2xlarge	64.00	AWS Graviton4 Processor	8	8	1	✗ No	✗ No
i8ge.3xlarge	96.00	AWS Graviton4 Processor	12	12	1	✗ No	✗ No
i8ge.6xlarge	192.00	AWS Graviton4 Processor	24	24	1	✗ No	✗ No
i8ge.12xlarge	384.00	AWS Graviton4 Processor	48	48	1	✗ No	✗ No
i8ge.18xlarge	576.00	AWS Graviton4 Processor	72	72	1	✗ No	✗ No
i8ge.24xlarge	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
i8ge.48xlarge	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
i8ge.metal-24xl	768.00	AWS Graviton4 Processor	96	96	1	✗ No	✗ No
i8ge.metal-48xl	1536.00	AWS Graviton4 Processor	192	192	1	✗ No	✗ No
Im4gn							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
im4gn.large	8.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
im4gn.xlarge	16.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
im4gn.2xlarge	32.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
im4gn.4xlarge	64.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No
im4gn.8xlarge	128.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No
im4gn.16xlarge	256.00	AWS Graviton2 Processor	64	64	1	✗ No	✗ No
Is4gen							
is4gen.medium	6.00	AWS Graviton2 Processor	1	1	1	✗ No	✗ No
is4gen.large	12.00	AWS Graviton2 Processor	2	2	1	✗ No	✗ No
is4gen.xlarge	24.00	AWS Graviton2 Processor	4	4	1	✗ No	✗ No
is4gen.2xlarge	48.00	AWS Graviton2 Processor	8	8	1	✗ No	✗ No
is4gen.4xlarge	96.00	AWS Graviton2 Processor	16	16	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
is4gen.8xlarge	192.00	AWS Graviton2 Processor	32	32	1	✗ No	✗ No

Network specifications

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Express	ENA queues per interface (Default, Maximum)	Network cards	Max. network interfaces	IP addresses per interface	IPv6
D2									
d2.xlarge [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
d2.2xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
d2.4xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
d2.8xlarge [3]	10 Gigabit	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
D3									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
d3.xlarge [1] [3]	3.0 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	3	✓ Yes
d3.2xlarge [1] [3]	6.0 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	5	✓ Yes
d3.4xlarge [1] [3]	12.5 / 15.0	✗ No	✓ Yes	✗ No	8	1	4	10	✓ Yes
d3.8xlarge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	3	20	✓ Yes
D3en									
d3en.xlarge [1] [3]	6.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	3	✓ Yes
d3en.2xlarge [1] [3]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	5	✓ Yes
d3en.4xlarge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	4	10	✓ Yes
d3en.6xlarge [3]	40 Gigabit	✗ No	✓ Yes	✗ No	32	1	4	15	✓ Yes
d3en.8xlarge [3]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	4	20	✓ Yes
d3en.12xlarge [3]	75 Gigabit	✗ No	✓ Yes	✗ No	32	1	3	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				H1					
h1.2xlarg e [1] [3]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
h1.4xlarg e [1] [3]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
h1.8xlarge [3]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
h1.16xlar ge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	50	✓ Yes
				I3					
i3.large [1] [3]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
i3.xlarge [1] [3]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i3.2xlarge [1] [3]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i3.4xlarge [1] [3]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
i3.8xlarge [3]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
i3.16xlarge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
i3.metal [3]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
I3en									
i3en.large [1] [3]	2.1 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
i3en.xlarge [1] [3]	4.2 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i3en.2xlarge [1] [3]	8.4 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i3en.3xlarge [1] [3]	12.5 / 25.0	✗ No	✓ Yes	✗ No	32	1	4	15	✓ Yes
i3en.6xlarge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
i3en.12xlarge [3]	50 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	8	30	✓ Yes
i3en.24xlarge [3]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
i3en.metal [3]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				I4g					
i4g.large [1] [3]	0.781 / 10.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
i4g.xlarge [1] [3]	1.875 / 10.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
i4g.2xlarge [1] [3]	4.687 / 12.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i4g.4xlarge [1] [3]	9.375 / 25.0	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i4g.8xlarge [3]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i4g.16xlarge [3]	37.5 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
				I4i					
i4i.large [1] [3]	0.781 / 10.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
i4i.xlarge [1] [3]	1.875 / 10.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
i4i.2xlarge [1] [3]	4.687 / 12.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
i4i.4xlarge [1] [3]	9.375 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
i4i.8xlarge [3]	18.75 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i4i.12xlarge [3]	28.12 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i4i.16xlarge [3]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
i4i.24xlarge [3]	56.25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	30	✓ Yes
i4i.32xlarge [3]	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
i4i.metal [3]	75 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
I7i									
i7i.large [1] [3]	1.171 / 10.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
i7i.xlarge [1] [3]	2.343 / 10.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
i7i.2xlarge [1] [3]	4.687 / 12.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
i7i.4xlarge [1] [3]	9.375 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
i7i.8xlarge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
i7i.12xlarge [3]	28.12 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i7i.16xlarge [3]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
i7i.24xlarge [3]	56.25 Gigabit	✓ Yes	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
i7i.48xlarge [3]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
i7i.metal-24xl [3]	56.25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
i7i.metal-48xl [3]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
I7ie									
i7ie.large [1] [3]	2.083 / 25.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
i7ie.xlarge [1] [3]	4.166 / 25.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
i7ie.2xla rge [1] [3]	8.333 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i7ie.3xla rge [1] [3]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i7ie.6xla rge [1] [3]	12.5 / 25.0	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i7ie.12xl arge [1] [3]	25.0 / 50.0	✗ No	✓ Yes	✓ Yes	16	1	8	50	✓ Yes
i7ie.18xl arge [1] [3]	37.5 / 75.0	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
i7ie.24xl arge [1] [3]	50.0 / 100.0	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
i7ie.48xl arge [3]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	15	50	✓ Yes
i7ie.meta l-24xl [1] [3]	50.0 / 100.0	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
i7ie.meta l-48xl [3]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	15	50	✓ Yes
I8g									
i8g.large [1] [3]	1.172 / 10.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
i8g.xlarge [1] [3]	2.344 / 10.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
i8g.2xlarge [1] [3]	4.688 / 12.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
i8g.4xlarge [1] [3]	9.375 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
i8g.8xlarge [3]	25 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i8g.12xlarge [3]	28.12 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	8	30	✓ Yes
i8g.16xlarge [3]	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8	1	15	50	✓ Yes
i8g.24xlarge [3]	56.25 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
i8g.48xlarge [3]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
i8g.metal-24xl [3]	56.25 Gigabit	✗ No	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
i8g.metal-48xl [1] [3]	90.0 / 100.0	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
I8ge									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
i8ge.large [1]	2.1 / 25.0	✗ No	✓ Yes	✗ No	2 / 2	1	3	10	✓ Yes
i8ge.xlarge [1]	4.2 / 25.0	✗ No	✓ Yes	✗ No	4 / 4	1	4	15	✓ Yes
i8ge.2xlarge [1]	8.4 / 25.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	15	✓ Yes
i8ge.3xlarge [1]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8 / 16	1	6	30	✓ Yes
i8ge.6xlarge	37.5 Gigabit	✗ No	✓ Yes	✓ Yes	8 / 32	1	10	30	✓ Yes
i8ge.12xlarge	75 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 64	1	12	30	✓ Yes
i8ge.18xlarge	112.5 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	50	✓ Yes
i8ge.24xlarge	150 Gigabit	✗ No	✓ Yes	✓ Yes	16 / 128	1	16	50	✓ Yes
i8ge.48xlarge	180 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	50	✓ Yes
i8ge.metal-24xl [3]	150 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	16	50	✓ Yes
i8ge.metal-48xl [3]	180 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	24	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
Im4gn									
im4gn.lar ge [1] [3]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
im4gn.xla rge [1] [3]	6.25 / 25.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
im4gn.2xl arge [1] [3]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
im4gn.4xl arge [3]	25 Gigabit	✗ No	✓ Yes	✓ Yes	16	1	8	30	✓ Yes
im4gn.8xl arge [3]	50 Gigabit	✗ No	✓ Yes	✓ Yes	32	1	8	30	✓ Yes
im4gn.16x large [3]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	15	50	✓ Yes
Is4gen									
is4gen.me dium [1] [3]	1.562 / 25.0	✗ No	✓ Yes	✗ No	1	1	2	4	✓ Yes
is4gen.la rge [1] [3]	3.125 / 25.0	✗ No	✓ Yes	✗ No	2	1	3	10	✓ Yes
is4gen.xl arge [1] [3]	6.25 / 25.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
is4gen.2x large [1] [3]	12.5 / 25.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
is4gen.4x large [3]	25 Gigabit	✗ No	✓ Yes	✗ No	16	1	8	30	✓ Yes
is4gen.8x large [3]	50 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes

Note

[1] These instances have a baseline bandwidth and can use a network I/O credit mechanism to burst beyond their baseline bandwidth on a best effort basis. Other instances types can sustain their maximum performance indefinitely. For more information, see instance network bandwidth.

[2] These instances support enhanced networking using the Intel 82599 VF interface.

[3] These instance types do not support configurable ENA queue allocation.

Amazon EBS specifications

The following table indicates which instance types are Amazon EBS optimized by default and which optionally support it. It also describes their EBS-optimized performance, including dedicated bandwidth to Amazon EBS, the typical maximum aggregate throughput that can be achieved on that dedicated connection with a streaming read workload and 128 KiB I/O size, and the maximum IOPS the instance type can support when using a 16 KiB I/O size. Instance types not listed do not support Amazon EBS optimization.

Important

An instance's EBS performance is bounded by the instance's performance limits, or the aggregated performance of its attached volumes, whichever is smaller. To achieve maximum EBS performance, an instance must have attached volumes that provide a combined performance equal to or greater than the maximum instance performance. For example, to achieve `80,000` IOPS for `r6i.16xlarge`, the instance must have at least 5 gp3 volumes provisioned with `16,000` IOPS each (5 volumes x `16,000` IOPS = `80,000` IOPS).

We recommend that you choose an EBS–optimized instance type that provides more dedicated Amazon EBS throughput than your application needs; otherwise, the connection between Amazon EBS and Amazon EC2 can become a performance bottleneck.

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			D2			
d2.xlarge	750.00	93.75	6000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
d2.2xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
d2.4xlarge	2000.00	250.00	16000.00	✗ No	✗ No	Up to 40 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
d2.8xlarge	4000.00	500.00	32000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
D3						
d3.xlarge [1]	850.00 / 2800.00	106.25 / 350.00	5000.00 / 15000.00	✓ Yes	✗ No	Up to 24 (Shared limit)
d3.2xlarge [1]	1700.00 / 2800.00	212.50 / 350.00	10000.00 / 15000.00	✓ Yes	✗ No	Up to 21 (Shared limit)
d3.4xlarge	2800.00	350.00	15000.00	✓ Yes	✗ No	Up to 15 (Shared limit)
d3.8xlarge	5000.00	625.00	30000.00	✓ Yes	✗ No	Up to 3 (Shared limit)
D3en						
d3en.xlarge [1]	850.00 / 2800.00	106.25 / 350.00	5000.00 / 15000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
d3en.2xlarge [1]	1700.00 / 2800.00	212.50 / 350.00	10000.00 / 15000.00	✓ Yes	✗ No	Up to 23 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
d3en.4xlarge	2800.00	350.00	15000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
d3en.6xlarge	4000.00	500.00	25000.00	✓ Yes	✗ No	Up to 15 (Shared limit)
d3en.8xlarge	5000.00	625.00	30000.00	✓ Yes	✗ No	Up to 11 (Shared limit)
d3en.12xlarge	7000.00	875.00	40000.00	✓ Yes	✗ No	Up to 3 (Shared limit)
H1						
h1.2xlarge	1750.00	218.75	12000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
h1.4xlarge	3500.00	437.50	20000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
h1.8xlarge	7000.00	875.00	40000.00	✗ No	✗ No	Up to 40 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
h1.16xlarge	14000.00	1750.00	80000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
			I3			
i3.large	425.00	53.12	3000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
i3.xlarge	850.00	106.25	6000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
i3.2xlarge	1700.00	212.50	12000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
i3.4xlarge	3500.00	437.50	16000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
i3.8xlarge	7000.00	875.00	32500.00	✗ No	✗ No	Up to 40 (Xen-based limit)
i3.16xlarge	14000.00	1750.00	65000.00	✗ No	✗ No	Up to 40 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i3.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
I3en						
i3en.large [1]	576.00 / 4750.00	72.10 / 593.75	3000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i3en.xlarge [1]	1153.00 / 4750.00	144.20 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i3en.2xlarge [1]	2307.00 / 4750.00	288.39 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
i3en.3xlarge [1]	3800.00 / 4750.00	475.00 / 593.75	15000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i3en.6xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
i3en.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 23 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i3en.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
i3en.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			I4g			
i4g.large [1]	625.00 / 10000.00	78.12 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i4g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
I4i						
i4i.large [1]	625.00 / 10000.00	78.12 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
i4i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
i4i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	Up to 24 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i4i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
i4i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 21 (Shared limit)
i4i.32xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
i4i.metal	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
I7i						
i7i.large [1]	625.00 / 10000.00	78.12 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7i.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7i.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i7i.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7i.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7i.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7i.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
i7i.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
i7i.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
i7i.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
i7i.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			I7ie			
i7ie.large [1]	625.00 / 10000.00	78.12 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7ie.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7ie.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7ie.3xlarge [1]	3750.00 / 10000.00	468.75 / 1250.00	15000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7ie.6xlarge [1]	7500.00 / 10000.00	937.50 / 1250.00	30000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7ie.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
i7ie.18xlarge	22500.00	2812.50	90000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i7ie.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
i7ie.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
i7ie.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
i7ie.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
I8g						
i8g.large [1]	625.00 / 10000.00	78.12 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8g.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8g.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i8g.4xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8g.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8g.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8g.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
i8g.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
i8g.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
i8g.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
i8g.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			I8ge			
i8ge.large [1]	625.00 / 10000.00	78.12 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8ge.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8ge.2xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8ge.3xlarge [1]	3750.00 / 10000.00	468.75 / 1250.00	15000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8ge.6xlarge [1]	7500.00 / 10000.00	937.50 / 1250.00	30000.00 / 40000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8ge.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
i8ge.18xlarge	22500.00	2812.50	90000.00	✓ Yes	✗ No	48 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i8ge.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
i8ge.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
i8ge.metal-24xl	30000.00	3750.00	120000.00	✓ Yes	✗ No	39 (Dedicated limit)
i8ge.metal-48xl	60000.00	7500.00	240000.00	✓ Yes	✗ No	79 (Dedicated limit)
Im4gn						
im4gn.large [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
im4gn.xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
im4gn.2xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
im4gn.4xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
im4gn.8xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
im4gn.16xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
Is4gen						
is4gen.medium [1]	625.00 / 10000.00	78.12 / 1250.00	2500.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
is4gen.large [1]	1250.00 / 10000.00	156.25 / 1250.00	5000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
is4gen.xlarge [1]	2500.00 / 10000.00	312.50 / 1250.00	10000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
is4gen.2xlarge [1]	5000.00 / 10000.00	625.00 / 1250.00	20000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
is4gen.4xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
is4gen.8xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	Up to 23 (Shared limit)

Note

[1] These instances can support maximum performance for 30 minutes at least once every 24 hours, after which they revert to their baseline performance. Other instances can sustain the maximum performance indefinitely. If your workload requires sustained maximum performance for longer than 30 minutes, use one of these instances.

Instance store specifications

The following table shows the instance store volume configuration for supported instance types, along with the aggregated IOPS performance with 4,096 byte block size at queue depth saturation.

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
D2					
d2.xlarge	3 x 2048 GB	HDD		✓ Yes	
d2.2xlarge	6 x 2048 GB	HDD		✓ Yes	

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
d2.4xlarge	12 x 2048 GB	HDD		✓ Yes	
d2.8xlarge	24 x 2048 GB	HDD		✓ Yes	
D3					
d3.xlarge	3 x 1980 GB	NVMe HDD			✓ Yes
d3.2xlarge	6 x 1980 GB	NVMe HDD			✓ Yes
d3.4xlarge	12 x 1980 GB	NVMe HDD			✓ Yes
d3.8xlarge	24 x 1980 GB	NVMe HDD			✓ Yes
D3en					
d3en.xlarge	2 x 13980 GB	NVMe HDD			✓ Yes
d3en.2xlarge	4 x 13980 GB	NVMe HDD			✓ Yes
d3en.4xlarge	8 x 13980 GB	NVMe HDD			✓ Yes
d3en.6xlarge	12 x 13980 GB	NVMe HDD			✓ Yes
d3en.8xlarge	16 x 13980 GB	NVMe HDD			✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
d3en.12xlarge	24 x 13980 GB	NVMe HDD			✓ Yes
H1					
h1.2xlarge	1 x 2000 GB	HDD		✓ Yes	
h1.4xlarge	2 x 2000 GB	HDD		✓ Yes	
h1.8xlarge	4 x 2000 GB	HDD		✓ Yes	
h1.16xlarge	8 x 2000 GB	HDD		✓ Yes	
I3					
i3.large	1 x 475 GB	NVMe SSD	103,125 / 35,000		✓ Yes
i3.xlarge	1 x 950 GB	NVMe SSD	206,250 / 70,000		✓ Yes
i3.2xlarge	1 x 1900 GB	NVMe SSD	412,500 / 180,000		✓ Yes
i3.4xlarge	2 x 1900 GB	NVMe SSD	825,000 / 360,000		✓ Yes
i3.8xlarge	4 x 1900 GB	NVMe SSD	1,650,000 / 720,000		✓ Yes
i3.16xlarge	8 x 1900 GB	NVMe SSD	3,300,000 / 1,440,000		✓ Yes
i3.metal	8 x 1900 GB	NVMe SSD	3,300,000 / 1,440,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
I3en					
i3en.large	1 x 1250 GB	NVMe SSD	42,500 / 32,500		✓ Yes
i3en.xlarge	1 x 2500 GB	NVMe SSD	85,000 / 65,000		✓ Yes
i3en.2xlarge	2 x 2500 GB	NVMe SSD	170,000 / 130,000		✓ Yes
i3en.3xlarge	1 x 7500 GB	NVMe SSD	250,000 / 200,000		✓ Yes
i3en.6xlarge	2 x 7500 GB	NVMe SSD	500,000 / 400,000		✓ Yes
i3en.12xlarge	4 x 7500 GB	NVMe SSD	1,000,000 / 800,000		✓ Yes
i3en.24xlarge	8 x 7500 GB	NVMe SSD	2,000,000 / 1,600,000		✓ Yes
i3en.metal	8 x 7500 GB	NVMe SSD	2,000,000 / 1,600,000		✓ Yes
I4g					
i4g.large	1 x 468 GB	NVMe SSD	31,250 / 25,000		✓ Yes
i4g.xlarge	1 x 937 GB	NVMe SSD	62,500 / 50,000		✓ Yes
i4g.2xlarge	1 x 1875 GB	NVMe SSD	125,000 / 100,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
i4g.4xlarge	1 x 3750 GB	NVMe SSD	250,000 / 200,000		✓ Yes
i4g.8xlarge	2 x 3750 GB	NVMe SSD	500,000 / 400,000		✓ Yes
i4g.16xlarge	4 x 3750 GB	NVMe SSD	1,000,000 / 800,000		✓ Yes
I4i					
i4i.large	1 x 468 GB	NVMe SSD	50,000 / 27,500		✓ Yes
i4i.xlarge	1 x 937 GB	NVMe SSD	100,000 / 55,000		✓ Yes
i4i.2xlarge	1 x 1875 GB	NVMe SSD	200,000 / 110,000		✓ Yes
i4i.4xlarge	1 x 3750 GB	NVMe SSD	400,000 / 220,000		✓ Yes
i4i.8xlarge	2 x 3750 GB	NVMe SSD	800,000 / 440,000		✓ Yes
i4i.12xlarge	3 x 3750 GB	NVMe SSD	1,200,000 / 660,000		✓ Yes
i4i.16xlarge	4 x 3750 GB	NVMe SSD	1,600,000 / 880,000		✓ Yes
i4i.24xlarge	6 x 3750 GB	NVMe SSD	2,400,000 / 1,320,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
i4i.32xlarge	8 x 3750 GB	NVMe SSD	3,200,000 / 1,760,000		✓ Yes
i4i.metal	8 x 3750 GB	NVMe SSD	3,200,000 / 1,760,000		✓ Yes
I7i					
i7i.large	1 x 468 GB	NVMe SSD	75,000 / 41,250		✓ Yes
i7i.xlarge	1 x 937 GB	NVMe SSD	150,000 / 82,500		✓ Yes
i7i.2xlarge	1 x 1875 GB	NVMe SSD	300,000 / 165,000		✓ Yes
i7i.4xlarge	1 x 3750 GB	NVMe SSD	600,000 / 330,000		✓ Yes
i7i.8xlarge	2 x 3750 GB	NVMe SSD	1,200,000 / 660,000		✓ Yes
i7i.12xlarge	3 x 3750 GB	NVMe SSD	1,800,000 / 990,000		✓ Yes
i7i.16xlarge	4 x 3750 GB	NVMe SSD	2,400,000 / 1,320,000		✓ Yes
i7i.24xlarge	6 x 3750 GB	NVMe SSD	3,600,000 / 1,980,000		✓ Yes
i7i.48xlarge	12 x 3750 GB	NVMe SSD	7,200,000 / 3,960,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
i7i.metal-24xl	6 x 3750 GB	NVMe SSD	3,600,000 / 1,980,000		✓ Yes
i7i.metal-48xl	12 x 3750 GB	NVMe SSD	7,200,000 / 3,960,000		✓ Yes
I7ie					
i7ie.large	1 x 1250 GB	NVMe SSD	54,166 / 43,333		✓ Yes
i7ie.xlarge	1 x 2500 GB	NVMe SSD	108,333 / 86,666		✓ Yes
i7ie.2xlarge	2 x 2500 GB	NVMe SSD	216,666 / 173,332		✓ Yes
i7ie.3xlarge	1 x 7500 GB	NVMe SSD	325,000 / 260,000		✓ Yes
i7ie.6xlarge	2 x 7500 GB	NVMe SSD	650,000 / 520,000		✓ Yes
i7ie.12xlarge	4 x 7500 GB	NVMe SSD	1,300,000 / 1,040,000		✓ Yes
i7ie.18xlarge	6 x 7500 GB	NVMe SSD	1,950,000 / 1,560,000		✓ Yes
i7ie.24xlarge	8 x 7500 GB	NVMe SSD	2,600,000 / 2,080,000		✓ Yes
i7ie.48xlarge	16 x 7500 GB	NVMe SSD	5,200,000 / 4,160,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
i7ie.metal-24xl	8 x 7500 GB	NVMe SSD	2,600,000 / 2,080,000		✓ Yes
i7ie.metal-48xl	16 x 7500 GB	NVMe SSD	5,200,000 / 4,160,000		✓ Yes
I8g					
i8g.large	1 x 468 GB	NVMe SSD	75,000 / 41,250		✓ Yes
i8g.xlarge	1 x 937 GB	NVMe SSD	150,000 / 82,500		✓ Yes
i8g.2xlarge	1 x 1875 GB	NVMe SSD	300,000 / 165,000		✓ Yes
i8g.4xlarge	1 x 3750 GB	NVMe SSD	600,000 / 330,000		✓ Yes
i8g.8xlarge	2 x 3750 GB	NVMe SSD	1,200,000 / 660,000		✓ Yes
i8g.12xlarge	3 x 3750 GB	NVMe SSD	1,800,000 / 990,000		✓ Yes
i8g.16xlarge	4 x 3750 GB	NVMe SSD	2,400,000 / 1,320,000		✓ Yes
i8g.24xlarge	6 x 3750 GB	NVMe SSD	3,600,000 / 1,980,000		✓ Yes
i8g.48xlarge	12 x 3750 GB	NVMe SSD	7,200,000 / 3,960,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
i8g.metal-24xl	6 x 3750 GB	NVMe SSD	3,600,000 / 1,980,000		✓ Yes
i8g.metal-48xl	12 x 3750 GB	NVMe SSD	7,200,000 / 3,960,000		✓ Yes
I8ge					
i8ge.large	1 x 1250 GB	NVMe SSD	54,166 / 43,333		✓ Yes
i8ge.xlarge	1 x 2500 GB	NVMe SSD	108,333 / 86,666		✓ Yes
i8ge.2xlarge	2 x 2500 GB	NVMe SSD	216,666 / 173,332		✓ Yes
i8ge.3xlarge	1 x 7500 GB	NVMe SSD	325,000 / 260,000		✓ Yes
i8ge.6xlarge	2 x 7500 GB	NVMe SSD	650,000 / 520,000		✓ Yes
i8ge.12xlarge	4 x 7500 GB	NVMe SSD	1,300,000 / 1,040,000		✓ Yes
i8ge.18xlarge	6 x 7500 GB	NVMe SSD	1,950,000 / 1,560,000		✓ Yes
i8ge.24xlarge	8 x 7500 GB	NVMe SSD	2,600,000 / 2,080,000		✓ Yes
i8ge.48xlarge	16 x 7500 GB	NVMe SSD	5,200,000 / 4,160,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
i8ge.metal-24xl	8 x 7500 GB	NVMe SSD	2,600,000 / 2,080,000		✓ Yes
i8ge.metal-48xl	16 x 7500 GB	NVMe SSD	5,200,000 / 4,160,000		✓ Yes
Im4gn					
im4gn.large	1 x 937 GB	NVMe SSD	31,250 / 25,000		✓ Yes
im4gn.xlarge	1 x 1875 GB	NVMe SSD	62,500 / 50,000		✓ Yes
im4gn.2xlarge	1 x 3750 GB	NVMe SSD	125,000 / 100,000		✓ Yes
im4gn.4xlarge	1 x 7500 GB	NVMe SSD	250,000 / 200,000		✓ Yes
im4gn.8xlarge	2 x 7500 GB	NVMe SSD	500,000 / 400,000		✓ Yes
im4gn.16xlarge	4 x 7500 GB	NVMe SSD	1,000,000 / 800,000		✓ Yes
Is4gen					
is4gen.medium	1 x 937 GB	NVMe SSD	31,250 / 25,000		✓ Yes
is4gen.large	1 x 1875 GB	NVMe SSD	62,500 / 50,000		✓ Yes
is4gen.xlarge	1 x 3750 GB	NVMe SSD	125,000 / 100,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
is4gen.2xlarge	1 x 7500 GB	NVMe SSD	250,000 / 200,000		✓ Yes
is4gen.4xlarge	2 x 7500 GB	NVMe SSD	500,000 / 400,000		✓ Yes
is4gen.8xlarge	4 x 7500 GB	NVMe SSD	1,000,000 / 800,000		✓ Yes

[1] Volumes attached to certain instances suffer a first-write penalty unless initialized. For more information, see Optimize disk performance for instance store volumes.

[2] For more information, see Instance store volume TRIM support.

Security specifications

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
			D2			
d2.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
d2.2xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
d2.4xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
d2.8xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
			D3			
d3.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
d3.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
d3.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
d3.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
D3en						
d3en.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
d3en.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
d3en.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
d3en.6xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
d3en.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
d3en.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
H1						
h1.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
h1.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
h1.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
h1.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
I3						
i3.large	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
i3.xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
i3.2xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
i3.4xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
i3.8xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
i3.16xlarge	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
i3.metal	✓ Yes	✓ Yes	✗ No	✗ No	✗ No	✗ No
I3en						
i3en.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
i3en.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i3en.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i3en.3xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i3en.6xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i3en.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i3en.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i3en.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
I4g						
i4g.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
i4g.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
i4g.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
i4g.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
i4g.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
i4g.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
			I4i			
i4i.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
i4i.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i4i.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
			I7i			
i7i.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
i7i.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7i.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7i.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7i.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7i.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
i7i.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7i.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7i.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7i.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
i7i.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
I7ie						
i7ie.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
i7ie.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.3xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.6xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.18xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i7ie.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
i7ie.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
I8g						
i8g.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
i8g.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8g.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
i8g.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
I8ge						
i8ge.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.3xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.6xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.18xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
i8ge.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
i8ge.metal-24xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
i8ge.metal-48xl	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
Im4gn						
im4gn.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
im4gn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
im4gn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
im4gn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
im4gn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
im4gn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
Is4gen						
is4gen.medium	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
is4gen.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
is4gen.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
is4gen.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
is4gen.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
is4gen.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No

Specifications for Amazon EC2 accelerated computing instances

Accelerated computing instances use hardware accelerators, or co-processors, to perform functions, such as floating point number calculations, graphics processing, or data pattern matching, more efficiently than is possible in software running on CPUs.

For information on previous generation instance types of this category, such as G3 instances, see Specifications for Amazon EC2 previous generation instances.

Contents

- Instance families and instance types
- Instance family summary
- Performance specifications
- Network specifications
- Amazon EBS specifications
- Instance store specifications
- Security specifications

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Instance families and instance types

Instance family	Available instance types
DL1	dl1.24xlarge
DL2q	dl2q.24xlarge
F2	f2.6xlarge | f2.12xlarge | f2.48xlarge
G4ad	g4ad.xlarge | g4ad.2xlarge | g4ad.4xlarge | g4ad.8xlarge | g4ad.16xlarge

Instance family	Available instance types
G4dn	g4dn.xlarge |g4dn.2xlarge |g4dn.4xlarge |g4dn.8xlarge | g4dn.12xlarge |g4dn.16xlarge |g4dn.metal
G5	g5.xlarge |g5.2xlarge |g5.4xlarge |g5.8xlarge |g5.12xlarge | g5.16xlarge |g5.24xlarge |g5.48xlarge
G5g	g5g.xlarge |g5g.2xlarge |g5g.4xlarge |g5g.8xlarge |g5g.16xlarge |g5g.metal
G6	g6.xlarge |g6.2xlarge |g6.4xlarge |g6.8xlarge |g6.12xlarge | g6.16xlarge |g6.24xlarge |g6.48xlarge
G6e	g6e.xlarge |g6e.2xlarge |g6e.4xlarge |g6e.8xlarge |g6e.12xlarge |g6e.16xlarge |g6e.24xlarge |g6e.48xlarge
G6f	g6f.large |g6f.xlarge |g6f.2xlarge |g6f.4xlarge
Gr6	gr6.4xlarge |gr6.8xlarge
Gr6f	gr6f.4xlarge
G7	g7.2xlarge |g7.4xlarge |g7.8xlarge |g7.12xlarge |g7.24xlarge |g7.48xlarge
G7e	g7e.2xlarge |g7e.4xlarge |g7e.8xlarge |g7e.12xlarge | g7e.24xlarge |g7e.48xlarge
Inf1	inf1.xlarge |inf1.2xlarge |inf1.6xlarge |inf1.24xlarge
Inf2	inf2.xlarge |inf2.8xlarge |inf2.24xlarge |inf2.48xlarge
P4d	p4d.24xlarge
P4de	p4de.24xlarge
P5	p5.4xlarge |p5.48xlarge

Instance family	Available instance types
P5e	p5e.48xlarge
P5en	p5en.48xlarge
P6-B200	p6-b200.48xlarge
P6-B300	p6-b300.48xlarge
P6e-GB200	p6e-gb200.36xlarge
Trn1	trn1.2xlarge | trn1.32xlarge
Trn1n	trn1n.32xlarge
Trn2	trn2.3xlarge | trn2.48xlarge
Trn2u	trn2u.48xlarge
VT1	vt1.3xlarge | vt1.6xlarge | vt1.24xlarge

Instance family summary

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
DL1	Nitro v3	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux
DL2q	Nitro v3	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
F2	Nitro v4	AMD (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux
G4ad	Nitro v3	AMD (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
G4dn	Nitro v3	Intel (x86_64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Windows | Linux
G5	Nitro v3	AMD (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
G5g	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Linux
G6	Nitro v4	AMD (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
G6e	Nitro v4	AMD (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
G6f	Nitro v4	AMD (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
Gr6	Nitro v4	AMD (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
Gr6f	Nitro v4	AMD (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
G7	Nitro v6	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
G7e	Nitro v6	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
Inf1	Nitro v3	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux
Inf2	Nitro v4	AMD (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux
P4d	Nitro v3	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux
P4de	Nitro v3	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Linux
P5	Nitro v4	AMD (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows (`p5.4xlarge` only) | Linux [1]
P5e	Nitro v4	AMD (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Linux
P5en	Nitro v5	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Linux
P6-B200	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Linux
P6-B300	Nitro v6	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
P6e-GB200	Nitro v5	NVIDIA Grace (arm64)	✗ No	✗ No	✗ No	✗ No	Linux
Trn1	Nitro v4	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux
Trn1n	Nitro v4	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Linux
Trn2	Nitro v5	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Linux
Trn2u	Nitro v5	Intel (x86_64)	✗ No	✗ No	✗ No	✗ No	Linux
VT1	Nitro v3	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Linux

Note

[1] `p5.4xlarge` supports both Windows and Linux operating systems. `p5.48xlarge` supports Linux operating systems only.

Performance specifications

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
DL1							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
dl1.24xlarge	768.00	Intel Xeon Platinum 8275CL	96	48	2	8 x Habana Gaudi HL-205 GPU	256 GiB (8 x 32 GiB)
DL2q							
dl2q.24xlarge	768.00	Intel Xeon Cascade Lake	96	48	2	8 x Qualcomm Qualcomm AI100 inference accelerator	125 GiB (8 x 15 GiB)
F2							
f2.6xlarge	256.00	AMD EPYC 7R13	24	12	2	1 x Xilinx Virtex UltraScale + (VU47P) FPGA	80 GiB (1 x 80 GiB)
f2.12xlarge	512.00	AMD EPYC 7R13	48	24	2	2 x Xilinx Virtex UltraScale + (VU47P) FPGA	160 GiB (2 x 80 GiB)
f2.48xlarge	2048.00	AMD EPYC 7R13	192	96	2	8 x Xilinx Virtex UltraScale + (VU47P) FPGA	640 GiB (8 x 80 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
G4ad							
g4ad.xlarge	16.00	2nd Gen AMD EPYC 7R32	4	2	2	1 x AMD Radeon Pro V520 GPU	8 GiB (1 x 8 GiB)
g4ad.2xlarge	32.00	2nd Gen AMD EPYC 7R32	8	4	2	1 x AMD Radeon Pro V520 GPU	8 GiB (1 x 8 GiB)
g4ad.4xlarge	64.00	2nd Gen AMD EPYC 7R32	16	8	2	1 x AMD Radeon Pro V520 GPU	8 GiB (1 x 8 GiB)
g4ad.8xlarge	128.00	2nd Gen AMD EPYC 7R32	32	16	2	2 x AMD Radeon Pro V520 GPU	16 GiB (2 x 8 GiB)
g4ad.16xlarge	256.00	2nd Gen AMD EPYC 7R32	64	32	2	4 x AMD Radeon Pro V520 GPU	32 GiB (4 x 8 GiB)
G4dn							
g4dn.xlarge	16.00	Intel Xeon P-8259L	4	2	2	1 x NVIDIA T4 GPU	16 GiB (1 x 16 GiB)
g4dn.2xlarge	32.00	Intel Xeon P-8259L	8	4	2	1 x NVIDIA T4 GPU	16 GiB (1 x 16 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g4dn.4xlarge	64.00	Intel Xeon P-8259L	16	8	2	1 x NVIDIA T4 GPU	16 GiB (1 x 16 GiB)
g4dn.8xlarge	128.00	Intel Xeon P-8259L	32	16	2	1 x NVIDIA T4 GPU	16 GiB (1 x 16 GiB)
g4dn.12xlarge	192.00	Intel Xeon P-8259L	48	24	2	4 x NVIDIA T4 GPU	64 GiB (4 x 16 GiB)
g4dn.16xlarge	256.00	Intel Xeon P-8259L	64	32	2	1 x NVIDIA T4 GPU	16 GiB (1 x 16 GiB)
g4dn.metal	384.00	Intel Xeon P-8259L	96	48	2	8 x NVIDIA T4 GPU	128 GiB (8 x 16 GiB)
G5							
g5.xlarge	16.00	2nd Gen AMD EPYC 7R32	4	2	2	1 x NVIDIA A10G GPU	22 GiB (1 x 22 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g5.2xlarge	32.00	2nd Gen AMD EPYC 7R32	8	4	2	1 x NVIDIA A10G GPU	22 GiB (1 x 22 GiB)
g5.4xlarge	64.00	2nd Gen AMD EPYC 7R32	16	8	2	1 x NVIDIA A10G GPU	22 GiB (1 x 22 GiB)
g5.8xlarge	128.00	2nd Gen AMD EPYC 7R32	32	16	2	1 x NVIDIA A10G GPU	22 GiB (1 x 22 GiB)
g5.12xlarge	192.00	2nd Gen AMD EPYC 7R32	48	24	2	4 x NVIDIA A10G GPU	89 GiB (4 x 22 GiB)
g5.16xlarge	256.00	2nd Gen AMD EPYC 7R32	64	32	2	1 x NVIDIA A10G GPU	22 GiB (1 x 22 GiB)
g5.24xlarge	384.00	2nd Gen AMD EPYC 7R32	96	48	2	4 x NVIDIA A10G GPU	89 GiB (4 x 22 GiB)
g5.48xlarge	768.00	2nd Gen AMD EPYC 7R32	192	96	2	8 x NVIDIA A10G GPU	178 GiB (8 x 22 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
G5g							
g5g.xlarge	8.00	AWS Graviton2 Processor	4	4	1	1 x NVIDIA T4g GPU	16 GiB (1 x 16 GiB)
g5g.2xlarge	16.00	AWS Graviton2 Processor	8	8	1	1 x NVIDIA T4g GPU	16 GiB (1 x 16 GiB)
g5g.4xlarge	32.00	AWS Graviton2 Processor	16	16	1	1 x NVIDIA T4g GPU	16 GiB (1 x 16 GiB)
g5g.8xlarge	64.00	AWS Graviton2 Processor	32	32	1	1 x NVIDIA T4g GPU	16 GiB (1 x 16 GiB)
g5g.16xlarge	128.00	AWS Graviton2 Processor	64	64	1	2 x NVIDIA T4g GPU	32 GiB (2 x 16 GiB)
g5g.metal	128.00	AWS Graviton2 Processor	64	64	1	2 x NVIDIA T4g GPU	32 GiB (2 x 16 GiB)
G6							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g6.xlarge	16.00	AMD EPYC 7R13	4	2	2	1 x NVIDIA L4 GPU	22 GiB (1 x 22 GiB)
g6.2xlarge	32.00	AMD EPYC 7R13	8	4	2	1 x NVIDIA L4 GPU	22 GiB (1 x 22 GiB)
g6.4xlarge	64.00	AMD EPYC 7R13	16	8	2	1 x NVIDIA L4 GPU	22 GiB (1 x 22 GiB)
g6.8xlarge	128.00	AMD EPYC 7R13	32	16	2	1 x NVIDIA L4 GPU	22 GiB (1 x 22 GiB)
g6.12xlarge	192.00	AMD EPYC 7R13	48	24	2	4 x NVIDIA L4 GPU	89 GiB (4 x 22 GiB)
g6.16xlarge	256.00	AMD EPYC 7R13	64	32	2	1 x NVIDIA L4 GPU	22 GiB (1 x 22 GiB)
g6.24xlarge	384.00	AMD EPYC 7R13	96	48	2	4 x NVIDIA L4 GPU	89 GiB (4 x 22 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g6.48xlarge	768.00	AMD EPYC 7R13	192	96	2	8 x NVIDIA L4 GPU	178 GiB (8 x 22 GiB)
G6e							
g6e.xlarge	32.00	AMD EPYC 7R13	4	2	2	1 x NVIDIA L40S GPU	44 GiB (1 x 44 GiB)
g6e.2xlarge	64.00	AMD EPYC 7R13	8	4	2	1 x NVIDIA L40S GPU	44 GiB (1 x 44 GiB)
g6e.4xlarge	128.00	AMD EPYC 7R13	16	8	2	1 x NVIDIA L40S GPU	44 GiB (1 x 44 GiB)
g6e.8xlarge	256.00	AMD EPYC 7R13	32	16	2	1 x NVIDIA L40S GPU	44 GiB (1 x 44 GiB)
g6e.12xlarge	384.00	AMD EPYC 7R13	48	24	2	4 x NVIDIA L40S GPU	178 GiB (4 x 44 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g6e.16xlarge	512.00	AMD EPYC 7R13	64	32	2	1 x NVIDIA L40S GPU	44 GiB (1 x 44 GiB)
g6e.24xlarge	768.00	AMD EPYC 7R13	96	48	2	4 x NVIDIA L40S GPU	178 GiB (4 x 44 GiB)
g6e.48xlarge	1536.00	AMD EPYC 7R13	192	96	2	8 x NVIDIA L40S GPU	357 GiB (8 x 44 GiB)
G6f							
g6f.large	8.00	AMD EPYC 7R13	2	1	2	0.125 x NVIDIA L4 GPU	2.79 GiB
g6f.xlarge	16.00	AMD EPYC 7R13	4	2	2	0.125 x NVIDIA L4 GPU	2.79 GiB
g6f.2xlarge	32.00	AMD EPYC 7R13	8	4	2	0.25 x NVIDIA L4 GPU	5.59 GiB
g6f.4xlarge	64.00	AMD EPYC 7R13	16	8	2	0.5 x NVIDIA L4 GPU	11.18 GiB
Gr6							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
gr6.4xlarge	128.00	AMD EPYC 7R13	16	8	2	1 x NVIDIA L4 GPU	22 GiB (1 x 22 GiB)
gr6.8xlarge	256.00	AMD EPYC 7R13	32	16	2	1 x NVIDIA L4 GPU	22 GiB (1 x 22 GiB)
Gr6f							
gr6f.4xlarge	128.00	AMD EPYC 7R13	16	8	2	0.5 x NVIDIA L4 GPU	11.18 GiB
G7							
g7.2xlarge	32.00	Intel Xeon Granite Rapids	8	8	1	1 x NVIDIA RTX PRO 4500 GPU	32 GiB (1 x 32 GiB)
g7.4xlarge	64.00	Intel Xeon Granite Rapids	16	16	1	1 x NVIDIA RTX PRO 4500 GPU	32 GiB (1 x 32 GiB)
g7.8xlarge	128.00	Intel Xeon Granite Rapids	32	32	1	1 x NVIDIA RTX PRO 4500 GPU	32 GiB (1 x 32 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g7.12xlarge	192.00	Intel Xeon Granite Rapids	48	48	1	2 x NVIDIA RTX PRO 4500 GPU	64 GiB (2 x 32 GiB)
g7.24xlarge	384.00	Intel Xeon Granite Rapids	96	96	1	4 x NVIDIA RTX PRO 4500 GPU	128 GiB (4 x 32 GiB)
g7.48xlarge	768.00	Intel Xeon Granite Rapids	192	192	1	8 x NVIDIA RTX PRO 4500 GPU	256 GiB (8 x 32 GiB)
G7e							
g7e.2xlarge	64.00	Intel Xeon Emerald Rapids	8	4	2	1 x NVIDIA RTX PRO Server 6000 GPU	96 GiB (1 x 96 GiB)
g7e.4xlarge	128.00	Intel Xeon Emerald Rapids	16	8	2	1 x NVIDIA RTX PRO Server 6000 GPU	96 GiB (1 x 96 GiB)
g7e.8xlarge	256.00	Intel Xeon Emerald Rapids	32	16	2	1 x NVIDIA RTX PRO Server 6000 GPU	96 GiB (1 x 96 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g7e.12xlarge	512.00	Intel Xeon Emerald Rapids	48	24	2	2 x NVIDIA RTX PRO Server 6000 GPU	192 GiB (2 x 96 GiB)
g7e.24xlarge	1024.00	Intel Xeon Emerald Rapids	96	48	2	4 x NVIDIA RTX PRO Server 6000 GPU	384 GiB (4 x 96 GiB)
g7e.48xlarge	2048.00	Intel Xeon Emerald Rapids	192	96	2	8 x NVIDIA RTX PRO Server 6000 GPU	768 GiB (8 x 96 GiB)
Inf1							
inf1.xlarge	8.00	Intel Xeon P-8259L	4	2	2	1 x AWS Inferentia inference accelerator	8 GiB (1 x 8 GiB)
inf1.2xlarge	16.00	Intel Xeon P-8259L	8	4	2	1 x AWS Inferentia inference accelerator	8 GiB (1 x 8 GiB)
inf1.6xlarge	48.00	Intel Xeon P-8259L	24	12	2	4 x AWS Inferentia inference accelerator	32 GiB (4 x 8 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
inf1.24xlarge	192.00	Intel Xeon P-8259L	96	48	2	16 x AWS Inferentia inference accelerator	128 GiB (16 x 8 GiB)
Inf2							
inf2.xlarge	16.00	AMD EPYC 7R13	4	2	2	1 x AWS Inferentia2 inference accelerator	32 GiB (1 x 32 GiB)
inf2.8xlarge	128.00	AMD EPYC 7R13	32	16	2	1 x AWS Inferentia2 inference accelerator	32 GiB (1 x 32 GiB)
inf2.24xlarge	384.00	AMD EPYC 7R13	96	48	2	6 x AWS Inferentia2 inference accelerator	192 GiB (6 x 32 GiB)
inf2.48xlarge	768.00	AMD EPYC 7R13	192	96	2	12 x AWS Inferentia2 inference accelerator	384 GiB (12 x 32 GiB)
P4d							
p4d.24xlarge	1152.00	Intel Xeon Platinum 8275CL	96	48	2	8 x NVIDIA A100 GPU	320 GiB (8 x 40 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
P4de							
p4de.24xlarge	1152.00	Intel Xeon Platinum 8275CL	96	48	2	8 x NVIDIA A100 GPU	640 GiB (8 x 80 GiB)
P5							
p5.4xlarge	256.00	AMD EPYC 7R13	16	8	2	1 x NVIDIA H100 GPU	80 GiB (1 x 80 GiB)
p5.48xlarge	2048.00	AMD EPYC 7R13	192	96	2	8 x NVIDIA H100 GPU	640 GiB (8 x 80 GiB)
P5e							
p5e.48xlarge	2048.00	AMD EPYC 7R13	192	96	2	8 x NVIDIA H200 GPU	1128 GiB (8 x 141 GiB)
P5en							
p5en.48xlarge	2048.00	Intel Xeon Sapphire Rapids	192	96	2	8 x NVIDIA H200 GPU	1128 GiB (8 x 141 GiB)
P6-B200							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
p6-b200.48xlarge	2048.00	Intel Xeon Emerald Rapids	192	96	2	8 x NVIDIA B200 GPU	1432 GiB (8 x 179 GiB)
P6-B300							
p6-b300.48xlarge	4096.00	Intel Xeon Emerald Rapids	192	96	2	8 x NVIDIA B300 GPU	2148 GiB (8 x 268 GiB)
P6e-GB200							
p6e-gb200.36xlarge	960.00	Nvidia Grace CPU	144	144	1	4 x NVIDIA B200 GPU	740 GiB (4 x 185 GiB)
Trn1							
trn1.2xlarge	32.00	Intel Xeon Ice Lake 8375C	8	4	2	1 x AWS Trainium accelerators	32 GiB (1 x 32 GiB)
trn1.32xlarge	512.00	Intel Xeon Ice Lake 8375C	128	64	2	16 x AWS Trainium accelerators	512 GiB (16 x 32 GiB)
Trn1n							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
trn1n.32xlarge	512.00	Intel Xeon Ice Lake	128	64	2	16 x AWS Trainium accelerators	512 GiB (16 x 32 GiB)
Trn2							
trn2.3xlarge	128.00	Intel Xeon Sapphire Rapids	12	6	2	1 x AWS Trainium2 accelerators	512 GiB (1 x 512 GiB)
trn2.48xlarge	2048.00	Intel Xeon Sapphire Rapids	192	96	2	16 x AWS Trainium2 accelerators	8192 GiB (16 x 512 GiB)
Trn2u							
trn2u.48xlarge	2048.00	Intel Xeon Sapphire Rapids	192	96	2	✗ No	✗ No
VT1							
vt1.3xlarge	24.00	Intel Cascade Lake P-8259CL	12	6	2	1 x Xilinx U30 media accelerator	24 GiB (1 x 24 GiB)
vt1.6xlarge	48.00	Intel Cascade Lake P-8259CL	24	12	2	2 x Xilinx U30 media accelerator	48 GiB (2 x 24 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
vt1.24xlarge	192.00	Intel Cascade Lake P-8259CL	96	48	2	8 x Xilinx U30 media accelerator	192 GiB (8 x 24 GiB)

Network specifications

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Express	ENA queues per interface (Default, Maximum)	Network cards	Max. network interfaces	IP addresses per interface	IPv6
DL1									
dl1.24xlarge [2]	4x 100 Gigabit	✗ No	✓ Yes	✗ No	32	4	60	50	✓ Yes
DL2q									
dl2q.24xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
F2									
f2.6xlarge [2]	12.5 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
f2.12xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
f2.48xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	16	1	15	50	✓ Yes
G4ad									
g4ad.xlarge [1] [2]	2.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
g4ad.2xlarge [1] [2]	4.167 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
g4ad.4xlarge [1] [2]	8.333 / 10.0	✗ No	✓ Yes	✗ No	32	1	3	10	✓ Yes
g4ad.8xlarge [2]	15 Gigabit	✗ No	✓ Yes	✗ No	32	1	4	15	✓ Yes
g4ad.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
G4dn									
g4dn.xlarge [1] [2]	5.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
g4dn.2xlarge [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
g4dn.4xlarge [1] [2]	20.0 / 25.0	✗ No	✓ Yes	✗ No	32	1	3	10	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
g4dn.8xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	4	15	✓ Yes
g4dn.12xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	8	30	✓ Yes
g4dn.16xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	4	15	✓ Yes
g4dn.metal [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
				G5					
g5.xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
g5.2xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
g5.4xlarge [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
g5.8xlarge [2]	25 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	8	30	✓ Yes
g5.12xlarge [2]	40 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
g5.16xlarge [2]	25 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
g5.24xlarge [2]	50 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
g5.48xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	7	50	✓ Yes
G5g									
g5g.xlarge [1] [2]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
g5g.2xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
g5g.4xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
g5g.8xlarge [2]	12 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
g5g.16xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
g5g.metal [2]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes
G6									
g6.xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
g6.2xlarg e [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
g6.4xlarg e [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
g6.8xlarge [2]	25 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	8	30	✓ Yes
g6.12xlar ge [2]	40 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	8	30	✓ Yes
g6.16xlar ge [2]	25 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	15	50	✓ Yes
g6.24xlar ge [2]	50 Gigabit	✓ Yes	✓ Yes	✗ No	16	1	15	50	✓ Yes
g6.48xlar ge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	15	50	✓ Yes
G6e									
g6e.xlarg e [1] [2]	2.5 / 20.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
g6e.2xlar ge [1] [2]	5.0 / 20.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
g6e.4xlar ge [2]	20 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
g6e.8xlarge [2]	25 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	8	30	✓ Yes
g6e.12xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	10	30	✓ Yes
g6e.16xlarge [2]	35 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	15	50	✓ Yes
g6e.24xlarge [2]	200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	20	50	✓ Yes
g6e.48xlarge [2]	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	4	40	50	✓ Yes
G6f									
g6f.large [1] [2]	1.5 / 10.0	✗ No	✓ Yes	✗ No	2	1	2	10	✓ Yes
g6f.xlarge [1] [2]	2.5 / 10.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
g6f.2xlarge [1] [2]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
g6f.4xlarge [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
Gr6									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
gr6.4xlar ge [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
gr6.8xlarge [2]	25 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	8	30	✓ Yes
Gr6f									
gr6f.4xla rge [1] [2]	10.0 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
G7									
g7.2xlarge [1]	40.0 / 60.0	✗ No	✓ Yes	✗ No	8 / 8	1	4	64	✓ Yes
g7.4xlarge [1]	80.0 / 100.0	✗ No	✓ Yes	✗ No	8 / 16	1	8	64	✓ Yes
g7.8xlarge	100 Gigabit	✓ Yes	✓ Yes	✗ No	8 / 32	1	10	64	✓ Yes
g7.12xlarge	175 Gigabit	✓ Yes	✓ Yes	✗ No	16 / 64	1	12	64	✓ Yes
g7.24xlarge	350 Gigabit	✓ Yes	✓ Yes	✓ Yes	16 / 128	1	24	64	✓ Yes
g7.48xlarge	700 Gigabit	✓ Yes	✓ Yes	✓ Yes	32 / 128	2	24	64	✓ Yes
G7e									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
g7e.2xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	8	1	4	64	✓ Yes
g7e.4xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	16	1	8	64	✓ Yes
g7e.8xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	8	64	✓ Yes
g7e.12xlarge [2]	400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	1	10	64	✓ Yes
g7e.24xlarge [2]	800 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	2	20	64	✓ Yes
g7e.48xlarge [2]	1600 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	4	40	64	✓ Yes
Inf1									
inf1.xlarge [1] [2]	5.0 / 25.0	✗ No	✓ Yes	✗ No	32	1	4	10	✓ Yes
inf1.2xlarge [1] [2]	5.0 / 25.0	✗ No	✓ Yes	✗ No	32	1	4	10	✓ Yes
inf1.6xlarge [2]	25 Gigabit	✗ No	✓ Yes	✗ No	32	1	8	30	✓ Yes
inf1.24xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	11	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
Inf2									
inf2.xlarge [1] [2]	2.083 / 15.0	✗ No	✓ Yes	✗ No	4	1	4	15	✓ Yes
inf2.8xlarge [1] [2]	16.667 / 25.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
inf2.24xlarge [2]	50 Gigabit	✗ No	✓ Yes	✗ No	16	1	15	50	✓ Yes
inf2.48xlarge [2]	100 Gigabit	✗ No	✓ Yes	✗ No	16	1	15	50	✓ Yes
P4d									
p4d.24xlarge [2]	4x 100 Gigabit	✓ Yes	✓ Yes	✗ No	32	4	60	50	✓ Yes
P4de									
p4de.24xlarge [2]	4x 100 Gigabit	✓ Yes	✓ Yes	✗ No	32	4	60	50	✓ Yes
P5									
p5.4xlarge [2]	100 Gigabit	✓ Yes	✓ Yes	✓ Yes	16	1	4	30	✓ Yes
p5.48xlarge [2]	3200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	32	64	50	✓ Yes
P5e									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
p5e.48xla rge [2]	3200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	32	64	50	✓ Yes
P5en									
p5en.48xl arge [2]	3200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	16	64	50	✓ Yes
P6-B200									
p6-b200.4 8xlarge [2]	3200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	8	32	50	✓ Yes
P6-B300									
p6-b300.4 8xlarge [2]	6400 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	17	68	50	✓ Yes
P6e-GB200									
p6e-gb200 .36xlarge [2]	3200 Gigabit	✓ Yes	✓ Yes	✓ Yes	32	17	39	50	✓ Yes
Trn1									
trn1.2xla rge [1] [2]	3.125 / 12.5	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
trn1.32xl arge [2]	8x 100 Gigabit	✓ Yes	✓ Yes	✗ No	32	8	40	50	✓ Yes
Trn1n									

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
trn1n.32x large [2]	16x 100 Gigabit	✓ Yes	✓ Yes	✗ No	32	16	80	50	✓ Yes
Trn2									
trn2.3xla rge [2]	200 Gigabit	✓ Yes	✓ Yes	✗ No	16	1	2	15	✓ Yes
trn2.48xl arge [2]	16x 200 Gigabit	✓ Yes	✓ Yes	✗ No	32	16	32	50	✓ Yes
Trn2u									
trn2u.48x large [2]	16x 200 Gigabit	✓ Yes	✓ Yes	✗ No	32	16	32	50	✓ Yes
VT1									
vt1.3xlarge [2]	3.12 Gigabit	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
vt1.6xlarge [2]	6.25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
vt1.24xla rge [2]	25 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	15	50	✓ Yes

Note

[1] These instances have a baseline bandwidth and can use a network I/O credit mechanism to burst beyond their baseline bandwidth on a best effort basis. Other instances types

can sustain their maximum performance indefinitely. For more information, see instance network bandwidth.

[2] These instance types do not support configurable ENA queue allocation.

Amazon EBS specifications

The following table indicates which instance types are Amazon EBS optimized by default and which optionally support it. It also describes their EBS-optimized performance, including dedicated bandwidth to Amazon EBS, the typical maximum aggregate throughput that can be achieved on that dedicated connection with a streaming read workload and 128 KiB I/O size, and the maximum IOPS the instance type can support when using a 16 KiB I/O size. Instance types not listed do not support Amazon EBS optimization.

Important

An instance's EBS performance is bounded by the instance's performance limits, or the aggregated performance of its attached volumes, whichever is smaller. To achieve maximum EBS performance, an instance must have attached volumes that provide a combined performance equal to or greater than the maximum instance performance. For example, to achieve `80,000` IOPS for `r6i.16xlarge`, the instance must have at least 5 gp3 volumes provisioned with `16,000` IOPS each (5 volumes x `16,000` IOPS = `80,000` IOPS).

We recommend that you choose an EBS–optimized instance type that provides more dedicated Amazon EBS throughput than your application needs; otherwise, the connection between Amazon EBS and Amazon EC2 can become a performance bottleneck.

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
DL1						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
dl1.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 28 (Shared limit)
DL2q						
dl2q.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 19 (Shared limit)
F2						
f2.6xlarge	7500.00	937.50	30000.00	✓ Yes	✗ No	32 (Dedicated limit)
f2.12xlarge	15000.00	1875.00	60000.00	✓ Yes	✗ No	32 (Dedicated limit)
f2.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
G4ad						
g4ad.xlarge [1]	400.00 / 3170.00	50.00 / 396.25	1700.00 / 13333.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g4ad.2xlarge [1]	800.00 / 3170.00	100.00 / 396.25	3400.00 / 13333.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g4ad.4xlarge [1]	1580.00 / 3170.00	197.50 / 396.25	6700.00 / 13333.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g4ad.8xlarge	3170.00	396.25	13333.00	✓ Yes	✗ No	Up to 24 (Shared limit)
g4ad.16xlarge	6300.00	787.50	26667.00	✓ Yes	✗ No	Up to 21 (Shared limit)
G4dn						
g4dn.xlarge [1]	950.00 / 3500.00	118.75 / 437.50	3000.00 / 20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g4dn.2xlarge [1]	1150.00 / 3500.00	143.75 / 437.50	6000.00 / 20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g4dn.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g4dn.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g4dn.12xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 22 (Shared limit)
g4dn.16xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g4dn.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			G5			
g5.xlarge [1]	700.00 / 3500.00	87.50 / 437.50	3000.00 / 15000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g5.2xlarge [1]	850.00 / 3500.00	106.25 / 437.50	3500.00 / 15000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g5.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g5.8xlarge	16000.00	2000.00	65000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g5.12xlarge	16000.00	2000.00	65000.00	✓ Yes	✗ No	Up to 22 (Shared limit)
g5.16xlarge	16000.00	2000.00	65000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g5.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 22 (Shared limit)
g5.48xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 9 (Shared limit)
			G5g			
g5g.xlarge [1]	1188.00 / 4750.00	148.50 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
g5g.2xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	12000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g5g.4xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
g5g.8xlarge	9500.00	1187.50	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
g5g.16xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
g5g.metal	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			G6			
g6.xlarge [1]	1000.00 / 5000.00	125.00 / 625.00	4000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6.2xlarge [1]	2000.00 / 5000.00	250.00 / 625.00	8000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6.4xlarge	8000.00	1000.00	32000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g6.8xlarge	16000.00	2000.00	64000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6.12xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
g6.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
g6.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
G6e						
g6e.xlarge [1]	1000.00 / 5000.00	125.00 / 625.00	4000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6e.2xlarge [1]	2000.00 / 5000.00	250.00 / 625.00	8000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g6e.4xlarge	8000.00	1000.00	32000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6e.8xlarge	16000.00	2000.00	64000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6e.12xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6e.16xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	48 (Dedicated limit)
g6e.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	64 (Dedicated limit)
g6e.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	128 (Dedicated limit)
G6f						
g6f.large [1]	936.00 / 5000.00	117.00 / 625.00	3750.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g6f.xlarge [1]	1000.00 / 5000.00	125.00 / 625.00	4000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6f.2xlarge [1]	2000.00 / 5000.00	250.00 / 625.00	8000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)
g6f.4xlarge	6000.00	750.00	24000.00	✓ Yes	✗ No	32 (Dedicated limit)
Gr6						
gr6.4xlarge	8000.00	1000.00	32000.00	✓ Yes	✗ No	32 (Dedicated limit)
gr6.8xlarge	16000.00	2000.00	64000.00	✓ Yes	✗ No	32 (Dedicated limit)
Gr6f						
gr6f.4xlarge	8000.00	1000.00	32000.00	✓ Yes	✗ No	32 (Dedicated limit)
G7						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g7.2xlarge [1]	4000.00 / 8000.00	500.00 / 1000.00	16000.00 / 32000.00	✓ Yes	✗ No	32 (Dedicated limit)
g7.4xlarge	8000.00	1000.00	32000.00	✓ Yes	✗ No	32 (Dedicated limit)
g7.8xlarge	16000.00	2000.00	64000.00	✓ Yes	✗ No	32 (Dedicated limit)
g7.12xlarge	20000.00	2500.00	80000.00	✓ Yes	✗ No	32 (Dedicated limit)
g7.24xlarge	40000.00	5000.00	160000.00	✓ Yes	✗ No	64 (Dedicated limit)
g7.48xlarge	80000.00	10000.00	320000.00	✓ Yes	✓ Yes (2 EBS cards)	128 (Dedicated limit)
G7e						
g7e.2xlarge [1]	2000.00 / 5000.00	250.00 / 625.00	8000.00 / 20000.00	✓ Yes	✗ No	32 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
g7e.4xlarge	8000.00	1000.00	32000.00	✓ Yes	✗ No	32 (Dedicated limit)
g7e.8xlarge	16000.00	2000.00	64000.00	✓ Yes	✗ No	32 (Dedicated limit)
g7e.12xlarge	25000.00	3125.00	100000.00	✓ Yes	✗ No	32 (Dedicated limit)
g7e.24xlarge	50000.00	6250.00	200000.00	✓ Yes	✗ No	64 (Dedicated limit)
g7e.48xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	128 (Dedicated limit)
Inf1						
inf1.xlarge [1]	1190.00 / 4750.00	148.75 / 593.75	4000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
inf1.2xlarge [1]	1190.00 / 4750.00	148.75 / 593.75	6000.00 / 20000.00	✓ Yes	✗ No	Up to 26 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
inf1.6xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
inf1.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 11 (Shared limit)
Inf2						
inf2.xlarge [1]	1250.00 / 10000.00	156.25 / 1250.00	6000.00 / 40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
inf2.8xlarge	10000.00	1250.00	40000.00	✓ Yes	✗ No	Up to 26 (Shared limit)
inf2.24xlarge	30000.00	3750.00	120000.00	✓ Yes	✗ No	Up to 28 (Shared limit)
inf2.48xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	Up to 28 (Shared limit)
P4d						
p4d.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	28 (Dedicated limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
P4de						
p4de.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	28 (Dedicated limit)
P5						
p5.4xlarge	10000.00	1250.00	32500.00	✓ Yes	✗ No	32 (Dedicated limit)
p5.48xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	64 (Dedicated limit)
P5e						
p5e.48xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	64 (Dedicated limit)
P5en						
p5en.48xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	64 (Dedicated limit)
P6-B200						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
p6-b200.48xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	64 (Dedicated limit)
P6-B300						
p6-b300.48xlarge	100000.00	12500.00	400000.00	✓ Yes	✗ No	64 (Dedicated limit)
P6e-GB200						
p6e-gb200.36xlarge	60000.00	7500.00	240000.00	✓ Yes	✗ No	64 (Dedicated limit)
Trn1						
trn1.2xlarge [1]	5000.00 / 20000.00	625.00 / 2500.00	16250.00 / 65000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
trn1.32xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	Up to 28 (Shared limit)
Trn1n						
trn1n.32xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	Up to 28 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
Trn2						
trn2.3xlarge	5000.00	625.00	16250.00	✓ Yes	✗ No	32 (Dedicated limit)
trn2.48xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	64 (Dedicated limit)
Trn2u						
trn2u.48xlarge	80000.00	10000.00	260000.00	✓ Yes	✗ No	64 (Dedicated limit)
VT1						
vt1.3xlarge [1]	2375.00 / 4750.00	296.88 / 593.75	10000.00 / 20000.00	✓ Yes	✗ No	Up to 25 (Shared limit)
vt1.6xlarge	4750.00	593.75	20000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
vt1.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Note

[1] These instances can support maximum performance for 30 minutes at least once every 24 hours, after which they revert to their baseline performance. Other instances can sustain the maximum performance indefinitely. If your workload requires sustained maximum performance for longer than 30 minutes, use one of these instances.

Instance store specifications

The following table shows the instance store volume configuration for supported instance types, along with the aggregated IOPS performance with 4,096 byte block size at queue depth saturation.

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
DL1					
dl1.24xlarge	4 x 1000 GB	NVMe SSD	1,000,000 / 800,000		✓ Yes
F2					
f2.6xlarge	1 x 940 GB	NVMe SSD	400,000 / 125,000		✓ Yes
f2.12xlarge	2 x 940 GB	NVMe SSD	800,000 / 250,000		✓ Yes
f2.48xlarge	8 x 940 GB	NVMe SSD	3,200,000 / 1,000,000		✓ Yes
G4ad					
g4ad.xlarge	1 x 150 GB	NVMe SSD	10,417 / 8,333		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
g4ad.2xlarge	1 x 300 GB	NVMe SSD	20,833 / 16,667		✓ Yes
g4ad.4xlarge	1 x 600 GB	NVMe SSD	41,667 / 33,333		✓ Yes
g4ad.8xlarge	1 x 1200 GB	NVMe SSD	83,333 / 66,667		✓ Yes
g4ad.16xlarge	2 x 1200 GB	NVMe SSD	166,666 / 133,332		✓ Yes
G4dn					
g4dn.xlarge	1 x 125 GB	NVMe SSD	42,500 / 32,500		✓ Yes
g4dn.2xlarge	1 x 225 GB	NVMe SSD	42,500 / 32,500		✓ Yes
g4dn.4xlarge	1 x 225 GB	NVMe SSD	85,000 / 65,000		✓ Yes
g4dn.8xlarge	1 x 900 GB	NVMe SSD	250,000 / 200,000		✓ Yes
g4dn.12xlarge	1 x 900 GB	NVMe SSD	250,000 / 200,000		✓ Yes
g4dn.16xlarge	1 x 900 GB	NVMe SSD	250,000 / 200,000		✓ Yes
g4dn.metal	2 x 900 GB	NVMe SSD	500,000 / 400,000		✓ Yes
G5					

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
g5.xlarge	1 x 250 GB	NVMe SSD	40,625 / 20,313		✓ Yes
g5.2xlarge	1 x 450 GB	NVMe SSD	40,625 / 20,313		✓ Yes
g5.4xlarge	1 x 600 GB	NVMe SSD	125,000 / 62,500		✓ Yes
g5.8xlarge	1 x 900 GB	NVMe SSD	250,000 / 125,000		✓ Yes
g5.12xlarge	1 x 3800 GB	NVMe SSD	312,500 / 156,250		✓ Yes
g5.16xlarge	1 x 1900 GB	NVMe SSD	250,000 / 125,000		✓ Yes
g5.24xlarge	1 x 3800 GB	NVMe SSD	312,500 / 156,250		✓ Yes
g5.48xlarge	2 x 3800 GB	NVMe SSD	625,000 / 312,500		✓ Yes
G6					
g6.xlarge	1 x 250 GB	NVMe SSD	40,625 / 20,000		✓ Yes
g6.2xlarge	1 x 450 GB	NVMe SSD	40,625 / 20,000		✓ Yes
g6.4xlarge	1 x 600 GB	NVMe SSD	125,000 / 40,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
g6.8xlarge	2 x 450 GB	NVMe SSD	250,000 / 80,000		✓ Yes
g6.12xlarge	4 x 940 GB	NVMe SSD	312,500 / 125,000		✓ Yes
g6.16xlarge	2 x 940 GB	NVMe SSD	250,000 / 80,000		✓ Yes
g6.24xlarge	4 x 940 GB	NVMe SSD	312,500 / 156,248		✓ Yes
g6.48xlarge	8 x 940 GB	NVMe SSD	625,000 / 312,496		✓ Yes
G6e					
g6e.xlarge	1 x 250 GB	NVMe SSD	40,625 / 20,000		✓ Yes
g6e.2xlarge	1 x 450 GB	NVMe SSD	40,625 / 20,000		✓ Yes
g6e.4xlarge	1 x 600 GB	NVMe SSD	125,000 / 40,000		✓ Yes
g6e.8xlarge	2 x 450 GB	NVMe SSD	250,000 / 80,000		✓ Yes
g6e.12xlarge	2 x 1900 GB	NVMe SSD	312,500 / 125,000		✓ Yes
g6e.16xlarge	2 x 950 GB	NVMe SSD	250,000 / 80,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
g6e.24xlarge	2 x 1900 GB	NVMe SSD	312,500 / 156,250		✓ Yes
g6e.48xlarge	4 x 1900 GB	NVMe SSD	625,000 / 312,500		✓ Yes
G6f					
g6f.large	1 x 100 GB	NVMe SSD	16,250 / 8,000		✓ Yes
g6f.xlarge	1 x 100 GB	NVMe SSD	27,100 / 13,333		✓ Yes
g6f.2xlarge	1 x 200 GB	NVMe SSD	40,625 / 20,000		✓ Yes
g6f.4xlarge	1 x 450 GB	NVMe SSD	125,000 / 40,000		✓ Yes
Gr6					
gr6.4xlarge	1 x 600 GB	NVMe SSD	125,000 / 40,000		✓ Yes
gr6.8xlarge	2 x 450 GB	NVMe SSD	250,000 / 80,000		✓ Yes
Gr6f					
gr6f.4xlarge	1 x 450 GB	NVMe SSD	125,000 / 40,000		✓ Yes
G7					

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
g7.2xlarge	1 x 440 GB	NVMe SSD	127,368 / 98,421		✓ Yes
g7.4xlarge	1 x 875 GB	NVMe SSD	253,375 / 195,789		✓ Yes
g7.8xlarge	1 x 930 GB	NVMe SSD	269,211 / 208,026		✓ Yes
g7.12xlarge	1 x 1900 GB	NVMe SSD	550,000 / 425,000		✓ Yes
g7.24xlarge	1 x 3800 GB	NVMe SSD	1,100,000 / 850,000		✓ Yes
g7.48xlarge	2 x 3800 GB	NVMe SSD	2,200,000 / 1,700,000		✓ Yes
G7e					
g7e.2xlarge	1 x 1900 GB	NVMe SSD	275,000 / 137,500		✓ Yes
g7e.4xlarge	1 x 1900 GB	NVMe SSD	275,000 / 137,500		✓ Yes
g7e.8xlarge	1 x 1900 GB	NVMe SSD	275,000 / 137,500		✓ Yes
g7e.12xlarge	1 x 3800 GB	NVMe SSD	550,000 / 275,000		✓ Yes
g7e.24xlarge	2 x 3800 GB	NVMe SSD	1,100,000 / 550,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
g7e.48xlarge	4 x 3800 GB	NVMe SSD	2,200,000 / 1,100,000		✓ Yes
P4d					
p4d.24xlarge	8 x 1000 GB	NVMe SSD	2,000,000 / 1,600,000		✓ Yes
P4de					
p4de.24xlarge	8 x 1000 GB	NVMe SSD	2,000,000 / 1,600,000		✓ Yes
P5					
p5.4xlarge	1 x 3800 GB	NVMe SSD	550,000 / 275,000		✓ Yes
p5.48xlarge	8 x 3800 GB	NVMe SSD	4,400,000 / 2,200,000		✓ Yes
P5e					
p5e.48xlarge	8 x 3800 GB	NVMe SSD	4,400,000 / 2,200,000		✓ Yes
P5en					
p5en.48xlarge	8 x 3800 GB	NVMe SSD	4,400,000 / 2,200,000		✓ Yes
P6-B200					
p6-b200.48xlarge	8 x 3800 GB	NVMe SSD	4,400,000 / 2,200,000		✓ Yes

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
P6-B300					
p6-b300.48xlarge	8 x 3800 GB	NVMe SSD	4,400,000 / 2,200,000		✓ Yes
P6e-GB200					
p6e-gb200.36xlarge	3 x 7500 GB	NVMe SSD	2,550,000 / 2,400,000		✓ Yes
Trn1					
trn1.2xlarge	1 x 474 GB	NVMe SSD	107,500 / 45,000		✓ Yes
trn1.32xlarge	4 x 1900 GB	NVMe SSD	1,720,000 / 720,000		✓ Yes
Trn1n					
trn1n.32xlarge	4 x 1900 GB	NVMe SSD	1,720,000 / 720,000		✓ Yes
Trn2					
trn2.3xlarge	1 x 470 GB	NVMe SSD	107,500 / 45,000		✓ Yes
trn2.48xlarge	4 x 1900 GB	NVMe SSD	1,720,000 / 720,000		✓ Yes
Trn2u					
trn2u.48xlarge	4 x 1900 GB	NVMe SSD	1,720,000 / 720,000		✓ Yes

[1] Volumes attached to certain instances suffer a first-write penalty unless initialized. For more information, see Optimize disk performance for instance store volumes.

[2] For more information, see Instance store volume TRIM support.

Security specifications

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
DL1						
dl1.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
DL2q						
dl2q.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✓ Yes
F2						
f2.6xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
f2.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
f2.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
G4ad						
g4ad.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
g4ad.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
g4ad.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
g4ad.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
g4ad.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
G4dn						
g4dn.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g4dn.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g4dn.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g4dn.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g4dn.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g4dn.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g4dn.metal	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
G5						
g5.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g5.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g5.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g5.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g5.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g5.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g5.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g5.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
G5g						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
g5g.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
g5g.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
g5g.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
g5g.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
g5g.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
g5g.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
			G6			
g6.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
g6.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
G6e						
g6e.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6e.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6e.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6e.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6e.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6e.16xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6e.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6e.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
G6f						
g6f.large	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
g6f.xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6f.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g6f.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
Gr6						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
gr6.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
gr6.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
Gr6f						
gr6f.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
G7						
g7.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
G7e						
g7e.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7e.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7e.8xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7e.12xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7e.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
g7e.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
Inf1						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
inf1.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
inf1.2xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
inf1.6xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
inf1.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
Inf2						
inf2.xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
inf2.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
inf2.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes
inf2.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✓ Yes

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
P4d						
p4d.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
P4de						
p4de.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
P5						
p5.4xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
p5.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
P5e						
p5e.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
P5en						
p5en.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
P6-B200						
p6-b200.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
P6-B300						
p6-b300.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
P6e-GB200						
p6e-gb200 .36xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
Trn1						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
trn1.2xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
trn1.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
Trn1n						
trn1n.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✗ No
Trn2						
trn2.3xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
trn2.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
Trn2u						
trn2u.48xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✓ Yes
VT1						
vt1.3xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
vt1.6xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
vt1.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No

Specifications for Amazon EC2 high-performance computing instances

High-performance computing instances are purpose built to offer the best price performance for running HPC workloads at scale on AWS. These instances are ideal for applications that benefit from high-performance processors, such as large, complex simulations and deep learning workloads.

Contents

- Instance families and instance types
- Instance family summary
- Performance specifications
- Network specifications
- Amazon EBS specifications
- Instance store specifications
- Security specifications

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Instance families and instance types

Instance family	Available instance types
Hpc6a	hpc6a.48xlarge
Hpc6id	hpc6id.32xlarge
Hpc7a	hpc7a.12xlarge |hpc7a.24xlarge |hpc7a.48xlarge |hpc7a.96xlarge
Hpc7g	hpc7g.4xlarge |hpc7g.8xlarge |hpc7g.16xlarge
Hpc8a	hpc8a.96xlarge

Instance family summary

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
Hpc6a	Nitro v4	AMD (x86_64)	✗ No	✗ No	✗ No	✗ No	Linux
Hpc6id	Nitro v4	Intel (x86_64)	✗ No	✗ No	✗ No	✗ No	Windows | Linux
Hpc7a	Nitro v4	AMD (x86_64)	✗ No	✗ No	✗ No	✗ No	Windows | Linux
Hpc7g	Nitro v5	AWS Graviton (arm64)	✗ No	✗ No	✗ No	✗ No	Linux
Hpc8a	Nitro v6	AMD (x86_64)	✗ No	✗ No	✗ No	✗ No	Windows | Linux

Performance specifications

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
Hpc6a							
hpc6a.48xlarge	384.00	AMD EPYC 7R13	96	96	1	✗ No	✗ No
Hpc6id							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
hpc6id.32xlarge	1024.00	Intel Xeon Ice Lake	64	64	1	✗ No	✗ No
Hpc7a							
hpc7a.12xlarge	768.00	AMD EPYC 9R14	24	24	1	✗ No	✗ No
hpc7a.24xlarge	768.00	AMD EPYC 9R14	48	48	1	✗ No	✗ No
hpc7a.48xlarge	768.00	AMD EPYC 9R14	96	96	1	✗ No	✗ No
hpc7a.96xlarge	768.00	AMD EPYC 9R14	192	192	1	✗ No	✗ No
Hpc7g							
hpc7g.4xlarge	128.00	AWS Graviton3E Processor	16	16	1	✗ No	✗ No
hpc7g.8xlarge	128.00	AWS Graviton3E Processor	32	32	1	✗ No	✗ No
hpc7g.16xlarge	128.00	AWS Graviton3E Processor	64	64	1	✗ No	✗ No
Hpc8a							
hpc8a.96xlarge	768.00	AMD EPYC 9R45	192	192	1	✗ No	✗ No

Network specifications

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
Hpc6a									
hpc6a.48x large [1]	100 Gigabit	✓ Yes	✓ Yes	✗ No	8	1	2	50	✓ Yes
Hpc6id									
hpc6id.32 xlarge [1]	200 Gigabit	✓ Yes	✓ Yes	✗ No	8	2	2	50	✓ Yes
Hpc7a									
hpc7a.12x large [1]	300 Gigabit	✓ Yes	✓ Yes	✗ No	16	2	4	50	✓ Yes
hpc7a.24x large [1]	300 Gigabit	✓ Yes	✓ Yes	✗ No	16	2	4	50	✓ Yes
hpc7a.48x large [1]	300 Gigabit	✓ Yes	✓ Yes	✗ No	16	2	4	50	✓ Yes
hpc7a.96x large [1]	300 Gigabit	✓ Yes	✓ Yes	✗ No	16	2	4	50	✓ Yes
Hpc7g									
hpc7g.4xl arge [1]	200 Gigabit	✓ Yes	✓ Yes	✗ No	16	1	4	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
hpc7g.8xlarge [1]	200 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	4	50	✓ Yes
hpc7g.16xlarge [1]	200 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	4	50	✓ Yes
Hpc8a									
hpc8a.96xlarge	300 Gigabit	✓ Yes	✓ Yes	✗ No	32 / 128	2	4	50	✓ Yes

Note

[1] These instance types do not support configurable ENA queue allocation.
For `hpc6id.32xlarge`, you must attach at least 2 ENIs, to separate network cards, to achieve 200 Gbps throughput. Each ENI attached to a network card can achieve up to 170 Gbps.
For `hpc7a.12xlarge`, `hpc7a.24xlarge`, `hpc7a.48xlarge`, `hpc7a.96xlarge`, you must attach at least 2 ENIs, to separate network cards, to achieve 300 Gbps throughput. Each ENI attached to a network card can achieve up to 150 Gbps.

Amazon EBS specifications

The following table indicates which instance types are Amazon EBS optimized by default and which optionally support it. It also describes their EBS-optimized performance, including dedicated bandwidth to Amazon EBS, the typical maximum aggregate throughput that can be achieved on that dedicated connection with a streaming read workload and 128 KiB I/O size, and the maximum IOPS the instance type can support when using a 16 KiB I/O size. Instance types not listed do not support Amazon EBS optimization.

Important

An instance's EBS performance is bounded by the instance's performance limits, or the aggregated performance of its attached volumes, whichever is smaller. To achieve maximum EBS performance, an instance must have attached volumes that provide a combined performance equal to or greater than the maximum instance performance. For example, to achieve `80,000` IOPS for `r6i.16xlarge`, the instance must have at least 5 gp3 volumes provisioned with `16,000` IOPS each (5 volumes x `16,000` IOPS = `80,000` IOPS).

We recommend that you choose an EBS–optimized instance type that provides more dedicated Amazon EBS throughput than your application needs; otherwise, the connection between Amazon EBS and Amazon EC2 can become a performance bottleneck.

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
Hpc6a						
hpc6a.48xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
Hpc6id						
hpc6id.32xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	Up to 23 (Shared limit)
Hpc7a						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
hpc7a.12xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	27 (Dedicated limit)
hpc7a.24xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	27 (Dedicated limit)
hpc7a.48xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	27 (Dedicated limit)
hpc7a.96xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	27 (Dedicated limit)
Hpc7g						
hpc7g.4xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
hpc7g.8xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
hpc7g.16xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
Hpc8a						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
hpc8a.96xlarge [1]	87.00 / 2085.00	10.88 / 260.62	500.00 / 11000.00	✓ Yes	✗ No	27 (Dedicated limit)

Note

[1] These instances can support maximum performance for 30 minutes at least once every 24 hours, after which they revert to their baseline performance. Other instances can sustain the maximum performance indefinitely. If your workload requires sustained maximum performance for longer than 30 minutes, use one of these instances.

Instance store specifications

The following table shows the instance store volume configuration for supported instance types, along with the aggregated IOPS performance with 4,096 byte block size at queue depth saturation.

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
Hpc6id					
hpc6id.32xlarge	4 x 3800 GB	NVMe SSD	2,146,664 / 1,073,336		✓ Yes

[1] Volumes attached to certain instances suffer a first-write penalty unless initialized. For more information, see Optimize disk performance for instance store volumes.

[2] For more information, see Instance store volume TRIM support.

Security specifications

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
Hpc6a						
hpc6a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No
Hpc6id						
hpc6id.32xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✓ Yes	✗ No
Hpc7a						
hpc7a.12xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
hpc7a.24xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
hpc7a.48xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
hpc7a.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
Hpc7g						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
hpc7g.4xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
hpc7g.8xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
hpc7g.16xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✗ No	✗ No
Hpc8a						
hpc8a.96xlarge	✓ Yes	Instance store not supported	✓ Yes	✗ No	✓ Yes	✗ No

Specifications for Amazon EC2 previous generation instances

AWS offers previous generation instance types for users who have optimized their applications around them and have yet to upgrade. We encourage you to use current generation instance types to get the best performance, but we continue to support the following previous generation instance types.

Contents

- Instance families and instance types
- Instance family summary
- Performance specifications
- Network specifications
- Amazon EBS specifications

- Instance store specifications
- Security specifications

Pricing

For pricing information, see Amazon EC2 On-Demand Pricing.

Instance families and instance types

Instance family	Available instance types
A1	a1.medium |a1.large|a1.xlarge |a1.2xlarge |a1.4xlarge | a1.metal
C1	c1.medium |c1.xlarge
C3	c3.large|c3.xlarge |c3.2xlarge |c3.4xlarge |c3.8xlarge
C4	c4.large|c4.xlarge |c4.2xlarge |c4.4xlarge |c4.8xlarge
G3	g3.4xlarge |g3.8xlarge |g3.16xlarge
I2	i2.xlarge |i2.2xlarge |i2.4xlarge |i2.8xlarge
M1	m1.small|m1.medium |m1.large|m1.xlarge
M2	m2.xlarge |m2.2xlarge |m2.4xlarge
M3	m3.medium |m3.large|m3.xlarge |m3.2xlarge
M4	m4.large|m4.xlarge |m4.2xlarge |m4.4xlarge |m4.10xlarge | m4.16xlarge
P3	p3.2xlarge |p3.8xlarge |p3.16xlarge
P3dn	p3dn.24xlarge
R3	r3.large|r3.xlarge |r3.2xlarge |r3.4xlarge |r3.8xlarge

Instance family	Available instance types
R4	`r4.large | r4.xlarge | r4.2xlarge | r4.4xlarge | r4.8xlarge | r4.16xlarge`
T1	`t1.micro`

Instance family summary

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
A1	Nitro v2	AWS Graviton (arm64)	✓ Yes	✓ Yes	✓ Yes	✗ No	Linux
C1	Xen	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
C3	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
C4	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
G3	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
I2	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
M1	Xen	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux

Instance family	Hypervisor	Processor type (architecture)	Metal instances available	Dedicated Hosts support	Spot support	Hibernation support	Supported operating systems
M2	Xen	Intel (x86_64)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux
M3	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
M4	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
P3	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
P3dn	Nitro v3	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✗ No	Windows | Linux
R3	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
R4	Xen	Intel (x86_64)	✗ No	✓ Yes	✓ Yes	✓ Yes	Windows | Linux
T1	Xen	Intel (i386)	✗ No	✗ No	✓ Yes	✗ No	Windows | Linux

Performance specifications

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
A1							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
a1.medium	2.00	AWS Graviton Processor	1	1	1	✗ No	✗ No
a1.large	4.00	AWS Graviton Processor	2	2	1	✗ No	✗ No
a1.xlarge	8.00	AWS Graviton Processor	4	4	1	✗ No	✗ No
a1.2xlarge	16.00	AWS Graviton Processor	8	8	1	✗ No	✗ No
a1.4xlarge	32.00	AWS Graviton Processor	16	16	1	✗ No	✗ No
a1.metal	32.00	AWS Graviton Processor	16	16	1	✗ No	✗ No
C1							
c1.medium	1.70	Intel Xeon Family	2	2	1	✗ No	✗ No
c1.xlarge	7.00	Intel Xeon Family	8	8	1	✗ No	✗ No
C3							
c3.large	3.75	Intel Xeon E5-2680v2	2	1	2	✗ No	✗ No
c3.xlarge	7.50	Intel Xeon E5-2680v2	4	2	2	✗ No	✗ No
c3.2xlarge	15.00	Intel Xeon E5-2680v2	8	4	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
c3.4xlarge	30.00	Intel Xeon E5-2680v2	16	8	2	✗ No	✗ No
c3.8xlarge	60.00	Intel Xeon E5-2680v2	32	16	2	✗ No	✗ No
C4							
c4.large	3.75	Intel Xeon E5-2666v3	2	1	2	✗ No	✗ No
c4.xlarge	7.50	Intel Xeon E5-2666v3	4	2	2	✗ No	✗ No
c4.2xlarge	15.00	Intel Xeon E5-2666v3	8	4	2	✗ No	✗ No
c4.4xlarge	30.00	Intel Xeon E5-2666v3	16	8	2	✗ No	✗ No
c4.8xlarge	60.00	Intel Xeon E5-2666v3	36	18	2	✗ No	✗ No
G3							
g3.4xlarge	122.00	Intel Xeon E5-2686 v4	16	8	2	1 x NVIDIA M60 GPU	8 GiB (1 x 8 GiB)
g3.8xlarge	244.00	Intel Xeon E5-2686 v4	32	16	2	2 x NVIDIA M60 GPU	16 GiB (2 x 8 GiB)

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
g3.16xlarge	488.00	Intel Xeon E5-2686 v4	64	32	2	4 x NVIDIA M60 GPU	32 GiB (4 x 8 GiB)
I2							
i2.xlarge	30.50	Intel Xeon E5-2670v2	4	2	2	✗ No	✗ No
i2.2xlarge	61.00	Intel Xeon E5-2670v2	8	4	2	✗ No	✗ No
i2.4xlarge	122.00	Intel Xeon E5-2670v2	16	8	2	✗ No	✗ No
i2.8xlarge	244.00	Intel Xeon E5-2670v2	32	16	2	✗ No	✗ No
M1							
m1.small	1.70	Intel Xeon Family	1	1	1	✗ No	✗ No
m1.medium	3.70	Intel Xeon Family	1	1	1	✗ No	✗ No
m1.large	7.50	Intel Xeon Family	2	2	1	✗ No	✗ No
m1.xlarge	15.00	Intel Xeon Family	4	4	1	✗ No	✗ No
M2							
m2.xlarge	17.10	Intel Xeon Family	2	2	1	✗ No	✗ No
m2.2xlarge	34.20	Intel Xeon Family	4	4	1	✗ No	✗ No
m2.4xlarge	68.40	Intel Xeon Family	8	8	1	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
M3							
m3.medium	3.75	Intel Xeon E5-2670v2	1	1	1	✗ No	✗ No
m3.large	7.50	Intel Xeon E5-2670v2	2	1	2	✗ No	✗ No
m3.xlarge	15.00	Intel Xeon E5-2670v2	4	2	2	✗ No	✗ No
m3.2xlarge	30.00	Intel Xeon E5-2670v2	8	4	2	✗ No	✗ No
M4							
m4.large	8.00	Intel Xeon E5-2676v3	2	1	2	✗ No	✗ No
m4.xlarge	16.00	Intel Xeon E5-2676v3	4	2	2	✗ No	✗ No
m4.2xlarge	32.00	Intel Xeon E5-2676v3	8	4	2	✗ No	✗ No
m4.4xlarge	64.00	Intel Xeon E5-2676v3	16	8	2	✗ No	✗ No
m4.10xlarge	160.00	Intel Xeon E5-2676v3	40	20	2	✗ No	✗ No
m4.16xlarge	256.00	Intel Xeon E5-2686v4	64	32	2	✗ No	✗ No
P3							

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
p3.2xlarge	61.00	Intel Xeon E5-2686 v4	8	4	2	1 x NVIDIA V100 GPU	16 GiB (1 x 16 GiB)
p3.8xlarge	244.00	Intel Xeon E5-2686 v4	32	16	2	4 x NVIDIA V100 GPU	64 GiB (4 x 16 GiB)
p3.16xlarge	488.00	Intel Xeon E5-2686 v4	64	32	2	8 x NVIDIA V100 GPU	128 GiB (8 x 16 GiB)
P3dn							
p3dn.24xlarge	768.00	Intel Xeon Platinum 8175	96	48	2	8 x NVIDIA V100 GPU	256 GiB (8 x 32 GiB)
R3							
r3.large	15.00	Intel Xeon E5-2670v2	2	1	2	✗ No	✗ No
r3.xlarge	30.50	Intel Xeon E5-2670v2	4	2	2	✗ No	✗ No
r3.2xlarge	61.00	Intel Xeon E5-2670v2	8	4	2	✗ No	✗ No
r3.4xlarge	122.00	Intel Xeon E5-2670v2	16	8	2	✗ No	✗ No

Instance type	Memory (GiB)	Processor	vCPUs	CPU cores	Threads per core	Accelerators	Accelerator memory
r3.8xlarge	244.00	Intel Xeon E5-2670v2	32	16	2	✗ No	✗ No
R4							
r4.large	15.25	Intel Broadwell E5-2686v4	2	1	2	✗ No	✗ No
r4.xlarge	30.50	Intel Broadwell E5-2686v4	4	2	2	✗ No	✗ No
r4.2xlarge	61.00	Intel Broadwell E5-2686v4	8	4	2	✗ No	✗ No
r4.4xlarge	122.00	Intel Broadwell E5-2686v4	16	8	2	✗ No	✗ No
r4.8xlarge	244.00	Intel Broadwell E5-2686v4	32	16	2	✗ No	✗ No
r4.16xlarge	488.00	Intel Broadwell E5-2686v4	64	32	2	✗ No	✗ No
T1							
t1.micro	0.61	Intel E5-2650	1	1	1	✗ No	✗ No

Network specifications

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				A1					
a1.medium [1] [3]	0.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	2	4	✓ Yes
a1.large [1] [3]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
a1.xlarge [1] [3]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
a1.2xlarg e [1] [3]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
a1.4xlarg e [1] [3]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
a1.metal [1] [3]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
				C1					
c1.medium [3]	Moderate	✗ No	✗ No	✗ No	1	1	2	6	✗ No
c1.xlarge [3]	High	✗ No	✗ No	✗ No	4	1	4	15	✗ No
				C3					

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c3.large [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	3	10	✓ Yes
c3.xlarge [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
c3.2xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
c3.4xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
c3.8xlarge [3]	10 Gigabit	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
				C4					
c4.large [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	3	10	✓ Yes
c4.xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
c4.2xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
c4.4xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
c4.8xlarge [3]	10 Gigabit	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
				G3					
g3.4xlarge [1]	5.0 / 10.0	✗ No	✓ Yes	✗ No	—	1	8	30	✓ Yes
g3.8xlarge	10 Gigabit	✗ No	✓ Yes	✗ No	—	1	8	30	✓ Yes
g3.16xlarge	25 Gigabit	✗ No	✓ Yes	✗ No	—	1	15	50	✓ Yes
				I2					
i2.xlarge [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
i2.2xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
i2.4xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
i2.8xlarge [3]	10 Gigabit	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
M1									
m1.small [3]	Low	✗ No	✗ No	✗ No	1	1	2	4	✗ No
m1.medium [3]	Moderate	✗ No	✗ No	✗ No	1	1	2	6	✗ No
m1.large [3]	Moderate	✗ No	✗ No	✗ No	2	1	3	10	✗ No
m1.xlarge [3]	High	✗ No	✗ No	✗ No	4	1	4	15	✗ No
M2									
m2.xlarge [3]	Moderate	✗ No	✗ No	✗ No	1	1	4	15	✗ No
m2.2xlarge [3]	Moderate	✗ No	✗ No	✗ No	1	1	4	30	✗ No
m2.4xlarge [3]	High	✗ No	✗ No	✗ No	1	1	8	30	✗ No

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
				M3					
m3.medium [3]	Moderate	✗ No	✗ No	✗ No	1	1	2	6	✗ No
m3.large [3]	Moderate	✗ No	✗ No	✗ No	2	1	3	10	✗ No
m3.xlarge [3]	High	✗ No	✗ No	✗ No	4	1	4	15	✗ No
m3.2xlarge [3]	High	✗ No	✗ No	✗ No	8	1	4	30	✗ No
				M4					
m4.large [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	2	10	✓ Yes
m4.xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
m4.2xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
m4.4xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
m4.10xlarge [3]	10 Gigabit	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
m4.16xlarge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
P3									
p3.2xlarge [1]	2.5 / 10.0	✗ No	✓ Yes	✗ No	—	1	4	15	✓ Yes
p3.8xlarge	10 Gigabit	✗ No	✓ Yes	✗ No	—	1	8	30	✓ Yes
p3.16xlarge	25 Gigabit	✗ No	✓ Yes	✗ No	—	1	8	30	✓ Yes
P3dn									
p3dn.24xlarge [3]	100 Gigabit	✓ Yes	✓ Yes	✗ No	32	1	15	50	✓ Yes
R3									
r3.large [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	3	10	✓ Yes
r3.xlarge [3]	Moderate	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
r3.2xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	4	15	✓ Yes
r3.4xlarge [3]	High	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
r3.8xlarge [3]	10 Gigabit	✗ No	✗ No [2]	✗ No	8	1	8	30	✓ Yes
				R4					
r4.large [1] [3]	0.75 / 10.0	✗ No	✓ Yes	✗ No	8	1	3	10	✓ Yes
r4.xlarge [1] [3]	1.25 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r4.2xlarg e [1] [3]	2.5 / 10.0	✗ No	✓ Yes	✗ No	8	1	4	15	✓ Yes
r4.4xlarg e [1] [3]	5.0 / 10.0	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r4.8xlarge [3]	10 Gigabit	✗ No	✓ Yes	✗ No	8	1	8	30	✓ Yes
r4.16xlarge [3]	25 Gigabit	✗ No	✓ Yes	✗ No	8	1	15	50	✓ Yes

Instance type	Baseline / Burst bandwidth (Gbps)	EFA	ENA	ENA Expres	ENA queues per interfac (Defaul Maximu	Networ cards	Max. network interface s	IP addresse per interface	IPv6
T1									
t1.micro [3]	Very Low	✗ No	✗ No	✗ No	1	1	2	2	✗ No

Note

[1] These instances have a baseline bandwidth and can use a network I/O credit mechanism to burst beyond their baseline bandwidth on a best effort basis. Other instances types can sustain their maximum performance indefinitely. For more information, see instance network bandwidth.

[2] These instances support enhanced networking using the Intel 82599 VF interface.

[3] These instance types do not support configurable ENA queue allocation.

Amazon EBS specifications

The following table indicates which instance types are Amazon EBS optimized by default and which optionally support it. It also describes their EBS-optimized performance, including dedicated bandwidth to Amazon EBS, the typical maximum aggregate throughput that can be achieved on that dedicated connection with a streaming read workload and 128 KiB I/O size, and the maximum IOPS the instance type can support when using a 16 KiB I/O size. Instance types not listed do not support Amazon EBS optimization.

Important

An instance's EBS performance is bounded by the instance's performance limits, or the aggregated performance of its attached volumes, whichever is smaller. To achieve maximum EBS performance, an instance must have attached volumes that provide a combined performance equal to or greater than the maximum instance performance. For

example, to achieve 80,000 IOPS for r6i.16xlarge, the instance must have at least 5 gp3 volumes provisioned with 16,000 IOPS each (5 volumes x 16,000 IOPS = 80,000 IOPS).

We recommend that you choose an EBS–optimized instance type that provides more dedicated Amazon EBS throughput than your application needs; otherwise, the connection between Amazon EBS and Amazon EC2 can become a performance bottleneck.

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
A1						
a1.medium [1]	300.00 / 3500.00	37.50 / 437.50	2500.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
a1.large [1]	525.00 / 3500.00	65.62 / 437.50	4000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
a1.xlarge [1]	800.00 / 3500.00	100.00 / 437.50	6000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
a1.2xlarge [1]	1750.00 / 3500.00	218.75 / 437.50	10000.00 / 20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)
a1.4xlarge	3500.00	437.50	20000.00	✓ Yes	✗ No	Up to 27 (Shared limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
a1.metal	3500.00	437.50	20000.00	✓ Yes	✗ No	Up to 31 (Shared limit)
			C1			
c1.xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
			C3			
c3.xlarge	500.00	62.50	4000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
c3.2xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
c3.4xlarge	2000.00	250.00	16000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
			C4			
c4.large	500.00	62.50	4000.00	✗ No	✗ No	Up to 40 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
c4.xlarge	750.00	93.75	6000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
c4.2xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
c4.4xlarge	2000.00	250.00	16000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
c4.8xlarge	4000.00	500.00	32000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
G3						
g3.4xlarge	3500.00	437.50	20000.00	✗ No	✗ No	Up to 26 (Xen-based limit)
g3.8xlarge	7000.00	875.00	40000.00	✗ No	✗ No	Up to 25 (Xen-based limit)
g3.16xlarge	14000.00	1750.00	80000.00	✗ No	✗ No	Up to 23 (Xen-based limit)
I2						

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
i2.xlarge	500.00	62.50	4000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
i2.2xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
i2.4xlarge	2000.00	250.00	16000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
			M1			
m1.large	500.00	62.50	4000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
m1.xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
			M2			
m2.2xlarge	500.00	62.50	4000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
m2.4xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 39 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
			M3			
m3.xlarge	500.00	62.50	4000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
m3.2xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
			M4			
m4.large	450.00	56.25	3600.00	✗ No	✗ No	Up to 40 (Xen-based limit)
m4.xlarge	750.00	93.75	6000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
m4.2xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
m4.4xlarge	2000.00	250.00	16000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
m4.10xlarge	4000.00	500.00	32000.00	✗ No	✗ No	Up to 40 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
m4.16xlarge	10000.00	1250.00	65000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
P3						
p3.2xlarge	1750.00	218.75	10000.00	✗ No	✗ No	Up to 26 (Xen-based limit)
p3.8xlarge	7000.00	875.00	40000.00	✗ No	✗ No	Up to 23 (Xen-based limit)
p3.16xlarge	14000.00	1750.00	80000.00	✗ No	✗ No	Up to 19 (Xen-based limit)
P3dn						
p3dn.24xlarge	19000.00	2375.00	80000.00	✓ Yes	✗ No	Up to 17 (Shared limit)
R3						
r3.xlarge	500.00	62.50	4000.00	✗ No	✗ No	Up to 39 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r3.2xlarge	1000.00	125.00	8000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
r3.4xlarge	2000.00	250.00	16000.00	✗ No	✗ No	Up to 39 (Xen-based limit)
R4						
r4.large	425.00	53.12	3000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
r4.xlarge	850.00	106.25	6000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
r4.2xlarge	1700.00	212.50	12000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
r4.4xlarge	3500.00	437.50	18750.00	✗ No	✗ No	Up to 40 (Xen-based limit)
r4.8xlarge	7000.00	875.00	37500.00	✗ No	✗ No	Up to 40 (Xen-based limit)

Instance type	Baseline / Maximum bandwidth (Mbps)	Baseline / Maximum throughput (MB/s, 128 KiB I/O)	Baseline / Maximum IOPS (16 KiB I/O)	NVMe	Multiple EBS cards	EBS volume limit
r4.16xlarge	14000.00	1750.00	75000.00	✗ No	✗ No	Up to 40 (Xen-based limit)
T1						

Note

[1] These instances can support maximum performance for 30 minutes at least once every 24 hours, after which they revert to their baseline performance. Other instances can sustain the maximum performance indefinitely. If your workload requires sustained maximum performance for longer than 30 minutes, use one of these instances.
C1, C3, I2, M1, M2, M3, and R3 instances are not Amazon EBS optimized by default. You can optionally enable Amazon EBS optimization for these instances during or after launch for an additional hourly fee.

Instance store specifications

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
C1					
c1.medium	1 x 350 GB	HDD		✓ Yes	
c1.xlarge	4 x 420 GB	HDD		✓ Yes	
C3					

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
c3.large	2 x 16 GB	SSD		✓ Yes	
c3.xlarge	2 x 40 GB	SSD		✓ Yes	
c3.2xlarge	2 x 80 GB	SSD		✓ Yes	
c3.4xlarge	2 x 160 GB	SSD		✓ Yes	
c3.8xlarge	2 x 320 GB	SSD		✓ Yes	
I2					
i2.xlarge	1 x 800 GB	SSD		✓ Yes	
i2.2xlarge	2 x 800 GB	SSD		✓ Yes	
i2.4xlarge	4 x 800 GB	SSD		✓ Yes	
i2.8xlarge	8 x 800 GB	SSD		✓ Yes	
M1					
m1.small	1 x 160 GB	HDD		✓ Yes	
m1.medium	1 x 410 GB	HDD		✓ Yes	
m1.large	2 x 420 GB	HDD		✓ Yes	
m1.xlarge	4 x 420 GB	HDD		✓ Yes	
M2					
m2.xlarge	1 x 420 GB	HDD		✓ Yes	
m2.2xlarge	1 x 850 GB	HDD		✓ Yes	
m2.4xlarge	2 x 840 GB	HDD		✓ Yes	

Instance type	Instance store volumes	Instance store type	100% random read IOPS / Write IOPS	Needs initialization [1]	TRIM support [2]
M3					
m3.medium	1 x 4 GB	SSD		✓ Yes	
m3.large	1 x 32 GB	SSD		✓ Yes	
m3.xlarge	2 x 40 GB	SSD		✓ Yes	
m3.2xlarge	2 x 80 GB	SSD		✓ Yes	
P3dn					
p3dn.24xlarge	2 x 900 GB	NVMe SSD	700,000 / 340,000		✓ Yes
R3					
r3.large	1 x 32 GB	SSD		✓ Yes	
r3.xlarge	1 x 80 GB	SSD		✓ Yes	
r3.2xlarge	1 x 160 GB	SSD		✓ Yes	
r3.4xlarge	1 x 320 GB	SSD		✓ Yes	
r3.8xlarge	2 x 320 GB	SSD		✓ Yes	

[1] Volumes attached to certain instances suffer a first-write penalty unless initialized. For more information, see Optimize disk performance for instance store volumes.

[2] For more information, see Instance store volume TRIM support.

Security specifications

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
			A1			
a1.medium	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
a1.large	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
a1.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
a1.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
a1.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
a1.metal	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
			C1			
c1.medium	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
c1.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
			C3			
c3.large	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
c3.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
c3.2xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
c3.4xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
c3.8xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
			C4			
c4.large	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
c4.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
c4.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
c4.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
c4.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
			G3			

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
g3.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
g3.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
g3.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
I2						
i2.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
i2.2xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
i2.4xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
i2.8xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
M1						
m1.small	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
m1.medium	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
m1.large	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
m1.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
M2						
m2.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m2.2xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
m2.4xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
			M3			
m3.medium	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
m3.large	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
m3.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
m3.2xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
			M4			
m4.large	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
m4.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
m4.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
m4.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
m4.10xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
m4.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
P3						
p3.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
p3.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
p3.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
P3dn						
p3dn.24xlarge	✓ Yes	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
R3						
r3.large	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
r3.xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
r3.2xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
r3.4xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
r3.8xlarge	✓ Yes	✗ No	✗ No	✗ No	✗ No	✗ No
R4						

Instance type	EBS encryption	Instance store encryption	Encryption in transit	AMD SEV-SNP	NitroTPM	Nitro Enclaves
r4.large	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
r4.xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
r4.2xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
r4.4xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
r4.8xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
r4.16xlarge	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No
T1						
t1.micro	✓ Yes	Instance store not supported	✗ No	✗ No	✗ No	✗ No

Amazon EC2 instance types by Region

An Amazon EC2 instance is tied to the zone in which it was launched. The ID of an instance is tied to the Region for the instance, and can only be used in this Region.

Considerations

- When you create your AWS account, we set default quotas on these resources on a per-Region basis. We monitor your usage within each Region and raise your quotas automatically based on your use of Amazon EC2. For more information, see *Quotas*.
- Each Region supports a subset of the available instance types. An instance type that is supported in a Region might not be supported in all of the Availability Zones for that Region.
- Each Local Zone supports a subset of the available instance types. For more information, see AWS Local Zones Features.
- Each Wavelength Zone supports a subset of the available instance types. For more information, see Amazon EC2 considerations.

US East (N. Virginia) — `us-east-1`

The following instance types are available in US East (N. Virginia).

- **General Purpose:** A1 | M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8azn | M8g | M8gb | M8gd | M8gn | M8i | M8id | M8i-flex | M8in | M8idn | M8ine | M8ib | M8idb | M9g | M9gd | Mac1 | Mac2 | Mac2-m1ultra | Mac2-m2 | Mac2-m2pro | Mac-m3ultra | Mac-m4 | Mac-m4pro | Mac-m4max | T1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7gn | C7i | C7i-flex | C8a | C8g | C8gb | C8gd | C8gn | C8i | C8id | C8i-flex | C8in | C8ine | C8ib | C9g | C9gd
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | R8a | R8g | R8gb | R8gd | R8gn | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | R9g | R9gd | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | U7in-32tb | X1 | X1e | X2gd | X2idn | X2iedn | X2iezn | X8g | X8i | z1d
- **Storage Optimized:** D2 | D3 | D3en | H1 | I2 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen

- **Accelerated Computing:** F2 | G4dn | G5 | G5g | G6 | G6e | G6f | Gr6 | Gr6f | G7 | G7e | Inf1 | Inf2 | P3dn | P4d | P4de | P5 | P5en | P6-B200 | P6-B300 | Trn1 | Trn1n | VT1
- **High Performance Computing:** Hpc7g
- **Previous Generation:** A1 | C1 | C3 | C4 | I2 | M1 | M2 | M3 | M4 | P3dn | R3 | R4 | T1

US East (Ohio) — `us-east-2`

The following instance types are available in US East (Ohio).

- **General Purpose:** A1 | M4 | M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8azn | M8g | M8gd | M8i | M8id | M8i-flex | M8in | M8idn | M8ib | M8idb | M9g | M9gd | Mac1 | Mac2 | Mac2-m2 | Mac2-m2pro | Mac-m4 | Mac-m4pro | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7gn | C7i | C7i-flex | C8a | C8g | C8gd | C8gn | C8i | C8id | C8i-flex | C8in | C9g | C9gd
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | R8a | R8g | R8gd | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | R9g | R9gd | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X1e | X2gd | X2idn | X2iedn | X8g | X8i | z1d
- **Storage Optimized:** D2 | D3 | H1 | I2 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** G4dn | G5 | G6 | G6e | G6f | Gr6 | Gr6f | G7 | G7e | Inf1 | Inf2 | P4d | P5 | P5e | P5en | P6-B200 | Trn1 | Trn1n | Trn2
- **High Performance Computing:** Hpc6a | Hpc6id | Hpc7a | Hpc8a
- **Previous Generation:** A1 | C4 | I2 | M4 | R3 | R4

US West (N. California) — `us-west-1`

The following instance types are available in US West (N. California).

- **General Purpose:** M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7gd | M7i | M7i-flex | M8g | M8i | M8i-flex | T1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6in | C7a | C7g | C7gd | C7i | C7i-flex | C8g | C8gn | C8i | C8i-flex

- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5d | R5n | R6a | R6g | R6gd | R6i | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | X2idn | X2iedn | z1d
- **Storage Optimized:** D2 | I2 | I3 | I3en | I4i | I7i | I7ie
- **Accelerated Computing:** G4dn | Inf1 | P5 | P5en
- **Previous Generation:** C1 | C3 | C4 | I2 | M1 | M2 | M3 | M4 | R3 | R4 | T1

US West (Oregon) — `us-west-2`

The following instance types are available in US West (Oregon).

- **General Purpose:** A1 | M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8azn | M8g | M8gb | M8gd | M8gn | M8i | M8id | M8i-flex | M8in | M8idn | M8ine | M8ib | M8idb | M9g | M9gd | Mac1 | Mac2 | Mac2-m1ultra | Mac2-m2 | Mac2-m2pro | Mac-m3ultra | Mac-m4 | Mac-m4pro | Mac-m4max | T1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7gn | C7i | C7i-flex | C8a | C8g | C8gb | C8gd | C8gn | C8i | C8id | C8i-flex | C8in | C8ine | C8ib | C9g | C9gd
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | R8a | R8g | R8gb | R8gd | R8gn | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | R9g | R9gd | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | U7in-32tb | X1 | X1e | X2gd | X2idn | X2iedn | X2iezn | X8g | X8aedz | X8i | z1d
- **Storage Optimized:** D2 | D3 | D3en | H1 | I2 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** DL2q | F2 | G4dn | G5 | G5g | G6 | G6e | G6f | Gr6 | Gr6f | G7 | G7e | Inf1 | Inf2 | P3dn | P4d | P4de | P5 | P5e | P5en | P6-B200 | P6-B300 | Trn1 | Trn1n | VT1
- **Previous Generation:** A1 | C1 | C3 | C4 | I2 | M1 | M2 | M3 | M4 | P3dn | R3 | R4 | T1

Africa (Cape Town) — `af-south-1`

The following instance types are available in Africa (Cape Town).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M7g | M7i | M8g | M8i | M8i-flex | T3 | T4g

- **Compute Optimized:** C5 | C5a | C5ad | C5d | C5n | C6g | C6gd | C6i | C6in | C7g | C7i | C7i-flex | C8g | C8gn | C8i | C8i-flex
- **Memory Optimized:** R5 | R5d | R5dn | R5n | R6g | R6gd | R6i | R6id | R7g | R7gd | R8g | R8gd | R8i | R8i-flex | U-6tb1 | X1 | X1e | X2idn | X2iedn
- **Storage Optimized:** D2 | I3 | I3en | I4i | I7i | I7ie
- **Accelerated Computing:** G4dn | Inf1

Asia Pacific (Hong Kong) — ap-east-1

The following instance types are available in Asia Pacific (Hong Kong).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M7g | M7i | M7i-flex | M8g | T3 | T4g
- **Compute Optimized:** C5 | C5a | C5d | C5n | C6a | C6g | C6gn | C6i | C6in | C7g | C7i | C7i-flex | C8g | C8gn
- **Memory Optimized:** R5 | R5d | R5n | R6g | R6i | R7g | R7gd | R8g | R8gd | U-3tb1 | X1 | X2idn
- **Storage Optimized:** D2 | I3 | I3en | I4i | I7i | I7ie | I8ge
- **Accelerated Computing:** G4dn | G5 | Inf1

Asia Pacific (Hyderabad) — ap-south-2

The following instance types are available in Asia Pacific (Hyderabad).

- **General Purpose:** M5 | M5d | M6a | M6g | M6gd | M6i | M6idn | M6in | M7g | M7i | M7i-flex | M8a | M8g | M8i | M8i-flex | T3 | T4g | T8i
- **Compute Optimized:** C5 | C5d | C6a | C6g | C6i | C6in | C7g | C7i | C7i-flex | C8g | C8gn | C8i | C8i-flex
- **Memory Optimized:** R5 | R5d | R6a | R6g | R6i | R7a | R7g | R7gd | R7i | R8g | R8i | R8i-flex | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | X2idn | X2iedn
- **Storage Optimized:** I3 | I3en | I4i | I7i | I7ie
- **Accelerated Computing:** G6 | G6e | P6-B200 | P6-B300

Asia Pacific (Jakarta) — ap-southeast-3

The following instance types are available in Asia Pacific (Jakarta).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M7g | M7i | M7i-flex | M8g | T3 | T4g
- **Compute Optimized:** C5 | C5d | C5n | C6g | C6gd | C6gn | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gn
- **Memory Optimized:** R5 | R5d | R6g | R6gd | R7g | R7gd | R7i | R8g | R8gd | U-6tb1 | U7i-6tb | X2idn | X2iedn
- **Storage Optimized:** D3en | I3 | I3en | I4i | I7i | I7ie | I8g
- **Accelerated Computing:** G5 | G5g | G7e | P5 | P5e | P5en | P6-B300

Asia Pacific (Malaysia) — ap-southeast-5

The following instance types are available in Asia Pacific (Malaysia).

- **General Purpose:** M6g | M6gd | M6i | M6id | M7g | M7gd | M7i | M7i-flex | M8g | M8gd | M8i | M8i-flex | T3 | T4g | T8i
- **Compute Optimized:** C6g | C6gn | C6i | C6id | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gd | C8gn | C8i | C8i-flex | C8in
- **Memory Optimized:** R6g | R6i | R6id | R7g | R7gd | R7i | R8g | R8gd | R8i | R8id | R8i-flex | U7i-6tb | U7i-8tb | X2idn | X2iedn | X8i
- **Storage Optimized:** I3en | I4i | I7i | I7ie | I8ge
- **Accelerated Computing:** G6 | Gr6

Asia Pacific (Melbourne) — ap-southeast-4

The following instance types are available in Asia Pacific (Melbourne).

- **General Purpose:** M5 | M5d | M6g | M6gd | M7g | M7i | M7i-flex | M8g | M8gd | T3 | T4g
- **Compute Optimized:** C5 | C5d | C6g | C6in | C7i | C8g | C8gn
- **Memory Optimized:** R5 | R5d | R6g | R7g | R7i | R8g | R8gd | X2idn
- **Storage Optimized:** I3 | I3en | I4i | I7i | I7ie
- **Accelerated Computing:** Trn1 | Trn2

Asia Pacific (Mumbai) — ap-south-1

The following instance types are available in Asia Pacific (Mumbai).

- **General Purpose:** A1 | M4 | M5 | M5a | M5ad | M5d | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7gd | M7i | M7i-flex | M8a | M8g | M8gd | M8i | M8id | M8i-flex | Mac1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C4 | C5 | C5a | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gn | C8i | C8id | C8i-flex
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5d | R5n | R6a | R6g | R6gd | R6i | R6id | R7g | R7gd | R7i | R8g | R8gd | R8i | R8id | R8i-flex | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | X1 | X1e | X2idn | X2iedn | X8aedz | X8i | z1d
- **Storage Optimized:** D2 | D3 | I2 | I3 | I3en | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** G4dn | G5 | G6 | G6e | G6f | Gr6 | Gr6f | G7e | Inf1 | Inf2 | P4d | P5 | P5en | P6-B200 | Trn1
- **Previous Generation:** A1 | C4 | I2 | M4 | R3 | R4

Asia Pacific (New Zealand) — `ap-southeast-6`

The following instance types are available in Asia Pacific (New Zealand).

- **General Purpose:** M6g | M6gd | M6i | M6id | M7g | M7gd | M7i | M7i-flex | M8i | M8i-flex | T3 | T4g
- **Compute Optimized:** C6g | C6gn | C6i | C6id | C7g | C7i | C7i-flex | C8g | C8gd | C8i | C8i-flex
- **Memory Optimized:** R6g | R6i | R6id | R7g | R7gd | R7i | R8g | R8i | R8i-flex
- **Storage Optimized:** I3en | I4i

Asia Pacific (Osaka) — `ap-northeast-3`

The following instance types are available in Asia Pacific (Osaka).

- **General Purpose:** M4 | M5 | M5d | M6g | M6gd | M6i | M7g | M7i | M7i-flex | M8g | T2 | T3 | T4g
- **Compute Optimized:** C4 | C5 | C5d | C5n | C6g | C6gd | C6gn | C6i | C6in | C7g | C7gd | C7i | C8g
- **Memory Optimized:** R4 | R5 | R5d | R6g | R6gd | R6i | R7g | R7gd | R7i | R8g | R8gd | U-6tb1 | X1 | X1e | X2idn | X2iedn
- **Storage Optimized:** D2 | I3 | I3en | I4i | I7i | I8g
- **Accelerated Computing:** G4dn | G6e

- **Previous Generation:** C4 | M4 | R4

Asia Pacific (Seoul) — ap-northeast-2

The following instance types are available in Asia Pacific (Seoul).

- **General Purpose:** M4 | M5 | M5a | M5ad | M5d | M5zn | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7gd | M7i | M7i-flex | M8g | M8i | M8i-flex | Mac1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C4 | C5 | C5a | C5d | C5n | C6g | C6gd | C6gn | C6i | C6id | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gn | C8i | C8i-flex
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6g | R6gd | R6i | R6id | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X1e | X2idn | X2iedn | X8aedz | X8i | z1d
- **Storage Optimized:** D2 | I2 | I3 | I3en | I4i | I7i | I7ie | I8g | I8ge
- **Accelerated Computing:** F2 | G4dn | G5 | G5g | G6 | G6e | G6f | Gr6 | Gr6f | G7e | Inf1 | Inf2 | P4d | P5 | P5en | P6-B300
- **Previous Generation:** C4 | I2 | M4 | R3 | R4

Asia Pacific (Singapore) — ap-southeast-1

The following instance types are available in Asia Pacific (Singapore).

- **General Purpose:** A1 | M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7gd | M7i | M7i-flex | M8g | M8i | M8i-flex | M9g | M9gd | Mac1 | Mac2 | T1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7i | C7i-flex | C8g | C8gd | C8gn | C8i | C8i-flex | C8in
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | X1 | X1e | X2idn | X2iedn | X8i | z1d
- **Storage Optimized:** D2 | D3 | D3en | I2 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** G4dn | G5g | Inf1 | Inf2 | P4de
- **High Performance Computing:** Hpc6a
- **Previous Generation:** A1 | C1 | C3 | C4 | I2 | M1 | M2 | M3 | M4 | R3 | R4 | T1

Asia Pacific (Sydney) — ap-southeast-2

The following instance types are available in Asia Pacific (Sydney).

- **General Purpose:** A1 | M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8g | M8gd | M8i | M8i-flex | M9g | M9gd | Mac1 | Mac2-m2 | Mac2-m2pro | Mac-m4 | T1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gd | C8gn | C8i | C8id | C8i-flex | C8in
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7g | R7gd | R7i | R8g | R8gd | R8i | R8id | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | U7i-12tb | U7in-16tb | X1 | X1e | X2idn | X2iedn | X8g | X8i | z1d
- **Storage Optimized:** D2 | D3 | D3en | I2 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** F2 | G4dn | G5 | G6 | G6f | Gr6 | Gr6f | Inf1 | Inf2 | P4d | P5 | P5e | Trn1
- **High Performance Computing:** Hpc6a
- **Previous Generation:** A1 | C1 | C3 | C4 | I2 | M1 | M2 | M3 | M4 | R3 | R4 | T1

Asia Pacific (Taipei) — ap-east-2

The following instance types are available in Asia Pacific (Taipei).

- **General Purpose:** M6g | M6gd | M6i | M6id | M7g | M7gd | M7i | M7i-flex | M8g | T3 | T4g
- **Compute Optimized:** C6g | C6gn | C6i | C6id | C6in | C7g | C7i | C7i-flex | C8g
- **Memory Optimized:** R6g | R6i | R6id | R7g | R7gd | R7i | R8a | R8gd
- **Storage Optimized:** I3en | I4i

Asia Pacific (Thailand) — ap-southeast-7

The following instance types are available in Asia Pacific (Thailand).

- **General Purpose:** M6g | M6gd | M6i | M6id | M7g | M7gd | M7i | M7i-flex | M8g | T3 | T4g
- **Compute Optimized:** C6g | C6gn | C6i | C6id | C6in | C7g | C7i | C7i-flex | C8g | C8gd | C8gn
- **Memory Optimized:** R6g | R6i | R6id | R7g | R7gd | R7i | R8g | U7i-6tb | X2idn | X2iedn
- **Storage Optimized:** I3en | I4i | I7i | I7ie | I8ge

Asia Pacific (Tokyo) — ap-northeast-1

The following instance types are available in Asia Pacific (Tokyo).

- **General Purpose:** A1 | M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8azn | M8g | M8gd | M8i | M8id | M8i-flex | M8in | M8idn | M8ib | M8idb | M9g | M9gd | Mac1 | T1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7gn | C7i | C7i-flex | C8a | C8g | C8gd | C8gn | C8i | C8id | C8i-flex | C8in | C8ine | C9g | C9gd
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | R8a | R8g | R8gd | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | U-3tb1 | U-6tb1 | U7i-6tb | X1 | X1e | X2idn | X2iedn | X2iezn | X8aedz | X8i | z1d
- **Storage Optimized:** D2 | D3 | D3en | I2 | I3 | I3en | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** F2 | G4dn | G5 | G5g | G6 | G6e | G6f | Gr6 | Gr6f | G7e | Inf1 | Inf2 | P3dn | P4d | P4de | P5 | P5en | VT1
- **High Performance Computing:** Hpc7g | Hpc8a
- **Previous Generation:** A1 | C1 | C3 | C4 | I2 | M1 | M2 | M3 | M4 | P3dn | R3 | R4 | T1

Canada (Central) — ca-central-1

The following instance types are available in Canada (Central).

- **General Purpose:** M4 | M5 | M5a | M5ad | M5d | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7i | M7i-flex | M8g | M8gd | M8i | M8id | M8i-flex | Mac2-m2 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C4 | C5 | C5a | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gd | C8gn | C8i | C8id | C8i-flex
- **Memory Optimized:** R4 | R5 | R5a | R5ad | R5b | R5d | R5n | R6a | R6g | R6gd | R6i | R6idn | R6in | R7g | R7i | R8a | R8g | R8gd | R8i | R8id | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | X1 | X1e | X2idn | X2iedn
- **Storage Optimized:** D2 | D3 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** F2 | G4dn | G5 | G6 | G6f | Gr6 | Gr6f | Inf1 | P4d | P5

- **Previous Generation:** C4 | M4 | R4

Canada West (Calgary) — `ca-west-1`

The following instance types are available in Canada West (Calgary).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M6id | M8g | M8i | M8i-flex | T3 | T4g
- **Compute Optimized:** C5 | C6g | C6gn | C6i | C6id | C6in | C7g | C7i | C8g | C8gn
- **Memory Optimized:** R5 | R6g | R6i | R6id | R7g | R8g | R8gd | R8i | R8i-flex
- **Storage Optimized:** I3en | I4i | I7i | I7ie

China (Beijing) — `cn-north-1`

The following instance types are available in China (Beijing).

- **General Purpose:** M1 | M3 | M4 | M5 | M5a | M5d | M6g | M6i | M7g | M8g | M8i | M8i-flex | T1 | T2 | T3 | T3a | T4g
- **Compute Optimized:** C3 | C4 | C5 | C5a | C5d | C6g | C6gn | C6i | C7g | C8g | C8gn | C8i | C8i-flex
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5d | R6g | R6gd | R6i | R7g | R8g | R8i | R8i-flex | U-6tb1 | X1 | X2idn | X2iedn
- **Storage Optimized:** D2 | I2 | I3 | I3en | I4i | I7i | I7ie
- **Accelerated Computing:** G4dn | G5 | Inf1
- **Previous Generation:** C3 | C4 | I2 | M1 | M3 | M4 | R3 | R4 | T1

China (Ningxia) — `cn-northwest-1`

The following instance types are available in China (Ningxia).

- **General Purpose:** M4 | M5 | M5a | M5d | M6g | M6i | M7g | M8g | M8i | M8i-flex | T2 | T3 | T3a | T4g
- **Compute Optimized:** C4 | C5 | C5a | C5d | C6g | C6gd | C6gn | C6i | C6in | C7g | C8g | C8gd | C8gn | C8i | C8i-flex
- **Memory Optimized:** R4 | R5 | R5a | R5d | R6g | R6gd | R6i | R7g | R8g | R8gd | R8i | R8i-flex | U-6tb1 | X1 | X2idn | X2iedn | z1d

- **Storage Optimized:** D2 | I3 | I3en | I4i | I7i | I7ie
- **Accelerated Computing:** G4dn | G5 | Inf1
- **Previous Generation:** C4 | M4 | R4

Europe (Frankfurt) — `eu-central-1`

The following instance types are available in Europe (Frankfurt).

- **General Purpose:** A1 | M3 | M4 | M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8azn | M8g | M8gd | M8i | M8id | M8i-flex | M9g | M9gd | Mac1 | Mac2-m2 | Mac-m4 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C3 | C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7i | C7i-flex | C8a | C8g | C8gd | C8gn | C8i | C8id | C8i-flex | C8in | C8ine | C9g | C9gd
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | R8a | R8g | R8gd | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | R9g | R9gd | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X1e | X2idn | X2iedn | X8g | X8i | z1d
- **Storage Optimized:** D2 | D3 | D3en | I2 | I3 | I3en | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** DL2q | F2 | G4dn | G5 | G5g | G6 | G6e | G6f | Gr6 | Gr6f | G7e | Inf1 | Inf2 | P4d | P4de
- **Previous Generation:** A1 | C3 | C4 | I2 | M3 | M4 | R3 | R4

Europe (Ireland) — `eu-west-1`

The following instance types are available in Europe (Ireland).

- **General Purpose:** A1 | M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5dn | M5n | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8azn | M8g | M8gb | M8gd | M8gn | M8i | M8id | M8i-flex | M8in | M8idn | M8ib | M8idb | M9g | M9gd | Mac1 | Mac2 | Mac-m4 | T1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7gn | C7i | C7i-flex | C8a | C8g | C8gd | C8gn | C8i | C8i-flex | C8in
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5dn | R5n | R6a | R6g | R6gd | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | R8a | R8g | R8gd | R8i | R8id | R8i-flex | R8in |

R8idn | R8ib | R8idb | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X1e | X2gd | X2idn | X2iedn | X2iezn | X8g | X8aedz | X8i | z1d

- **Storage Optimized:** D2 | D3 | D3en | H1 | I2 | I3 | I3en | I4g | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** G4dn | G5 | Inf1 | Inf2 | P3dn | P4d | VT1
- **High Performance Computing:** Hpc7a | Hpc7g
- **Previous Generation:** A1 | C1 | C3 | C4 | I2 | M1 | M2 | M3 | M4 | P3dn | R3 | R4 | T1

Europe (London) — `eu-west-2`

The following instance types are available in Europe (London).

- **General Purpose:** M4 | M5 | M5a | M5ad | M5d | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8g | M8gd | M8i | M8id | M8i-flex | Mac1 | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C4 | C5 | C5a | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7gn | C7i | C7i-flex | C8g | C8gd | C8gn | C8i | C8i-flex
- **Memory Optimized:** R4 | R5 | R5a | R5ad | R5b | R5d | R5n | R6a | R6g | R6gd | R6i | R6id | R7g | R7gd | R7i | R8g | R8gd | R8i | R8id | R8i-flex | U-6tb1 | U7i-6tb | U7i-8tb | U7in-16tb | X1 | X2idn | X2iedn | z1d
- **Storage Optimized:** D2 | D3 | I3 | I3en | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** F2 | G4dn | G5 | G6 | G6f | Gr6 | Gr6f | G7e | Inf1 | Inf2 | P4d | P5 | P5e
- **Previous Generation:** C4 | M4 | R4

Europe (Milan) — `eu-south-1`

The following instance types are available in Europe (Milan).

- **General Purpose:** M5 | M5a | M5d | M6a | M6g | M6gd | M6i | M6id | M7i | M8g | T3 | T3a | T4g
- **Compute Optimized:** C5 | C5a | C5ad | C5d | C5n | C6g | C6gn | C6i | C6id | C6in | C7g | C7i | C7i-flex | C8g | C8gn
- **Memory Optimized:** R5 | R5a | R5b | R5d | R5dn | R5n | R6g | R6i | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | X2idn | X2iedn | X8i
- **Storage Optimized:** D2 | I3 | I3en | I4i | I7i | I7ie | Im4gn

- **Accelerated Computing:** G4dn | Inf1

Europe (Paris) — eu-west-3

The following instance types are available in Europe (Paris).

- **General Purpose:** M5 | M5a | M5ad | M5d | M6a | M6g | M6gd | M6i | M7g | M7gd | M7i | M7i-flex | M8g | M8gd | M8i | M8i-flex | T2 | T3 | T3a | T4g | T8i
- **Compute Optimized:** C5 | C5a | C5d | C5n | C6g | C6gd | C6gn | C6i | C6id | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gn | C8i | C8i-flex
- **Memory Optimized:** R4 | R5 | R5a | R5ad | R5d | R5dn | R5n | R6g | R6gd | R6i | R6idn | R6in | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X2idn | X2iedn | X8i
- **Storage Optimized:** D2 | D3 | I3 | I3en | I4i | I7i | I7ie | I8g | I8ge | Im4gn | Is4gen
- **Accelerated Computing:** G4dn | G5 | G6 | Gr6 | Inf1 | Inf2 | P6-B200
- **High Performance Computing:** Hpc6id | Hpc7a
- **Previous Generation:** R4

Europe (Spain) — eu-south-2

The following instance types are available in Europe (Spain).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8a | M8g | M8gd | M8i | M8id | M8i-flex | M8in | M8idn | M8ib | M8idb | T3 | T4g
- **Compute Optimized:** C5 | C5d | C6g | C6gd | C6in | C7a | C7g | C7gd | C7i | C7i-flex | C8a | C8g | C8gd | C8gn | C8i | C8id | C8i-flex | C8in
- **Memory Optimized:** R5 | R5d | R6g | R6gd | R6id | R7a | R7g | R7gd | R7i | R8a | R8g | R8gd | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | U-6tb1 | U7i-12tb | X2idn | X2iedn | X8i
- **Storage Optimized:** I3 | I3en | I4i | I7i | I7ie | I8g | Im4gn
- **Accelerated Computing:** G5 | G5g | G6 | G6e | G6f | Gr6 | Gr6f | G7 | G7e | P5en

Europe (Stockholm) — eu-north-1

The following instance types are available in Europe (Stockholm).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex | M8g | M8id | Mac1 | T3 | T4g
- **Compute Optimized:** C5 | C5a | C5d | C5n | C6g | C6gd | C6gn | C6i | C6in | C7a | C7g | C7gd | C7i | C7i-flex | C8g | C8gn | C8i | C8id
- **Memory Optimized:** R5 | R5b | R5d | R5dn | R5n | R6g | R6gd | R6i | R6idn | R6in | R7a | R7g | R7gd | R7i | R8g | R8gd | R8i | R8id | R8i-flex | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-24tb | X2idn | X2iedn | X8g | X8aedz | X8i
- **Storage Optimized:** D2 | I3 | I3en | I4i | I7i | I7ie | I8g | I8ge
- **Accelerated Computing:** G4dn | G5 | G6 | G6e | G6f | Gr6 | Gr6f | G7e | Inf1 | Inf2 | P4d | P5 | P5e | P5en | P6-B200
- **High Performance Computing:** Hpc6a | Hpc6id | Hpc7a | Hpc8a

Europe (Zurich) — `eu-central-2`

The following instance types are available in Europe (Zurich).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7i | M8g | T3 | T4g
- **Compute Optimized:** C5 | C5d | C6g | C6gd | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gn
- **Memory Optimized:** R5 | R5d | R6g | R6gd | R6i | R7g | R8g | R8gd | R8i | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | X2idn | X2iedn
- **Storage Optimized:** D3 | I3 | I3en | I4i | I7i | I7ie
- **Accelerated Computing:** G6 | Gr6

Israel (Tel Aviv) — `il-central-1`

The following instance types are available in Israel (Tel Aviv).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M6id | M7g | M7i | T3 | T3a | T4g
- **Compute Optimized:** C5 | C5d | C6g | C6gn | C6i | C6id | C6in | C7g | C7i | C8g
- **Memory Optimized:** R5 | R5d | R6g | R6i | R6id | R7g | R7gd | R8i | U-6tb1 | X2idn
- **Storage Optimized:** D3 | I3 | I3en | I4i | I7i
- **Accelerated Computing:** G5 | P4de

Mexico (Central) — `mx-central-1`

The following instance types are available in Mexico (Central).

- **General Purpose:** M6g | M6gd | M6i | M6id | M7g | M7gd | M7i | M7i-flex | M8g | M8gd | T3 | T4g
- **Compute Optimized:** C6g | C6gn | C6i | C6id | C6in | C7g | C7i | C7i-flex
- **Memory Optimized:** R6g | R6i | R6id | R7g | R7gd | R7i | R8g
- **Storage Optimized:** I3en | I4i | I7ie

Middle East (Bahrain) — `me-south-1`

The following instance types are available in Middle East (Bahrain).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M7g | M8g | T3 | T4g
- **Compute Optimized:** C5 | C5a | C5ad | C5d | C5n | C6g | C6gn | C6i | C6in | C7g
- **Memory Optimized:** R5 | R5d | R6g | R6i | R7g | X2idn
- **Storage Optimized:** D2 | I3 | I3en | I4i
- **Accelerated Computing:** G4dn | Inf1

Middle East (UAE) — `me-central-1`

The following instance types are available in Middle East (UAE).

- **General Purpose:** M5 | M5d | M6g | M6gd | M6i | M7g | M7gd | M7i | M8g
- **Compute Optimized:** C5 | C5d | C6g | C6in | C7i | C8gn
- **Memory Optimized:** R5 | R5d | R6g | R6i | R7g | R7gd | R8g | R8i | X2idn | X2iezn
- **Storage Optimized:** I3 | I3en | I4i | I7i
- **Accelerated Computing:** G5 | G6 | G6e | P5en

South America (Sao Paulo) — `sa-east-1`

The following instance types are available in South America (Sao Paulo).

- **General Purpose:** M1 | M2 | M3 | M4 | M5 | M5a | M5ad | M5d | M5zn | M6a | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7gd | M7i | M7i-flex | M8g | M8gd | M8i | M8i-flex | T1 | T2 | T3 | T3a | T4g
- **Compute Optimized:** C1 | C3 | C4 | C5 | C5a | C5ad | C5d | C5n | C6a | C6g | C6gd | C6gn | C6i | C6id | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gd | C8gn | C8i | C8i-flex
- **Memory Optimized:** R3 | R4 | R5 | R5a | R5ad | R5b | R5d | R5n | R6g | R6gd | R6i | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X1e | X2idn | X2iedn | X8i
- **Storage Optimized:** I3 | I3en | I4g | I4i | I7i | I7ie | I8g
- **Accelerated Computing:** G4dn | G5 | G6 | G6f | Gr6 | Gr6f | Inf1 | Inf2 | P4d | P5 | P5e | P6-B300 | Trn2
- **Previous Generation:** C1 | C3 | C4 | M1 | M2 | M3 | M4 | R3 | R4 | T1

AWS GovCloud (US-East) — `us-gov-east-1`

The following instance types are available in AWS GovCloud (US-East).

- **General Purpose:** M5 | M5a | M5d | M5dn | M5n | M6g | M6gd | M6i | M7g | M7i | M7i-flex | M8g | M8gd | M8i | M8i-flex | T3 | T3a | T4g
- **Compute Optimized:** C5 | C5a | C5d | C5n | C6g | C6gd | C6gn | C6i | C6in | C7g | C7gd | C7i | C8gn
- **Memory Optimized:** R5 | R5a | R5d | R5dn | R5n | R6g | R6gd | R6i | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | U-6tb1 | U7i-6tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X1e | X2idn | X2iedn
- **Storage Optimized:** I3 | I3en | I4i | I7i | I7ie | I8g | I8ge
- **Accelerated Computing:** G4dn | G6 | Gr6 | Inf1 | P3dn | P6-B200 | P6-B300
- **High Performance Computing:** Hpc6a

AWS GovCloud (US-West) — `us-gov-west-1`

The following instance types are available in AWS GovCloud (US-West).

- **General Purpose:** M5 | M5a | M5ad | M5d | M5dn | M5n | M6g | M6gd | M6i | M6id | M6idn | M6in | M7g | M7i | M7i-flex | M8a | M8g | M8gd | M8i | M8i-flex | T2 | T3 | T3a | T4g

- **Compute Optimized:** C5 | C5a | C5d | C5n | C6g | C6gd | C6gn | C6i | C6id | C6in | C7g | C7gd | C7i | C7i-flex | C8g | C8gn
- **Memory Optimized:** R5 | R5a | R5ad | R5d | R5dn | R5n | R6g | R6gd | R6i | R6id | R6idn | R6in | R7g | R7gd | R7i | R8g | R8gd | R8i | R8i-flex | U-3tb1 | U-6tb1 | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | X1 | X1e | X2idn | X2iedn | X8i
- **Storage Optimized:** D3 | I3 | I3en | I3p | I4i | I7i | I7ie | I8g | I8ge
- **Accelerated Computing:** F1 | G3 | G3s | G4dn | G6 | Gr6 | Inf1 | P2 | P3 | P3dn | P4d | P5 | P5en | P6-B200
- **High Performance Computing:** Hpc6a | Hpc6id | Hpc7a | Hpc7g | Hpc8a
- **Previous Generation:** C4 | G3 | M4 | R4

AWS European Sovereign Cloud — `eusc-de-east-1`

The following instance types are available in AWS European Sovereign Cloud.

- **General Purpose:** M6g | M6gd | M6i | M6id | M7g | M7gd | M7i | M7i-flex | T3 | T4g
- **Compute Optimized:** C6g | C6gn | C6i | C6id | C7g | C7i | C7i-flex
- **Memory Optimized:** R6g | R6i | R6id | R7g | R7gd | R7i
- **Storage Optimized:** I3en | I4i
- **Accelerated Computing:** G6

Instances built on the AWS Nitro System

End of sale notice

The **U-9tb1**, **U-12tb1**, **U-18tb1**, and **U-24tb1** instance types are no longer available for new instance launches. If your workload requires a high-memory instance, we recommend that you use a U7i instance type instead.

The Nitro System is a collection of hardware and software components built by AWS that enable high performance, high availability, and high security.

The Nitro System provides bare metal capabilities that eliminate virtualization overhead and support workloads that require full access to host hardware. Bare metal instances are well suited for the following:

- Workloads that require access to low-level hardware features (for example, Intel VT) that are not available or fully supported in virtualized environments
- Applications that require a non-virtualized environment for licensing or support

Nitro components

The following components are part of the Nitro System:

- Nitro card
  - Local NVMe storage volumes
  - Networking hardware support
  - Management
  - Monitoring
  - Security
- Nitro security chip, integrated into the motherboard
- Nitro hypervisor - A lightweight hypervisor that manages memory and CPU allocation and delivers performance that is indistinguishable from bare metal for most workloads.

For more information, see AWS Nitro System.

Network feature support

The following content summarizes key networking capabilities for each version of the Nitro System. Versions are shown in descending version release order. If you know the instance type family that your instance belongs to, you can expand the Specifications section and select your instance family. The **Platform summary** table for your instance family shows the Nitro version for your instance type in the **Hypervisor** column.

If you're not sure which instance family applies, see the Naming conventions section.

> **Note**
>
> Features are cumulative, meaning that newer versions of the Nitro system support the features that are listed in all prior versions, except where explicitly stated otherwise. See the Nitro instance requirements section for the minimum ENA driver and Linux kernel versions for optimal performance of Nitro v4 and later instance types.

Nitro v6

- Default TCP established timeout for idle TCP connections has been reduced from 432,000 seconds to 350 seconds.
- Traffic Mirroring is not supported.
- Up to 400 Gbps* per network card.

Nitro v5

- Traffic Mirroring is not supported.
- Up to 200 Gbps* per network card.

Nitro v4

- GPU accelerated and Trainium based instance types support up to 100 Gbps* per network card for consistency. Other instance types support up to 170 Gbps* per network card.
- Supports ENA Express. For more information about ENA Express, including what specific instance types support it see Improve network performance with ENA Express on your EC2 instances in the *Amazon EC2 User Guide*.

- Supports RDMA read and RDMA write for select instance types. For more information, see Elastic Fabric Adapter.
- Traffic Mirroring is supported.

Nitro v3

- Up to 100 Gbps* per network card.
- Encryption in transit.
- Traffic Mirroring is supported.

Nitro v2

- Enhanced networking with Elastic Network Adapter (ENA).
- Traffic Mirroring is supported.

* *Your instance type might support a lower maximum bandwidth. For more information, refer to the network specifications for your instance type in the instance family pages.*

Virtualized instances

The following virtualized instances are built on the Nitro System:

Nitro v6

- **General Purpose**: M8a | M8azn | M8gb | M8gn | M8i | M8id | M8i-flex | M8in | M8idn | M8ine | M8ib | M8idb | M9g | M9gd | T8i
- **Compute Optimized**: C8a | C8gb | C8gn | C8i | C8id | C8i-flex | C8in | C8ine | C8ib | C9g | C9gd
- **Memory Optimized**: R8a | R8gb | R8gn | R8i | R8id | R8i-flex | R8in | R8idn | R8ib | R8idb | R9g | R9gd | X8aedz | X8i
- **Storage Optimized**: I8ge
- **Accelerated Computing**: G7 | G7e | P6-B200 | P6-B300
- **High Performance Computing**: Hpc8a

Nitro v5

- **General Purpose**: M8g | M8gd
- **Compute Optimized**: C7gn | C8g | C8gd
- **Memory Optimized**: R8g | R8gd | X8g
- **Storage Optimized**: I7ie | I8g
- **Accelerated Computing**: P5en | P6e-GB200 | Trn2 | Trn2u
- **High Performance Computing**: Hpc7g

Nitro v4

- **General Purpose**: M6a | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i | M7i-flex
- **Compute Optimized**: C6a | C6gn | C6i | C6id | C6in | C7a | C7g | C7gd | C7i | C7i-flex
- **Memory Optimized**: R6a | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | U7i-6tb | U7i-8tb | U7i-12tb | U7in-16tb | U7in-24tb | U7in-32tb | U7inh-32tb | X2idn | X2iedn
- **Storage Optimized**: I4g | I4i | I7i | Im4gn | Is4gen
- **Accelerated Computing**: F2 | G6 | G6e | G6f | Gr6 | Gr6f | Inf2 | P5 | P5e | Trn1 | Trn1n
- **High Performance Computing**: Hpc6a | Hpc6id | Hpc7a

Nitro v3

- **General Purpose**: M5dn | M5n | M5zn
- **Compute Optimized**: C5n
- **Memory Optimized**: R5dn | R5n | U-3tb1 | U-6tb1 | U-9tb1 | U-12tb1 | U-18tb1 | U-24tb1 | X2iezn
- **Storage Optimized**: D3 | D3en | I3en
- **Accelerated Computing**: DL1 | DL2q | G4ad | G4dn | G5 | Inf1 | P4d | P4de | VT1 | P3dn
- **Previous Generation**: P3dn

Nitro v2

- **General Purpose**: M5 | M5a | M5ad | M5d | M6g | M6gd | T3 | T3a | T4g | A1
- **Compute Optimized**: C5 | C5a | C5ad | C5d | C6g | C6gd

- **Memory Optimized**: R5 | R5a | R5ad | R5b | R5d | R6g | R6gd | X2gd | z1d
- **Accelerated Computing**: G5g
- **Previous Generation**: A1

Bare metal instances

The following bare metal instances are built on the Nitro System:

Nitro v6

- **General Purpose**: M8a | M8azn | M8gb | M8gn | M8i | M8id | M8in | M8idn | M8ib | M8idb | M9g | M9gd
- **Compute Optimized**: C8a | C8gb | C8gn | C8i | C8id | C8in | C8ib | C9g | C9gd
- **Memory Optimized**: R8a | R8gb | R8gn | R8i | R8id | R8in | R8idn | R8ib | R8idb | R9g | R9gd | X8aedz | X8i
- **Storage Optimized**: I8ge

Nitro v5

- **General Purpose**: M8g | M8gd | Mac-m4 | Mac-m4pro
- **Compute Optimized**: C7gn | C8g | C8gd
- **Memory Optimized**: R8g | R8gd | X8g
- **Storage Optimized**: I7ie | I8g

Nitro v4

- **General Purpose**: M6a | M6i | M6id | M6idn | M6in | M7a | M7g | M7gd | M7i
- **Compute Optimized**: C6a | C6i | C6id | C6in | C7a | C7g | C7gd | C7i
- **Memory Optimized**: R6a | R6i | R6id | R6idn | R6in | R7a | R7g | R7gd | R7i | R7iz | X2idn | X2iedn
- **Storage Optimized**: I4i | I7i

Nitro v3

- **General Purpose**: M5dn | M5n | M5zn

- **Compute Optimized**: C5n
- **Memory Optimized**: R5dn | R5n | U-6tb1 | U-9tb1 | U-12tb1 | U-18tb1 | U-24tb1 | X2iezn
- **Storage Optimized**: I3en
- **Accelerated Computing**: G4dn

Nitro v2

- **General Purpose**: M5 | M5d | M6g | M6gd | Mac1 | Mac2 | Mac2-m1ultra | Mac2-m2 | Mac2-m2pro | Mac-m3ultra | Mac-m4max | A1
- **Compute Optimized**: C5 | C5d | C6g | C6gd
- **Memory Optimized**: R5 | R5b | R5d | R6g | R6gd | X2gd | z1d
- **Storage Optimized**: I3
- **Accelerated Computing**: G5g
- **Previous Generation**: A1

In most cases, when you launch a bare metal instance, the underlying server goes through its boot process, during which it verifies all hardware and firmware components. This means that it can take up to 20 minutes or more from the time the instance enters the running state until it becomes available over the network.

Nitro instance requirements

Instances built on the AWS Nitro System use ENA for enhanced networking, and storage volumes exposed as NVMe block devices. For more information about NVMe drivers, see Install or upgrade the NVMe driver in the *Amazon EBS User Guide* for Linux instances, or AWS NVMe drivers for Windows instances in the *Amazon EC2 User Guide*. For more information about ENA drivers, see Requirements for enhanced networking with ENA in the *Amazon EC2 User Guide*.

The following tabs show details about which driver or kernel versions are recommended for your operating system.

Linux

The ENA Linux kernel driver version 2.2.9g or later, from the Amazon Drivers GitHub repository is recommended for Nitro v4 instance types and required for Nitro v5 (or later) instance types for Linux distributions that expose the version information. ENA drivers for Linux are available

on GitHub. For more information, see Linux kernel driver for Elastic Network Adapter (ENA) family. For release notes, see ENA Linux Kernel Driver Release notes.

Linux distributions can also incorporate ENA driver features within the kernel. However, the timing may vary for implementation within the different distributions. The Amazon Linux 2023 and Bottlerocket Linux distributions support ENA features for Nitro v4 and newer instance types by default.

Some Linux distributions might require a minimum kernel version to prevent suboptimal performance of ENA driver features on Nitro v4 and newer instance types. If your Linux distribution appears in the following table, you can verify the kernel version for your instance with the **uname** command as follows:

```
uname -r
```

Linux distribution	Minimum kernel version
Linux upstream	Kernel version 5.9
Amazon Linux 2	Kernel 4.14.186
Red Hat Enterprise Linux (RHEL)	RHEL 8.4 kernel 4.18.0-305
SUSE Linux Enterprise Server (SLES)	• SLE 12 SP4 kernel 4.12.14-95.99.3 • SLE 12 SP5 kernel 4.12.14-122.116.1 • SLE 15 kernel 4.12.14-150000.150.92.2 • SLE 15 SP1 kernel 4.12.14-150100.197 .114.2 • SLE 15 SP2 kernel 5.3.18-24.15.1
Linux Ubuntu	20.04 kernel 5.4.0-1025-aws

Linux distribution	Minimum kernel version
Debian	11 (Bullseye) kernel 5.10.0
DPDK	v20.11

Note

The following ENA Linux driver versions are not supported, and will result in elastic network interface attachment failures:

- ENA Linux
  - Nitro v5 – Earlier than 2.2.9
  - All Nitro versions prior to v5 – Earlier than v1.2.0
- ENA DPDK
  - Nitro v5 – Earlier than 20.11
  - All Nitro versions prior to v5 – Earlier than v1.1.1

Windows

ENA Windows driver version: 2.2.3 or later for Windows instances.

Note

The following ENA Windows drivers are not supported:

- ENA Windows: v2.2.0 or earlier

All of the current AWS Windows AMIs meet these requirements. For more information about AMI versions and release notes, see the AWS Windows AMI reference.

FreeBSD

ENA FreeBSD driver version: 2.3.1 or later for FreeBSD instances.

> **Note**
>
> ENA FreeBSD driver versions earlier than v2.3.1 are not supported, and will result in elastic network interface attachment failures.

Linux instances with AWS Graviton processors

Linux instances with AWS Graviton processors have the following additional requirements:

- An AMI with 64-bit ARM architecture.
- Support for UEFI boot with ACPI tables and ACPI hot-plug of PCI devices.

> **Note**
>
> AWS Graviton processors only support Linux operating systems.

Amazon EC2 instance type quotas

Your AWS account has quotas that affect the number of instances that you can run in each Region. These quotas are grouped by purchasing option.

Quotas

- On-Demand Instance quotas
- Spot Instance quotas
- Dedicated Host quotas
- Capacity Blocks quotas

On-Demand Instance quotas

The following table shows the maximum number of vCPUs that you can provision for On-Demand Instances. Amazon EC2 automatically increases your On-Demand Instance quotas based on your usage. You can also request a quota increase. For more information, see On-Demand Instance quotas in the *Amazon EC2 User Guide*.

Name	Default	Adjustable
Running On-Demand DL instances	0	Yes
Running On-Demand F instances	0	Yes
Running On-Demand G and VT instances	0	Yes
Running On-Demand HPC instances	0	Yes
Running On-Demand High Memory instances	0	Yes
Running On-Demand Inf instances	0	Yes
Running On-Demand P instances	0	Yes
Running On-Demand Standard (A, C, D, H, I, M, R, T, Z) instances	5	Yes

Name	Default	Adjustable
Running On-Demand Trn instances	0	Yes
Running On-Demand X instances	0	Yes

Spot Instance quotas

The following table shows the maximum number of vCPUs that you can provision for Spot Instances. Amazon EC2 automatically increases your Spot Instance quotas based on your usage. You can also request a quota increase. For more information, see Spot Instance quotas in the *Amazon EC2 User Guide*.

Name	Default	Adjustable
All DL Spot Instance Requests	0	Yes
All F Spot Instance Requests	0	Yes
All G and VT Spot Instance Requests	0	Yes
All Inf Spot Instance Requests	0	Yes
All P Spot Instance Requests	0	Yes
All Standard (A, C, D, H, I, M, R, T, Z) Spot Instance Requests	5	Yes
All Trn Spot Instance Requests	0	Yes
All X Spot Instance Requests	0	Yes

Dedicated Host quotas

The following table shows the maximum number of running Dedicated Hosts that you can allocate.

Name	Default	Adjustable
Running Dedicated a1 Hosts	0	Yes
Running Dedicated c1 Hosts	0	Yes
Running Dedicated c3 Hosts	0	Yes
Running Dedicated c4 Hosts	0	Yes
Running Dedicated c5 Hosts	0	Yes
Running Dedicated c5a Hosts	0	Yes
Running Dedicated c5d Hosts	0	Yes
Running Dedicated c5n Hosts	0	Yes
Running Dedicated c6a Hosts	0	Yes
Running Dedicated c6g Hosts	0	Yes
Running Dedicated c6gd Hosts	0	Yes
Running Dedicated c6gn Hosts	0	Yes
Running Dedicated c6i Hosts	0	Yes
Running Dedicated c6id Hosts	0	Yes
Running Dedicated c6in Hosts	0	Yes
Running Dedicated c7a Hosts	0	Yes
Running Dedicated c7g Hosts	0	Yes
Running Dedicated c7gd Hosts	0	Yes
Running Dedicated c7gn Hosts	0	Yes
Running Dedicated c7i Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated c7i-flex Hosts	0	Yes
Running Dedicated c8a Hosts	0	Yes
Running Dedicated c8g Hosts	0	Yes
Running Dedicated c8gb Hosts	0	Yes
Running Dedicated c8gd Hosts	0	Yes
Running Dedicated c8gn Hosts	0	Yes
Running Dedicated c8i Hosts	0	Yes
Running Dedicated c8i-flex Hosts	0	Yes
Running Dedicated c8ib Hosts	0	Yes
Running Dedicated c8id Hosts	0	Yes
Running Dedicated c8in Hosts	0	Yes
Running Dedicated c8ine Hosts	0	Yes
Running Dedicated c9g Hosts	0	Yes
Running Dedicated c9gd Hosts	0	Yes
Running Dedicated d2 Hosts	0	Yes
Running Dedicated dl1 Hosts	0	Yes
Running Dedicated f1 Hosts	0	Yes
Running Dedicated f2 Hosts	0	Yes
Running Dedicated g4ad Hosts	0	Yes
Running Dedicated g4dn Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated g5 Hosts	0	Yes
Running Dedicated g5g Hosts	0	Yes
Running Dedicated g6 Hosts	0	Yes
Running Dedicated g6e Hosts	0	Yes
Running Dedicated g6f Hosts	0	Yes
Running Dedicated g7 Hosts	0	Yes
Running Dedicated g7e Hosts	0	Yes
Running Dedicated gr6 Hosts	0	Yes
Running Dedicated gr6f Hosts	0	Yes
Running Dedicated h1 Hosts	0	Yes
Running Dedicated i2 Hosts	0	Yes
Running Dedicated i3 Hosts	0	Yes
Running Dedicated i3en Hosts	0	Yes
Running Dedicated i4g Hosts	0	Yes
Running Dedicated i4i Hosts	0	Yes
Running Dedicated i7i Hosts	0	Yes
Running Dedicated i7ie Hosts	0	Yes
Running Dedicated i8g Hosts	0	Yes
Running Dedicated i8ge Hosts	0	Yes
Running Dedicated im4gn Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated inf Hosts	0	Yes
Running Dedicated inf2 Hosts	0	Yes
Running Dedicated is4gen Hosts	0	Yes
Running Dedicated m1 Hosts	0	Yes
Running Dedicated m2 Hosts	0	Yes
Running Dedicated m3 Hosts	0	Yes
Running Dedicated m4 Hosts	0	Yes
Running Dedicated m5 Hosts	0	Yes
Running Dedicated m5a Hosts	0	Yes
Running Dedicated m5ad Hosts	0	Yes
Running Dedicated m5d Hosts	0	Yes
Running Dedicated m5dn Hosts	0	Yes
Running Dedicated m5n Hosts	0	Yes
Running Dedicated m5zn Hosts	0	Yes
Running Dedicated m6a Hosts	0	Yes
Running Dedicated m6g Hosts	0	Yes
Running Dedicated m6gd Hosts	0	Yes
Running Dedicated m6i Hosts	0	Yes
Running Dedicated m6id Hosts	0	Yes
Running Dedicated m6idn Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated m6in Hosts	0	Yes
Running Dedicated m7a Hosts	0	Yes
Running Dedicated m7g Hosts	0	Yes
Running Dedicated m7gd Hosts	0	Yes
Running Dedicated m7i Hosts	0	Yes
Running Dedicated m8a Hosts	0	Yes
Running Dedicated m8azn Hosts	0	Yes
Running Dedicated m8g Hosts	0	Yes
Running Dedicated m8gb Hosts	0	Yes
Running Dedicated m8gd Hosts	0	Yes
Running Dedicated m8gn Hosts	0	Yes
Running Dedicated m8i Hosts	0	Yes
Running Dedicated m8ib Hosts	0	Yes
Running Dedicated m8id Hosts	0	Yes
Running Dedicated m8idb Hosts	0	Yes
Running Dedicated m8idn Hosts	0	Yes
Running Dedicated m8in Hosts	0	Yes
Running Dedicated m8ine Hosts	0	Yes
Running Dedicated m9g Hosts	0	Yes
Running Dedicated m9gd Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated mac-m3ultra Hosts	0	Yes
Running Dedicated mac-m4 Hosts	0	Yes
Running Dedicated mac-m4max Hosts	0	Yes
Running Dedicated mac-m4pro Hosts	0	Yes
Running Dedicated mac1 Hosts	0	Yes
Running Dedicated mac2 Hosts	0	Yes
Running Dedicated mac2-m1ultra Hosts	0	Yes
Running Dedicated mac2-m2 Hosts	0	Yes
Running Dedicated mac2-m2pro Hosts	0	Yes
Running Dedicated p3 Hosts	0	Yes
Running Dedicated p3dn Hosts	0	Yes
Running Dedicated p4d Hosts	0	Yes
Running Dedicated p4de Hosts	0	Yes
Running Dedicated p5 Hosts	0	Yes
Running Dedicated p5en Hosts	0	Yes
Running Dedicated p6-b300 Hosts	0	Yes
Running Dedicated r3 Hosts	0	Yes
Running Dedicated r4 Hosts	0	Yes
Running Dedicated r5 Hosts	0	Yes
Running Dedicated r5a Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated r5ad Hosts	0	Yes
Running Dedicated r5b Hosts	0	Yes
Running Dedicated r5d Hosts	0	Yes
Running Dedicated r5dn Hosts	0	Yes
Running Dedicated r5n Hosts	0	Yes
Running Dedicated r6a Hosts	0	Yes
Running Dedicated r6g Hosts	0	Yes
Running Dedicated r6gd Hosts	0	Yes
Running Dedicated r6i Hosts	0	Yes
Running Dedicated r6id Hosts	0	Yes
Running Dedicated r6idn Hosts	0	Yes
Running Dedicated r6in Hosts	0	Yes
Running Dedicated r7a Hosts	0	Yes
Running Dedicated r7g Hosts	0	Yes
Running Dedicated r7gd Hosts	0	Yes
Running Dedicated r7i Hosts	0	Yes
Running Dedicated r7iz Hosts	0	Yes
Running Dedicated r8a Hosts	0	Yes
Running Dedicated r8g Hosts	0	Yes
Running Dedicated r8gb Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated r8gd Hosts	0	Yes
Running Dedicated r8gn Hosts	0	Yes
Running Dedicated r8i Hosts	0	Yes
Running Dedicated r8i-flex Hosts	0	Yes
Running Dedicated r8ib Hosts	0	Yes
Running Dedicated r8id Hosts	0	Yes
Running Dedicated r8idb Hosts	0	Yes
Running Dedicated r8idn Hosts	0	Yes
Running Dedicated r8in Hosts	0	Yes
Running Dedicated r9g Hosts	0	Yes
Running Dedicated r9gd Hosts	0	Yes
Running Dedicated t1 Hosts	0	Yes
Running Dedicated t2 Hosts	0	Yes
Running Dedicated t3 Hosts	0	Yes
Running Dedicated trn1 Hosts	0	Yes
Running Dedicated trn1n Hosts	0	Yes
Running Dedicated u-3tb1 Hosts	0	Yes
Running Dedicated u-6tb1 Hosts	0	Yes
Running Dedicated u7i-12tb Hosts	0	Yes
Running Dedicated u7i-6tb Hosts	0	Yes

Name	Default	Adjustable
Running Dedicated u7i-8tb Hosts	0	Yes
Running Dedicated u7in-16tb Hosts	0	Yes
Running Dedicated u7in-24tb Hosts	0	Yes
Running Dedicated u7in-32tb Hosts	0	Yes
Running Dedicated vt1 Hosts	0	Yes
Running Dedicated x1 Hosts	0	Yes
Running Dedicated x1e Hosts	0	Yes
Running Dedicated x2gd Hosts	0	Yes
Running Dedicated x2idn Hosts	0	Yes
Running Dedicated x2iedn Hosts	0	Yes
Running Dedicated x2iezn Hosts	0	Yes
Running Dedicated x8g Hosts	0	Yes
Running Dedicated x8i Hosts	0	Yes
Running Dedicated z1d Hosts	0	Yes

Capacity Blocks quotas

The following table shows the maximum number of vCPUs for concurrently active Capacity Blocks.

Name	Default	Adjustable
Concurrent P4d Capacity Blocks per account	0	Yes
Concurrent P4d Capacity Blocks per organization	0	Yes

Name	Default	Adjustable
Concurrent P5 Capacity Blocks per account	0	Yes
Concurrent P5 Capacity Blocks per organization	0	Yes
Concurrent P5e Capacity Blocks per account	0	Yes
Concurrent P5e Capacity Blocks per organization	0	Yes
Concurrent P5en Capacity Blocks per account	0	Yes
Concurrent P5en Capacity Blocks per organization	0	Yes
Concurrent Trn1 Capacity Blocks per account	0	Yes
Concurrent Trn1 Capacity Blocks per organization	0	Yes
Concurrent Trn2 Capacity Blocks per account	0	Yes
Concurrent Trn2 Capacity Blocks per organization	0	Yes

Document history for the Amazon EC2 Instance Types Guide

The following table describes the instance type releases for Amazon EC2.

Change	Description	Date
T8i instances	New general purpose T8i instances.	September 15, 2026
R9g and R9gd instances	New memory optimized instance types powered by AWS Graviton5 processors. R9gd instances feature local NVMe SSD instance storage.	August 31, 2026
C9gd instances	New compute optimized C9gd instances.	June 30, 2026
C9g instances	New compute optimized C9g instances.	June 30, 2026
G7 instances	New G7 accelerated computing instance types featuring NVIDIA RTX PRO 4500 GPUs and Intel Xeon Granite Rapids processors.	June 18, 2026
Metal sizes for M8in, M8ib, M8idn, M8idb, R8in, R8ib, R8idn, R8idb	Added metal-48xl and metal-96xl instance sizes for M8in, M8ib, M8idn, M8idb, R8in, R8ib, R8idn, and R8idb instance families.	June 10, 2026
M9g and M9gd instances	New general purpose instance types powered by AWS Graviton5 processors.	June 9, 2026

M8idn M8idb R8idn R8idb instances	New Intel network optimized M8idn R8idn, and EBS optimized M8idb R8idb instances featuring custom sixth generation Intel Xeon Scalable Processors (Granite Rapids), and AWS Nitro v6 network card.	May 7, 2026
M8in M8ib R8in R8ib C8ine M8ine instances	New Intel network optimized M8in R8in, EBS optimized M8ib R8ib, and dataplane packet processing optimized C8ine M8ine instances featuring custom sixth generation Intel Xeon Scalable Processors (Granite Rapids), and AWS Nitro v6 network card.	April 27, 2026
C8in C8ib instances	New Intel network optimized and EBS optimized instances featuring custom sixth generation Intel Xeon Scalable Processors (Granite Rapids), and AWS Nitro v6 network card.	April 16, 2026
Increased EBS performance for C8gn, M8gn, and R8gn	Increased Amazon EBS performance for C8gn, M8gn, and R8gn in the `.48xlarge` and `.metal-48xl` instance types.	April 14, 2026

I8g bare metal instances	New `metal-48xl` bare metal instance type for I8g, powered by AWS Graviton4 processors.	February 26, 2026
M8gn and M8gb bare metal instances	New `metal-24xl` and `metal-48xl` bare metal instance types for M8gn and M8gb.	February 25, 2026
Hpc8a instances	New high performance computing optimized instances powered by fifth generation AMD EPYC Processors (Turin) with a maximum CPU frequency of 4.5 GHz.	February 16, 2026
M8azn instances	New general purpose instance types powered by fifth generation AMD EPYC Processors (Turin) with a maximum CPU frequency of 5 GHz. These instance types feature improved network performance, with up to 200 Gbps network throughput.	February 12, 2026
M8id, C8id, and R8id instances	New general purpose, compute optimized, and memory optimized instances that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids) and up to 22.8 TB of SSD instance storage.	February 4, 2026

M4 Max Mac instances	New general purpose Mac instances built on Apple M4 Max Mac Studio computers featuring a 16-core CPU, 40-core GPU, 16-core Neural Engine, and 128GB of unified memory.	January 23, 2026
G7e instances	New accelerated computing instances that feature Intel Xeon (Emerald Rapids) processors, up to 2048 GiB memory, and up to 8 NVIDIA RTX PRO Server 6000 GPUs with up to 768 GiB GPU memory.	January 20, 2026
X8i instances	New memory optimized virtualized and bare metal instances types that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids).	January 15, 2026
M8gn instances	New general purpose instances types powered by AWS Graviton4 processors and the AWS Nitro v6 card. These instance types feature improved network performan ce, with up to 600 Gbps network throughput.	December 17, 2025

M8gb instances	New general purpose instances types powered by AWS Graviton4 processor s and the AWS Nitro v6 card. These instance types provide improved Amazon EBS performance, with up to 150 Gbps EBS throughput and 720,00 IOPS.	December 17, 2025
C8gb instances	New compute optimized instance types powered by AWS Graviton4 processors, and that deliver up to 150 Gbps Amazon EBS throughpu t.	December 10, 2025
X8aedz instances	New memory optimized instance types powered by fifth generation AMD EPYC Processors (Turin), with a maximum CPU frequency of 5 GHz, up to 3072 GiB of memory, and up to 7600 GB of NVMe SSD instance storage.	December 2, 2025
C8a instances	New compute optimized instance types powered by fifth generation AMD EPYC Processors (Turin), with a maximum CPU frequency of 4.5 GHz, and up to 384 GiB of memory.	December 2, 2025

P6-B300 instances	Latest generation GPU instances featuring Nvidia B300 GPUs for large scale ML training, Inference and HPC workloads.	November 18, 2025
R8a instances	New memory optimized instance types powered by fifth generation AMD EPYC Processors (Turin), with a maximum CPU frequency of 4.5 GHz, and up to 1,536 GiB of memory.	November 4, 2025
M8a instances	New general purpose instance types powered by fifth generation AMD EPYC Processors (Turin) with a maximum CPU frequency of 4.5 GHz.	October 8, 2025
C8i-flex instances	New compute optimized Flex instances that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids). Flex instances deliver a baseline CPU performan ce of 40 percent with the ability to deliver up to 100 percent CPU performance for 95 percent of the time over a 24-hour period.	October 6, 2025

C8i instances	New compute optimized instance types that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids).	October 6, 2025
Updated network performance for I7i and I8g	I7i and I8g instance types `.8xlarge` and larger no longer use the network I/O credit mechanism to burst beyond their baseline bandwidth. They now sustain their maximum performance indefinitely.	September 24, 2025
R8gb instances	New memory optimized instance types powered by AWS Graviton4 processors, and that feature improved Amazon EBS performance with up to 300 Gbps EBS throughput and 1,440,000 IOPS.	September 23, 2025
R8gn instances	New memory optimized instance types powered by AWS Graviton4 processors, and that feature up to 1536 GiB of memory.	September 15, 2025

M4 Pro Mac instances	New general purpose Mac instances built on 2024 Mac mini hardware powered by Apple silicon M4 Pro processors, 14 CPU cores, 20 GPU cores, 48 GiB of memory, and the 16-core Apple Neural Engine.	September 11, 2025
M4 Mac instances	New general purpose Mac instances built on 2024 Mac mini hardware powered by Apple silicon M4 processors, 10 CPU cores, 10 GPU cores, 24 GiB of memory, and the 16-core Apple Neural Engine.	September 11, 2025
I8ge instances	New storage optimized instance family based on the latest third generation AWS Nitro SSDs and AWS Graviton4 Processor. I8ge offers up to 192 vCPUs, 1536 GB memory, and up to 120TB storage. I8ge instances are optimized for storage intensive workloads such as NoSQL databases, distributed file systems, search engines, and data analytics.	August 29, 2025

M8i-flex instances	New general purpose Flex instances that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids). Flex instances deliver a baseline CPU performan ce of 40 percent with the ability to deliver up to 100 percent CPU performance for 95 percent of the time over a 24-hour period.	August 28, 2025
M8i instances	New general purpose instance types that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids).	August 28, 2025
R8i-flex instances	New memory optimized Flex instances that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids) and up to 512 GiB of memory. Flex instances deliver a baseline CPU performance of 40 percent with the ability to deliver up to 100 percent CPU performance for 95 percent of the time over a 24-hour period.	August 19, 2025

R8i instances	New memory optimized instance types that feature custom sixth generation Intel Xeon Scalable Processors (Granite Rapids) and up to 3 TiB of memory.	August 19, 2025
P5 instance new size	New `p5.4xlarge` instance type enables smaller size with one GPU.	August 12, 2025
G6f, Gr6f instances	New G6f and Gr6f instance types can lower GPU computing costs by offering fractional GPU profiles that better match your workload requirements, making GPU-accelerated workstations and graphics applications more cost-effective for use cases that don't require full GPU capacity.	July 29, 2025
P6e-GB200 instances	New GPU instances featuring NVIDIA GB200 superchip s for the highest available GPU-based AI training and inference performance.	July 10, 2025
C8gn instances	New compute optimized instances types powered by AWS Graviton4 processors, and that support up to to 600 Gbps networking.	June 30, 2025

U-9tb1, U-12tb1, U-18tb1, and U-24tb1 end of sale	The U-9tb1, U-12tb1, U-18tb1, and U-24tb1 instance types are no longer available for new instance launches. If your workload requires a high-memory instance, we recommend that you use a U7i instance type instead.	June 20, 2025
P6-B200 instances	New GPU instances featuring NVIDIA B200 GPUs for large scale ML Training/inference and HPC.	May 15, 2025
I7i instances	New storage optimized virtualized and bare metal instance types that feature Intel Emerald Rapids processors and third generation AWS Nitro SSD-based instance storage.	April 25, 2025
M8gd, C8gd, R8gd instances	New general purpose (M8gd), compute optimized (C8gd), and memory optimized (R8gd) virtualized and bare metal instances powered by AWS Graviton4 processors, and that feature NVMe SSD instance storage.	April 21, 2025

I7ie bare metal instances	New `i7ie.metal-24xl` and `i7ie.metal-48xl` bare metal instance types that feature the 5th generation Intel Xeon Scalable processors (Emerald Rapids), and the 3rd generation AWS Nitro SSDs.	April 10, 2025
GovCloud now supports R8g	The GovCloud Regions now support the R8g instance type.	March 31, 2025
GovCloud now supports R8g	The GovCloud Regions now support the R8g instance type.	March 31, 2025
New F2 instance type	F2 is now available in the following instance size: `6xlarge`.	February 5, 2025
New C7i-flex and M7i-flex instance types	C7i-flex and M7i-flex are now available in `12xlarge` and `16xlarge` instance sizes.	January 16, 2025
U7inh-32tb instances	New high memory instance types that feature 1,920 vCPUs of 4th generation Intel Xeon Scalable Processors (Sapphire Rapids) with 32 TiB of memory.	December 16, 2024

F2 instances	New accelerated computing instance type for the latest generation FPGA instances that feature AMD-Xilinx VU47P HBM FPGA accelerators for genomics and multimedia processing.	December 11, 2024
U7i-6tb, and U7i-8tb instances	New high memory instance types that feature 4th generation Intel Xeon Scalable processors.	December 9, 2024
Trn2 instances	New accelerated instance types that feature up to 16x Trainium2 chips and deliver up to 4 times faster performance than Trn1 instances.	December 3, 2024
P5en instances	GPU instances featuring NVIDIA H200 GPUs for large scale ML Training/inference and HPC.	December 2, 2024
I8g instances	New storage optimized instances powered by AWS Graviton4 processors.	December 1, 2024
I7ie instances	New storage optimized instances that feature the 5th generation Intel Xeon Scalable processors (Emerald Rapids), and the 3rd generation AWS Nitro SSDs.	December 1, 2024

M8g instances	New general purpose instances powered by AWS Graviton4 processors.	September 25, 2024
C8g instances	New compute optimized instances powered by AWS Graviton4 processors.	September 25, 2024
X8g instances	New memory optimized instances powered by AWS Graviton4 processors.	September 18, 2024
P5e instances	New accelerated computing instance type for the latest generation GPU instances featuring NVIDIA H200 GPUs for large scale ML Training/ inference and HPC.	September 9, 2024
G6e instances	New accelerated computing instances that feature up to 8 NVIDIA L40S GPUs, which offer 48 GB of GPU memory.	August 15, 2024
Nitro version features	Updated Nitro page to include features and instance types by Nitro version. Added Nitro version to the Hyperviso r column in the Platform summary tables also.	July 22, 2024
R8g instances	New memory optimized instances powered by AWS Graviton4 processors and up to 1.5 TiB memory.	July 9, 2024

Mac2-m1ultra instances	New general purpose instance type that features Apple M1 Ultra processors.	June 17, 2024
U7i-12tb, U7in-16tb, U7in-24tb, and U7in-32tb instances	New high memory instance types that feature 4th generation Intel Xeon Scalable processors.	May 28, 2024
C7i-flex instances	New compute optimized instances featuring Intel Xeon Scalable processors (Sapphire Rapids). They deliver a baseline CPU performance of 40 percent with the ability to deliver up to 100 percent CPU performance for 95 percent of the time over a 24-hour period.	May 14, 2024
G6 and Gr6 instances	New high performance GPU-based instance types for deep learning inference and graphics-intensive applicati ons.	April 4, 2024
C7gn bare metal instances	New `c7gn.metal` bare metal instance type powered by the latest generation AWS Graviton3E processors and the new AWS Nitro cards.	March 26, 2024
C7gd, M7gd, and R7gd bare metal instances	New bare metal instances.	March 6, 2024

DL2q instances	New instances that use Qualcomm AI100 inference accelerators, which feature 7th generation Qualcomm Edge AI cores. These instances can be used to cost-efficiently deploy deep learning (DL) workloads in the cloud or validate performance and accuracy of DL workloads that will be deployed on Qualcomm edge devices.	November 15, 2023
Mac2-m2 instances	New general purpose instance type that features Apple M2 processors.	October 25, 2023
R7i instances	New memory optimized instance types that feature 4th generation Intel Xeon Scalable processors.	October 16, 2023
C7a instances	New compute optimized instances powered by 4th generation AMD EPYC processors.	October 4, 2023
Mac2-m2pro instances	New general purpose instance type that features Apple M2 Pro processors.	September 18, 2023
C7i instances	New compute optimized instance types that feature 4th generation Intel Xeon Scalable processors.	September 14, 2023

R7a instances	New memory optimized instance types featuring 4th generation AMD EPYC 9R14 processors and up to 1536 GiB of system memory.	September 11, 2023
R7iz instances	New high-frequency and high memory instances powered by 4th generation Intel Xeon processors.	September 7, 2023
Hpc7a instances	New compute optimized instance types that feature 4th generation AMD EPYC processors. These instances support up to 300 Gbps networking bandwidth, and up to 192 CPU cores with up to 768 GB of system memory.	August 17, 2023
M7a instances	New general purpose instances powered by 4th generation AMD EPYC processors.	August 15, 2023
M7i-flex instances	New general purpose instances that offer a balance of compute, memory, and network resources for a broad spectrum of general purpose applications. They deliver a baseline CPU performance of 40 percent with the ability to deliver up to 100 percent CPU performance for 95 percent of the time over a 24-hour period.	August 2, 2023

M7i instances	New general purpose instance types that feature 4th generation Intel Xeon Scalable processors.	August 2, 2023
R7gd instances	New memory optimized instances featuring the latest AWS Graviton3 processors.	July 28, 2023
M7gd instances	New general purpose instances featuring the latest AWS Graviton3 processors.	July 28, 2023
C7gd instances	New compute optimized instances featuring the latest AWS Graviton3 processors.	July 28, 2023
P5 instances	New accelerated computing instances that feature 8 NVIDIA H100 GPUs with 640 GB high-bandwidth GPU memory, 3rd generation AMD EPYC processors, and 2 TB system memory.	July 26, 2023
Hpc7g instances	New high-performance computing instances powered by AWS Graviton3E processor s that provide up to 35 percent higher vector-instruction processing performance than Graviton3 processors.	June 20, 2023

C7gn instances	New compute optimized instances powered by the latest generation AWS Graviton3E processors and the new AWS Nitro cards. These instances offer up to 200 Gbps network bandwidth.	June 20, 2023
I4g instances	New storage optimized instances that features the AWS Graviton2 processor and AWS Nitro SSDs.	May 9, 2023
Trn1n instances	New accelerated computing instances optimized for machine learning training powered by AWS Trainium accelerators.	April 13, 2023
Inf2 instances	New instances featuring AWS Inferentia2 accelerators, the latest machine learning chip designed by AWS.	April 13, 2023
M7g and R7g instances	New instances featuring AWS Graviton3 processors.	February 12, 2023
Hpc6id instance	New memory optimized instance featuring 3rd generation Intel Xeon Scalable processors (Ice Lake).	November 29, 2022
R6in and R6idn instances	New memory optimized instances for network-i ntensive workloads.	November 28, 2022
M6in and M6idn instances	New general computing instances types.	November 28, 2022

C6in instances	New compute optimized instances ideal for running high performance computing.	November 28, 2022
Trn1 instances	New accelerated computing instances optimized for deep learning powered by AWS Trainium chips.	October 10, 2022
R6a instances	New memory optimized instances featuring 3rd generation AMD EPYC processors.	July 19, 2022
R6id instances	New memory optimized instances featuring 3rd generation Intel Xeon Scalable processors (Ice Lake).	June 9, 2022
P4de instances	New accelerated computing instances featuring 640GB of GPU memory.	May 26, 2022
M6id instances	New general purpose instances featuring 3rd generation Intel Xeon Scalable processors (Ice Lake).	May 26, 2022
C6id instances	New compute optimized instances featuring 3rd generation Intel Xeon Scalable processors (Ice Lake).	May 26, 2022
C7g instances	New compute optimized instances featuring AWS Graviton3 processors.	May 23, 2022

I4i instances	New storage optimized instances featuring 3rd generation Intel Xeon Scalable processors (Ice Lake).	April 27, 2022
X2idn and X2iedn instances	New memory optimized instances featuring Intel Xeon Scalable processors (Ice Lake).	March 10, 2022
C6a instances	New compute optimized instances featuring 3rd generation AMD EPYC processors (Milan).	February 14, 2022
X2iezn instances	New memory optimized instances featuring Intel Xeon Platinum processors (Cascade Lake).	January 26, 2022
Hpc6a instances	New compute optimized instances featuring AMD EPYC processors.	January 10, 2022
Im4gn and Is4gen instances	New storage optimized instances.	November 30, 2021
M6a instances	New general purpose instances powered by AMD 3rd Generation EPYC processors.	November 29, 2021
G5g instances	New accelerated computing instances featuring AWS Graviton2 processors based on 64-bit Arm architecture.	November 29, 2021
R6i instances	New memory optimized instances.	November 22, 2021

G5 instances	New accelerated computing instances featuring up to 8 NVIDIA A10G GPUs and second generation AMD EPY processors.	November 11, 2021
C6i instances	New compute optimized instances featuring Intel Xeon Scalable processors (Ice Lake).	October 28, 2021
DL1 instances	New accelerated computing instances featuring Habana Gaudi accelerators and Intel Xeon Platinum processors (Cascade Lake).	October 26, 2021
VT1 instances	New accelerated computing instances that use Xilinx Alveo U30 media accelerators and are designed for live video transcoding workloads.	September 13, 2021
M6i instances	New general purpose instances featuring third generation Intel Xeon Scalable processors (Ice Lake).	August 16, 2021
High memory virtualized instances	Virtualized high memory instances purpose-built to run large in-memory databases. The new types are u-6tb1.56xlarge, u-6tb1.112xlarge, u-9tb1.112xlarge, and u-12tb1.112xlarge.	May 11, 2021

X2gd instances	New memory optimized instances featuring an AWS Graviton2 processor based on 64-bit Arm architecture.	March 16, 2021
C6gn instances	New computed optimized instances featuring an AWS Graviton2 processor based on 64-bit Arm architecture. These instances can utilize up to 100 Gbps of network bandwidth.	December 18, 2020
G4ad instances	New instances powered by AMD Radeon Pro V520 GPUs and AMD 2nd Generation EPYC processors.	December 9, 2020
D3, D3en, M5zn, and R5b instances	New instance types built on the Nitro System.	December 1, 2020
Mac1 instances	New instances built on Apple Mac mini computers that support running macOS workloads on Amazon EC2.	November 30, 2020
P4d instances	New accelerated computing instances that provide a high-performance platform for machine learning and HPC workloads.	November 2, 2020

T4g instances	New general purpose instances powered by AWS Graviton2 processors, which are based on 64-bit Arm Neoverse cores and custom silicon designed by AWS for optimized performance and cost.	September 14, 2020
C5ad instances	New compute optimized instances featuring second-generation AMD EPYC processors.	August 13, 2020
C6gd, M6gd, and R6gd instances	New general purpose instances powered by AWS Graviton2 processors, which are based on 64-bit Arm Neoverse cores and custom silicon designed by AWS for optimized performance and cost.	July 27, 2020
C6g and R6g instances	New general purpose instances powered by AWS Graviton2 processors, which are based on 64-bit Arm Neoverse cores and custom silicon designed by AWS for optimized performance and cost.	June 10, 2020
C5a instances	New compute optimized instances featuring second-generation AMD EPYC processors.	June 4, 2020

M6g instances	New general purpose instances powered by AWS Graviton2 processors, which are based on 64-bit Arm Neoverse cores and custom silicon designed by AWS for optimized performance and cost.	May 11, 2020
Inf1 instances	New instances featuring AWS Inferentia, a machine learning inference chip designed to deliver high performance at a low cost.	December 3, 2019
M5dn, M5n, R5dn, and R5n instances	New instances featuring 100 Gbps of network bandwidth.	October 9, 2019
G4dn instances	New instances featuring NVIDIA Tesla GPUs.	September 19, 2019
I3en instances	New I3en instances can utilize up to 100 Gbps of network bandwidth.	May 8, 2019
T3a instances	New instances featuring AMD EPYC processors.	April 24, 2019
M5ad and R5ad instances	New instances featuring AMD EPYC processors.	March 27, 2019
p3dn.24xlarge instances	New instances that provide 100 Gbps of network bandwidth.	December 7, 2018
C5n instances	New instances that provide up to 100 Gbps of network bandwidth.	November 26, 2018

A1 instances	New instances featuring Arm-based processors.	November 26, 2018
R5a instances	New instances featuring AMD EPYC processors.	November 6, 2018
M5a instances	New instances featuring AMD EPYC processors.	November 6, 2018
T3 instances	New instances featuring AMD EPYC processors.	August 21, 2018
z1d instances	New memory optimized instances.	July 25, 2018
R5 and R5d instances	New memory optimized instances.	July 25, 2018
M5d instances	New compute optimized instances.	June 4, 2018
C5d instances	New compute optimized instances.	May 17, 2018
X1e instances	New memory optimized instances.	November 28, 2017
M5 instances	New general purpose instances.	November 28, 2017
H1 instances	New storage optimized instances.	November 28, 2017
C5 instances	New compute optimized instances.	November 6, 2017
P3 instances	New accelerated computing instances.	October 25, 2017

G3 instances	New accelerated computing instances.	July 13, 2017
F1 instances	New accelerated computing instances.	April 19, 2017
I3 instances	New storage optimized instances.	February 23, 2017
R4 instances	New memory optimized instances.	November 30, 2016
P2 instances	New accelerated computing instances.	September 29, 2016
X1 instances	New memory optimized instances.	May 18, 2016
M4 instances	New general purpose instances.	June 11, 2015
D2 instances	New storage optimized instances.	March 24, 2015
C4 instances	New compute optimized instances.	January 11, 2015
T2 instances	New general purpose instances.	June 30, 2014